## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 1 8 2004

Buckman Laboratories, Inc. 1256 N. McLean Blvd. Memphis, TN 38108-1241

Attention: Jody L. Stobbe

Senior Regulatory Specialist

Subject: D-33-3

EPA Registration No. 1448-339 Amendment Dated March 5, 2004

This will acknowledge receipt of your notification to add the statement, "Not registered for this use in California" to the Industrial Water Purification Systems use pattern, submitted under the provisions of FIFRA Section 3(c)9. Based on a review of the submitted material, the following comments apply.

The Notification dated March 5, 2004 is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703-308-6217).

Sincerely,

Marshall Swindell Product Manager 33

Regulatory Management Branch 1

Antimicrobial Division (7510C)

		CONCURRENC	25		
SYMBOL	 				
SURNAME )				* **************	1
DATE	 *************	 ***********	***********	 	

		A ABA AF	<b>8038</b> 656	2/3
United St.  EPA Environmental Prote Washington, D.	ection Agency	Registra Amend Other	ation	O. Approvel expires 2-28-9 OPP Identifier Number
Applic	cation for Pesticide - Se	ction I		
1. Company/Product Number 1448-339	2. EPA Product M Marshall Swind	_	3. Pro	posed Classification
4. Company/Product (Name) D-33-3	PM# 33			Notice   Nestituted
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited R	eveiw. In accorda	nce with	FIFRA Section 3(c)(3)
Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108	to: EPA Reg. No.			mposition and labeling
Check if this is a new address	Product Name			
	Section - II			
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.	Agency /	ted labels in repsons etter dated " Application. xplain below.	e to	
Addition of "Not registered for this use in California." to the Insection: "If Ingested" changed to "if Swallowed".  This notification is consistent with the provisions of PR Notice labeling or the confidential statement of formula of these prodepal. I further understand that if this notification is not consist FIFRA and I may be subject to enforcement action and penal	98-10 and EPA regulations at 40 CF ducts. I understand that it is a violation ent with the terms of PR Notice 98-10 ties under sections 12 and 14 of FIFF	R 152.46, and no oth n of 18 USC. § 1001 to and 40 CFR 152.46,	er changes o willfully ma	have been made to the ake any false statement to
	Section - III			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes  No  No  Certification must  a submitted  1. Material This Product Will Be Packaged In:  Unit Packaging  Yes  No  No  No  If "Yes" Unit Packaging wgt.			Container  Metal Plastic Glass Paper Other (S.	pecify)
3. Location of Net Contents Information 4. Size(	s) Retail Container .	5. Location of La	oel Directio	ns
6. Manner in Which Label is Affixed to Product	ithograph Oti Peper glued Stenciled	ner		
	Section - IV			· · · · · · · · · · · · · · · · · · ·
1. Contact Point	fication of individual to be contacte	d, if necessary, to pr	ocess this	application.)
Name Jody L. Stobbe	Title Senior Regulatory Speciali	st	Telephone 901-272-8	No. (Include Area Code) 3550
Cert I certify that the statements I have made on this form I acknowledge that any knowlingly false or misleading both under applicable law.			mplete.	6. Ďate / pplication Řěcelved (Stamped)
2. Signature  Noder J. Stobbe	3. Title Senior Regulatory Specialist	· — · · · · · · · · · · · · · · · · · ·		••••
4. Typed Name  Jody L. Stobbe	5. Date March 5, 2	004		**************************************



ACTIVE INGREDIENT(S)	
Potassium dimethyldithiocarbamate	12.5%
INERT INGREDIENTS	87.5%
TOTAL	100.0%

## KEEP OUT OF REACH OF CHILDREN DANGER

	DANGEN
	FIRST AID
lf in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for further treatment advice.
lf on Skin, Clothes	- Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.
	Call poison control center or doctor immediately for treatment advice.  Have person sip a glass of water, if able to swallow.  Do not induce vomiting unless told to do so by the poison control center or doctor.  Do not give anything by mouth to an unconscious person.
If Inhaled	- Move person to fresh air.  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.  - Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER
or going	product container or label with you when calling a Poison Control Center or doctor for treatment. You may also contact 901-278-0330 or 1-800-BUCKMAN for y medical treatment information.
	NOTE TO PHYSICIAN
Probable i	mucosal damage may contraindicate the use of gastric lavage.

## Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage, Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

It is a violation of Federal law to use this product in a manner inco

r Use

COOLING WATER SYSTEMS: D-33-3 is used to inhibit the growth of microorganisms industrial, commercial and institutional cooling water systems. In noticeably fouled systems, D-33-3 should be added daily at a rate of 9.5 to 14.2 fl. oz. of D-33-3 per 1000 gallons of system water (80 - 120 norm) until control is evident. Subsequent additions of D-33-3 should be made to the system as needed at a rate of 4.7 to 14.2 ft, oz. of D-33-3 per 1000 gallons of system water (40-120 ppm) to maintain control. The frequency of treatment depends upon the severity of the microbiological problem. For best results the system should be cleaned prior to treatment.

INDUSTRIAL AIR WASHER SYSTEMS: D-33-3 is used to inhibit the growth of microorganisms in industrial air washer systems. In noticeably fouled systems, D-33-3 should be added at a rate of 22,2 to 28.4 fl. oz. of D-33-3 per 1000 gallons of water (180-230 ppm) until control is evident. Subsequent additions of D-33-3 should be made to the system as needed at a rate of 16.5 to 28.4 fl. oz. of D-33-3 per 1000 gallons of water (130-230 ppm) to maintain control. The frequency of treatment depends upon the severity of the microbiological problem. For best results the system should be cleaned prior to treatment.

INDUSTRIAL WATER PURIFICATION SYSTEMS: D-33-3 is used to control microbiological fouling in industrial water purification systems including reverse osmosis, filters, clarifiers, and ion exchange equipment. For off-line treatment, D-33-3 should be fed at a concentration of 20 to 50 ft. oz. per 1,000 gallons of water (160-400 ppm) for 4 to 8 hours. For on-line maintenance treatment, feeding 5 to 10 ft. oz. D-33-3 per 1,000 gallons of water (40-80 ppm) for 6 to 12 hours should be made once a week or as needed to maintain control. Not intended for use in potable water systems.

PETROLEUM SECONDARY RECOVERY WATERFLOODING OPERATIONS: D-33-3 is used to control sulfate-reducing bacteria in petroleum secondary waterflooding operations. In systems fouled with microbiological deposits, D-33-3 should be added as a stug dose to provide a concentration of 32 to 64 ppm (3.9 to 7.8 ft. oz. of D-33-3 per 1000 gal. of water treated). This should be followed by a continuous addition of D-33-3 employing a chemical metering pump to maintain a concentration of 32 ppm, based on the total weight of water treated. Both stug additions and continuous addition of D-33-3 should be made at the heater-treater pump, gathering lines, or receiving tanks. Additions should always be made upstream of the filter. D-33-3 is also used to inhibit the growth of fundi and bacteria in water-based drilling muds, completion fluids, packer fluids, and other water-based fluids containing starch, gurns, sugars, or other organic materials. For these purposes, D-33-3 is added at rates of 11.82 to 19.85 gat, per 100 barrels of fluid (0.28 to 0.47% by volume).

Do not contaminate water. PESTICIDE STORAGE: D then four drums high, Leel for disposal. Spills should t landfill. Keep container clos PESTICIDE DISPOSAL: P excess pesticide, spray mit cannot be disposed of b Pesticide or Environmental your EPA Regional Office fo CONTAINER DISPOSAL: PLASTIC: Triple rinse (or puncture and dispose of in local authorities, by burni equivalent). Then offer for sanitary landfill, or by other

1256 North McLear

EPA Est. No. EPA Reg. No.

**Product Weight** 

HMIS / N

Health 3 Flammal