the second of th

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

### e. Add the statement:

May be fatal if swallowed or absorbed through the skin.

Note: Refer to the label you referenced.

3. If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Les Product Manager (31) Antimicrobial Program Branch Registration Division (H7505C)

Enclosure

# Busan 1078 EST AVAILABLE COPY

Industrial — Microbicide

ACTIVE INGREDIEN
5-Chloro-2-methyl-4-isothiazolinINERT INGREDIENT

# KEEP OUT OF REACH OF CHILDREN DANGER

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Corrosive Causes eye damage and skin burns. May cause allergic skin reaction. Harmful if inhaled. Harmful if swallowed. Do not get in eyes, on skin, on dothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

#### Statement of Practical Treatment

If Swallowed: Do not induce vomiting. Drink promptly a large quantity of egg whites, gelatin solution, or , of these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person.

If Inhaled Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician

If on Skin Wash thoroughly with soap and water Remove and wash contaminated clothing before re-use.

If in Eyes Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters inless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your plane water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on the label.

# STORAGE AND DISPOSAL

#### **PROHIBITIONS**

This product is corrosive to mild steet. Do not store or transport in unlined metal containers, do not contaminate food or feed by storage, disposal, or cleaning of equipment.

PESTICIDE DISPOSAL

Pesticide wastes are acumyly hazardoris. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

### CONTAINER DISPOSAL

METAL CONTAINERS Triple rince (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfel, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS Triple times (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

#### GENERAL

CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL ALTERNATIVE PROCEDURES

# **DIRECTIONS FOR USI**

It is a violation of Federal law to use this product in a man

Papermills: Busan 1978 is recommended for the control of bacterial and funga POINT OF ADDITION: Busan 1978 should be added to a point in the system to Hydropulper, or Fan and Broke Storage Pumps

DOSAGE-Apply 0.44 to 1.5 lbs. (7 to 23 fluid ounces) of Busan 1078 per ton (didose. If needed repeat daily. Badly fouled systems should be cleaned before

Paper Coeting Preservation: Busan 10°ff is recommended as an inicontainer p in water, based coatings such as paper coatings.

Add 0.43  $\pm 1.65$  lbs. of Busan 1078 (195  $\pm 750$  g) to each 1,000 lbs. (453 kg.) of to 25 ppm active isothiazolones).

ACCEPTED with COMPACTS In ELA L

FEB 06 1991

Under (1...)
Funger, 1...
88 Enterel, (1...)
Foxistered

1443 - 342

## HMIS/NPCA RATING

Health 0 Flammability 0 Reactivity 0

Manufactured By EPA Est. No. 14-BUCKMAN LABORATORIES 1256 N. McLEAN BLVD, MEMPHIS, TN

Pro

(901) 278-0330 or 1-800-727-2