

1448-351

3/26/2010

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

Buckman Laboratories, Inc.
256 N. McLean Blvd.
Memphis, TN 38108

MAR 26 2010

Attention: Carl F. Watson, Ph.D.

Subject: BUSAN 1104
EPA Registration No. 1448-351
Amendment Dated February 5, 2010

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment

- Revise Storage and Disposal Section per PR Notice 2007-4

General Comment

A stamped copy of the "accepted" label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510P)

Enclosure

BUSAN 1104

BUSAN is a registered trademark.

Buckman 2/2

ACTIVE INGREDIENT(S)

1H-Pyrazole-1-methanol, 3,5-dimethyl.....

93.0%

INERT INGREDIENTS.....

7.00%

TOTAL.....

100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

If in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for further treatment advice.
If on Skin, Clothes	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
If Swallowed	- Call poison control center or doctor immediately for treatment advice. - Have person sip a glass of water, if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If Inhaled	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-767-2722 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye irritation and skin damage. Do not get in eyes, on skin, or, on clothing. Wear goggles or face shield, rubber gloves, and protective clothing when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

ACCEPTED
with COMMENTS
EPA Letter Dated:
MAR 26 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 1448-351

BUSAN 1104

BUSAN is a registered trademark.

Buckman

3/5

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Do not use or store near heat or open flame. Do not stack more than four drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

(Text for all nonrefillable containers)

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

{Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{Liquid residue removal statement for nonrefillable containers with capacity of >5 gals}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

(Text for all nonrefillable containers)

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

(Text for refillable containers)

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

For containers larger than 55 gallons:

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

For containers 55 gallons and smaller:

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Batch code: _____

Manufactured by

Buckman Laboratories, Inc.

1256 North McLean Blvd., Memphis, Tennessee 38108, USA
(901) 278-0330 or 1-800-282-5626

EPA Est. No. 1448-TN-1

EPA Reg. No. 1448-351

Product Weight 9.8 lbs./gal. 1.18 kg/L

ACCEPTED
with COMMENTS
EPA Letter Dated:

Net contents are marked on the container.

MAY 26 2010

HMIS / NPCA Ratings

Health 2 Flammability 1 Reactivity 1

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 1448-351

Last Revision

1/19/2010

BUSAN 1104

BUSAN is a registered trademark.

2/3
Buckman

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Busan 1104 is a preservative that is effective for the protection of emulsion paints, adhesives, latex emulsions, and liquid polishes and waxes. The directions given on this label show the range of effective concentrations indicated by laboratory tests on typical substrates, but it is recommended that appropriate preservation tests be conducted to determine the minimum amount of Busan 1104 needed to preserve a particular formulation. Technical assistance with the application of Busan 1104 as a preservative is available upon request when a description of the problem is provided.

EMULSION PAINTS: For in-can preservation of emulsion paints, including acrylic, butadiene-styrene and PVA paints, add 0.025 to 0.4% (250 to 4,000 ppm) Busan 1104 based on the total weight of the formulation. The preservative can be added to the paint or any aqueous raw materials incorporated into the paint.

ADHESIVES *: To protect adhesives, including natural gums, natural latex, PVA emulsions, synthetic gums, starched based adhesives (including non-converted tapioca, corn, and potato starches) and animal glues (including those derived from hide, bone, fish, blood or gelatin) or other adhesives, add 0.05 to 0.4% Busan 1104 based on the total weight of the formulation.

LATEX EMULSIONS: For the preservation of styrene-butadiene, PVA, acrylic and vinyl chloride, or other latex emulsions, add 0.02 to 0.3% Busan 1104 based on the total weight of the emulsion.

POLISHES AND WAXES: To preserve water-based polishes and waxes in-can during storage, add 0.02 to 0.3% Busan 1104 based on the total weight of the product.

PAPERMAKING CHEMICALS AND COATINGS *: To control the bacterial degradation of paper coatings, size press solutions, wet-end starch slurries, wet-end cooked starch, and other formulations used in papermaking, add 0.05 to 0.4% (500 to 4,000 ppm) Busan 1104 based on the total weight of the formulation. For pigment slurries (including clay, titanium dioxide, and calcium carbonate based slurries) add 0.03 to 0.3% (300 to 3,000 ppm) Busan 1104 based on the total weight of the formulation.

DETERGENTS: To prevent bacterial degradation during storage and to increase shelf life of biodegradable surfactants, add 0.05 to 0.5% (500 to 5,000 ppm) Busan 1104 by weight of the formulation.

INKS: To increase the shelf life of water based fountain pen, fabric, or paper printing inks, add 0.05 to 0.3% (500 to 3,000 ppm) Busan 1104 by weight of the formulation.

TEXTILES: To prevent spoilage of spinning emulsions for rayon and finishing solutions and to prevent viscosity and pH changes in printing pastes caused by bacteria, add 0.05 to 0.3% (500 to 3,000 ppm) Busan 1104 by weight of the formulation.

CONSTRUCTION MATERIALS: To increase the shelf and use life of caulking, grouting, sealing and spackling compounds and cements, add 0.04 to 0.4% (400 to 4,000 ppm) Busan 1104 by weight of the formulation.

** Busan 1104 may NOT be used for the preservation of materials which may contact food.

ACCEPTED
with COMMENTS
EPA Letter Dated:

MAR 26 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 1448-351