

PM 32 1448-353

10/1

Slimacide V-10

BUSAN is a registered trademark.

ACTIVE INGREDIENTS:
1,4-Bis(bromosetoxy)-2-butene 80.0 %
INERT INGREDIENTS: 20.0 %

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Harmful or fatal if swallowed, inhaled or absorbed through skin. May cause eye and skin damage. Do not get in eyes, on skin or on clothing. Do not inhale. Use of alcoholic beverages increases possibility of harm.

Wear rubber gloves, goggles or face shield when handling. Keep away from open flame. Keep container closed when not in use. Skin reddening or blistering may occur if concentrate remains in contact with skin.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near open flame.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge into lakes, streams, ponds, or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

FDA approved for use as an antimicrobial agent to control slime in the manufacture of paper and paperboard used in food packaging.

STATEMENT OF PRACTICAL TREATMENT:

On contact with eyes, wash eyes with water for 15 minutes. Call physician. If spilled on person, remove clothing at once and wash skin thoroughly with soap and water. Wash contaminated clothing before reusing. Should blistering occur, treat as thermal burn, apply analgesic.

If swallowed, drink promptly large quantities of water. Avoid alcohol. Call a physician immediately. If inhaled, remove person to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Call a physician.

STORAGE AND DISPOSAL

STORAGE: Do not store near feed or food products. Do not mix with other chemicals.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with direction.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF SLIME FORMING BACTERIA, YEASTS AND FUNGI IN OIL FIELD INJECTION WATER AND OTHER FIELD WATER SYSTEMS.

ENHANCED OIL RECOVERY: Apply 5 1/2 oz. of Slimacide V-10 (1 ppm) per each 1000 barrels of water.

MAINTENANCE DOSE: When microbial control is evident add 1 oz. of Busan 1210 (.2 ppm) per 1,000 barrels of water to maintain good control.


FOR CONTROL OF BACTERIAL AND/OR FUNGAL SLIME IN PULP AND PAPER MILLS.

Slimacide V-10 may be added at beater, fan pump, hydropulper or where largest build-up of slime occurs. Dosing at regular intervals and at least once daily is recommended. Add to system where agitation is sufficient to distribute material throughout mill.

DOSAGE: Begin at 40 to 80 ml. per ton of paper produced (.15 to .30 lbs.) After control is obtained, reduce dosage to a level necessary to maintain the desired biological control. Consult manufacturer for technical service.

For the Preservation of Waterbased Coatings: Slimacide V-10 may be used at levels of 0.1 - 0.5% based on the total weight of the coating as an in-can preservative to inhibit bacterial and fungal growth. Slimacide V-10 may also be used at levels of 0.5 - 2.5 % based on the total weight of the wet paint to inhibit fungal organisms that may cause deliquescence of paint films.

BEST AVAILABLE COPY



HMIS/NPCA RATING
Health 3 Flammability 1 Reactivity 1

Product Weight: 14.5 lbs./gal. 1.74 kg/l
NET CONTENTS MARKED ON CONTAINER

EPA Reg. No. 1448-353

Manufactured By EPA Est. No. 1448-TN-1
BUCKMAN LABORATORIES, INC.
1256 N. McLEAN BLVD., MEMPHIS, TN 38108 USA
(901) 278-0330 or 1-800-BUCKMAN

Rev. 12/1693

BEST AVAILABLE COPY