UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEPA United States-Environmental Protection Office of Pesticide Programs

Buckman Laboratories, Inc. 256 N. McLean Blvd. Memphis, TN 38108

APR 20 2010

Attention: Carl F. Watson, Ph.D.

Subject: BUSAN 72F

EPA Registration No. 1448-388 Amendment Dated March 1, 2010

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment

- To Revise Storage and Disposal Section per PR Notice 2007-4

General Comment

A stamped copy of the "accepted" label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindel Product Manager (33) **Regulatory Management Branch 1** Antimicrobials Division (7510P)

Enclosure



ACTIVE INGREDIENT(S)
2-(Thiocyanomethylthio)benzothiazole
INERT INGREDIENTS
TOTAL

Buckman

60.0% 40.0% 100.0%

(Contains Petroleum Distillates)

KEEP OUT OF REACH OF CHILDREN

WARNING

	FIRST AID					
lf in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. 					
lf on Skin, Clothes	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 					
lf Swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 					
lf Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 					
HOT LINE NUMBER						
	product container or label with you when calling a Poison Control Center or doctor or going for treatment. also contact 901-767-2722 for emergency medical treatment information.					
	NOTE TO PHYSICIAN					

Probable mucosal damage may contraindicate the use of gastric lavage.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin, eyes of clothing. Workmen handling the product should wear rubber gloves and goggles. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutan Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prio to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED with COMMENTS EPA Letter Dated:

APA 2 - 2010

The Federal Insecticide, The and Rodenticide Act as the d. for the pesticide, equatored under EPA Reg. No. /4/4/8-388



Buckman

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

(Text for all nonrefillable containers)

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. {Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less} Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the

container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{Liquid residue removal statement for nonrefillable containers with capacity of >5 gals}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container % full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

(Text for all nonrefillable containers) Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

{Text for refillable containers}

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. For containers larger than 55 gallons:

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

For containers 55 gallons and smaller:

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Batch code: ___

Manufactured by Buckman Laboratories, Inc. 1256 North McLean Blvd., Memphis, Tennessee 38108, USA (901) 278-0330 or 1-800-282-5626			
EPA Est. No.	1448-TN-1	ACCEPTED with COMMENTS	
EPA Reg. No.	1448-388	EPA Letter Dated:	
Product Weight	10.4 lbs/gal 1.25 kg/l	APR 2.0 2010 Net contents are marked on the container.	
	NPCA Ratings mability 2 Reactivity 1	Inder the Federal Insecticide, - ingicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. /448-388	∟ast Revision 1/30/2010





Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For formulation into end-use products only for use as industrial microbicides in the following use sites:

INDOOR NON-FOOD: Including, but not limited to, Paper (stored), Wood pulp and paper/paper products (additives/adhesives), Leather/leather hides (stored processed products), Leather/leather products (preservatives), Adhesives/Coatings/Caulkings, Industrial (preservatives), Metalworking cutting fluids (preservatives), Textiles/textile fibers/cordage (additives/preservatives).

AQUATIC NON-FOOD INDUSTRIAL: Including, but not limited to, Air conditioner/refrigeration condensate water systems/cooling towers, Industrial processing water, Secondary Oil recovery injection water, Commercial/industrial cooling water systems, and Pulp/paper mill water systems.

TERRESTRIAL FOOD: Storage\pre-plant seed treatment and seedling treatment to prevent microbial\fungal decay. Formulated products for seed treatment must contain an EPA approved dye which imparts an unnatural color. Seeds treated with BUSAN 72F formulations may not be used for feed, food, or oil purposes. Treated seeds should be stored away from foodstuffs.

TERRESTRIAL NON-FOOD: Including, but not limited to, Wood protection to forest products (seasoned and unseasoned).

AQUATIC NON-FOOD OUTDOOR: Including, but not limited to, Wood protection treatment to aquatic structures (ie: wooden cooling towers).

Formulators must ensure that all end use products are registered according to the provisions of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Formulators must also secure FDA clearance for all formulations, containing BUSAN 72F, that may be used in the manufacture of paper, paperboard, adhesives, coatings, and\or caulkings that may contact food.

ACCEPTED with COMMENTS EPA Letter Dated:

APR 2 0 2010

Ender the Federal Insecticide, Hungloide, and Rodenticide Act as emended, for the pesticide, egistered under EPA Reg. No. 1448-386