

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

FEB 1 8 2010

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Carl Watson Senior Toxicologist for, Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108-1241

Subject: D-33-5

EPA Registration Number 1448-389

Your Notification Dated January 15th, 2010 EPA Received Date January 19th, 2010

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to revise the Storage and Disposal section as per PR Notice 2007-4, is acceptable.

The notification has been made part of the file.

If you have questions concerning this letter, please contact Karen M. Leavy at (703)-308-6237.

Sincerely,

Marshall Swindell

Product Manager 33

Regulatory Management Branch I Antimicrobials Division(7510P)

9	4	ĺ
-	^-	

SEPA Environmental Programmental Programment	d States rotection Agency on, DC 20460	Registration Amendment Other	
Ap	plication for Pesticide - S	ection I	
1. Company/Product Number 1448-389	2. EPA Product M Marshall Swin	<u> </u>	3. Proposed Classification None Restricted
4. Company/Product (Name) D-33-5	PM# 33		
5. Name and Address of Applicant (Include ZIP Code) Buckman Laboratories, Inc. 1256 N. McLean Blvd Memphis, TN 38108 Check if this is a new address	(b)(i), my produ to:	ct is similar or identical	with FIFRA Section 3(c)(3) in composition and labeling
	Section - II		
Amendment - Explain below. Resubmission in response to Agency letter date Notification - Explain below. Explanation: Use additional page(s) if necessary. (If Label Amendment: Non-PRIA action. ACTION: Revise the Storage & Disposal Section in order Contact: cfwatson@buckman.com; FAX: (901) 272-6256	Agency "Me Tod Other - I	nted labels in repsonse to letter dated " Application. Explain below.	
	Section - III		
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging Yes No No If "Yes" N	Water Soluble Packaging Yes No o. per If "Yes" No. pontainer Package wgt conta	Plo GI Pa	tainer etal estic ass eper her (Specify)
3. Location of Net Contents Information 4. S Label Container	Size(s) Retail Container	5. Location of Label D	irections
6. Manner in Which Label is Affixed to Product	Lithograph Of Paper glued Stenciled	her	
	Section - IV		
1. Contact Point (Complete items directly below for id	lentification of individual to be contact	nd, if necessary, to proces	s this application.)
Name Carl Watson	Title Sr. Regulatory Toxicologis	Title Teleph Sr. Regulatory Toxicologist (901) 2	
I certify that the statements I have made on this I acknowledge that any knowlinglly false or misle both under applicable law.	Certification form and all attachments thereto are to eading statement may be punishable b	y fine or imprisonment or	(Stamped)
2. Signature Mul July	3. Title Sr. Regulatory Toxicologist	2232. 2232. 2232.) , , , , , , , , , , , , , , , , , , ,
4. Typed Name Carl F. Watson, Ph.D.	5. Date 15 Januar	y 2010	

BUCKMAN LABORATORIES INTERNATIONAL, INC.

January 15, 2010

1256 NORTH McLEAN BLVD.

MEMPHIS, TN 38108-1241 U.S.A.

TELEPHONE (901) 278-0330

FAX (901) 276-5343

www.buckman.com
e-mail: knetix@buckman.com

Marshall Swindell, PM 33
Regulatory Management Branch I
Antimicrobial Division (H7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22203-4501

Re: Label Revisions: PR Notice 2007-4 Pesticide Container and Containment Rule EPA Reg. Nos.: 1448-103, -115, -128, -180, -185, 198, -202, -277, -282, -283, -337, -338, -339, -389, -390, -391 & -392

Dear Mr. Swindell:

Buckman Laboratories submits the following amendment for the product labels listed below:

BUSAN 1058 (EPA Reg. # 1448-103 D-10-14 (EPA Reg. # 1448-283) NM-875-11 (EPA Reg. # 1448-115) D-33-1 (EPA Reg. # 1448-33-7) NM-35-1 (EPA Reg. # 1448-128) D-33-2 (EPA Reg. # 1448-338) NM-175-11 (EPA Reg. # 1448-180) D-33-3 (EPA Reg. # 1448-339) D-10-1 (EPA Reg. # 1448-185) D-33-5 (EPA Reg. # 1448-389) V D-25-1 (EPA Reg. # 1448-198)^v D-33-6 (EPA Reg. # 1448-390) D-50-1 (EPA Reg. # 1448-202) D-33-7 (EPA Reg. # 1448-391) D-25-5 (EPA Reg. # 1448-277) D-33-8 (EPA Reg. # 1448-392) D-50-4 (EPA Reg. # 1448-282)

Please find enclosed the EPA application Form 8570-1 and 5 copies of the draft revised labels incorporating changes per comments from PR Notice 2007-4 regarding the Pesticide Container and Containment Rule. If you should you have any questions or require additional information, please feel free to contact me or Crystal Brown at (901) 272-8258 (cwbrown@buckman.com).

Sincerely,

BUCKMAN LABORATORIES INTERNATIONAL, INC.

Carl F. Watson, Ph.D. Sr. Regulatory Toxicologist

	2	2	5
U	-0	J	J

		,
Buc	kmar	1

ACTIVE INGREDIENT(S)
Potassium dimethyldithiocarbamate
INERT INGREDIENTS
TOTAL

33.3% 66.7% 100.0%

DANGER

	FIRST AID	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. 	
If on Skin, Clothes	- Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.	
If Swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
lf Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
	HOT LINE NUMBER	
	product container or label with you when calling a Poison Control Center or doctor or going for treatment. also contact 901-767-2722 for emergency medical treatment information.	
	NOTE TO PHYSICIAN	
Probable	e mucosal damage may contraindicate gastric lavage	

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or esturine oil fields. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge effluent containing this product to sewer systmes without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.



Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to exreme temperatures. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spill should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

(Text for all nonrefillable containers)

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

{Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/2 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{Liquid residue removal statement for nonrefillable containers with capacity of >5 gals}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

(Text for all nonrefillable containers)

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

{Text for refillable containers}
Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

For containers larger than 55 gallons:

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

For containers 55 gallons and smaller:

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES)

		scharge. Do not discharge rinsate containing this prod nce contact your State Water Board or Regional Office	
Batch code:			
Manufactured by	Buckman Laboratories, In 1256 North McLean Blvd., Mei (901) 278-0330 or 1-800-282-5	mphis, Tennessee 38108, USA	0000
EPA Est. No.	1448-TN-1		ა ი ე ა ი ე
EPA Reg. No.	1448-389	7.3 7.3 , 1 1	ი ეკენე ე
Product Weight	9.6 lbs/gal 1.15 kg/L	Net contents are marked on the contain	er.;;;;;;;
	NPCA Ratings mability 1 Reactivity 1		ಿ೬ast Revision ್ಪ್ರಿ12/11/2009

D-33-5

Buckman $^{\wp/\wp}$

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

D-33-5 is used in industrial and/or commercial recirculating cooling tower systems and industrial airwashing systems to control microbiological slime. Prior to the use of D-33-5, in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 3.3 to 4.9 fl oz of D-33-5 per 1000 gal of water to provide 30 to 45 ppm of D-33-5, based on the total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 1.6 to 4.9 fl oz of D-33-5 per 1000 gal of water (15 to 45 ppm D-33-5) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

D-33-5 is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug doesof 7.7 - 9.8 fl oz of D-33-5 per 1000 gal of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 5.7 - 9.8 fl oz of D-33-5 per 1000 gal of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collectiont rays of the airwash system.