

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Carl Watson Senior Toxicologist for, Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108-1241

MAR - 4 2010

Subject: D-33-5

EPA Registration Number 1448-389 Your Amendment Dated January 15<sup>th</sup>, 2010 EPA Received Date January 19<sup>th</sup>, 2010

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to revise the Storage and Disposal section as per PR Notice 2007-4, is acceptable.

A stamped copy of the labeling is enclosed.

If you have questions concerning this letter, please contact Karen M. Leavy at (703)-308-6237.

Sincerely,

Marshall Swindell

Product Manager 33

Regulatory Management Branch I Antimicrobials Division(7510P)

D-33-5

## Buckman

ACTIVE INGREDIENT(S)
Potassium dimethyldithlocarbamate
INERT INGREDIENTS
TOTAL

ACCEPTED with COMMENTS EPA Letter Dated:

66.7% 100.0%

MAR - 4 2010

Under the Federal Insecticide,

Fungicide, and Rodenticide, KEEP OUT OF REACH OF CHILDREN pesticide, registered under EPA Reg. No. /448-389 DANGER

	DANGER				
	FIRST AID				
lf in Eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>				
lf on Skin, Clothes	- Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.				
If Swallowed	- Call poison control center or doctor immediately for treatment advice Have person sip a glass of water, if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person.				
If Inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>				
	HOT LINE NUMBER				
	product container or label with you when calling a Poison Control Center or doctor or going for treatment. also contact 901-767-2722 for emergency medical treatment information.				
	NOTE TO PHYSICIAN				
Probable mucosal damage may contraindicate gastric lavage					

#### **Precautionary Statements** HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or esturine oil fields. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systmes without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

D-33-5

### ACCEPTED with COMMENTS EPA Letter Dated:

## **Buckman**

MAR - 4 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as

amended for the pesticide, Storage and Disposal under EFA Reg. No. /448-389

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to exreme temperatures. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spill should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

#### CONTAINER DISPOSAL:

(Text for all nonrefillable containers)

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

[Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less]

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{Liquid residue removal statement for nonrefillable containers with capacity of >5 gals}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container % full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

(Text for all nonrefillable containers)

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

{Text for refillable containers}

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

For containers larger than 55 gallons:

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

For containers 55 gallons and smaller:

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) rmit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without

prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.					
Batch code:	<del></del>				
Manufactured by	Buckman Laboratories, Inc.				
	1256 North McLean Blvd., Men (901) 278-0330 or 1-800-282-56	nphis, Tennessee 38108, USA			
EPA Est. No.	1448-TN-1				
EPA Reg. No.	1448-389				
Product Weight	9.6 lbs/gal 1.15 kg/L	Net contents are marked on the container.			
HMIS /	NPCA Ratings		Loot Davision		

Last Revision

Health 3 Flammability 1 Reactivity 1

12/11/2009

D-33-5

### Buckman

#### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

D-33-5 is used in industrial and/or commercial recirculating cooling tower systems and industrial airwashing systems to control microbiological slime. Prior to the use of D-33-5, in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 3.3 to 4.9 fl oz of D-33-5 per 1000 gal of water to provide 30 to 45 ppm of D-33-5, based on the total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 1.6 to 4.9 fl oz of D-33-5 per 1000 gal of water (15 to 45 ppm D-33-5) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

D-33-5 is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug doesof 7.7 - 9.8 fl oz of D-33-5 per 1000 gal of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 5.7 - 9.8 fl oz of D-33-5 per 1000 gal of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collectiont rays of the airwash system.

ACCEPTED
with COMMENTS
EPA Letter Dated:

Under the Pederal Insecticide, Pungicide and independent Act as amended for the pushoide. registered under EPA Neg. Mo. 1448-389