1448-394 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

7 2004 JUN

Ms. Crystal W. Brown **Buckman Laboratories** 1256 North McLean Blvd. Memphis, TN 38108-1241

Subject: **Busan 1366**

EPA Registration Number 1448-394

Application Date: 4/1/04 Receipt Date: 4/5/04

Dear Ms. Brown:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- To replace the "If Ingested" statement with "If Swallowed".
- To move the Ingredients Statement beneath the Product name.
- To correct the product name under "Directions for Use".

Conditions

- Delete the (s) on the word "Ingredients" in the Ingredient Statement. 1.
- In the "Ingredient" Statement delete "(0.64 lbs. active ingredient/gallon)". 2.


General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Emily H. Mitchell Acting Product Manager 32 Regulatory Management Branch II



EPA Form 1320-1A (1/90)

Printed on Recycled Paper



ACTIVE INGREDIENT	
Propiconazole:1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]-	
methyl]-1H-1,2,4-triazole	8.0
(0.64 lbe-active ingradient/gallon)	
NERT INGREDIENTS	92.0
TOTAL	. 100.0

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for further treatment advice.
If on Skin, Clothes	- Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.
If Swallowed	- Call poison control center or doctor immediately for treatment advice Have person sip a glass of water, if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person.
if Inhaled	- Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible Call a poison control center or doctor for further treatment advice.
	HÖT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-278-0330 or 1-800-BUCKMAN for emergency medical treatment information.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUN 7 2004

Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Rog. No.

1448- 394

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SAPSTAIN AND MOLD CONTROL:

BUSAN 1366 is used to control sapstain and mold in freshly cut hardwood and softwood lumber, logs, poles, posts and timbers. BUSAN 1366 is applied by dipping or spraying the wood until complete surface wetting is achieved. For bulk dip tanks BUSAN 1366 is diluted by using 0.5 gallons to 2.0 gallons BUSAN 1366 per 100 gallons of water. Agitate vigorously until completely dispersed. For conventional spray systems a 0.25% to 10% BUSAN 1366 spray solution is used. For example, in a 100 gallon day tank, 0.25 to 10 gallons of BUSAN 1366 are added to the day tank and then enough water is added to bring the total volume up to 100 gallons of solution. In electrostatic spray applications, BUSAN 1366 dilution is not required, treatment strength is varied by number of application nozzles used and line speed. Rates, for all applications used, will vary according to temperature, humidity, wood moisture, storage conditions, etc. Contact your local Buckman Laboratories representative for application advice.

Remove sawdust and other debris from treating solution on a regular basis to maintain correct concentration of BUSAN 1366 in application solution. To prevent fungal attack below the surface of the wood, freshly sawn lumber should be treated within 24 hours. Treated lumber should be protected from rain and removed from direct soil/ground contact.

COATINGS, CAULKS, SEALANTS, ADHESIVES, AND INKS

Sufficient mixing to ensure adequate dispersion of the biocide is required. BUSAN 1366 should be used at levels between 0.6 and 10.0%, based on the total weight of the formulation, to inhibit fungal disfigurement and deterioration. For solvent based formulations, BUSAN 1366 can be dissolved in aromatic solvents or combination of aromatic and aliphatic solvents and added to the letdown or added directly to the finished product. For water-thinned latex emulsion formulations, BUSAN 1366 can be premixed with the wetting agent and ad ed to the pigment sturry or simply added to the letdown or the finished product.

Not for use in coatings and adhesives which will come in contact with paper or paperboard.

* Active ingredient developed by Janssen Pharmaceutica, Beerse, Belgium.