



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 11, 2014

Carl F. Watson, Ph.D. Sr. Regulatory Toxicologist Buckman North America Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108-1241

Subject:

Amended Reregistration Label

Busan 1366

EPA Registration Number: 1448-394 EPA Decision Number: 454606

Dear Dr. Watson:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the **Propiconazole RED** and has concluded that your submission is acceptable.

NOTE: This product is **not** yet being reregistered under section 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statement of Formulation (CSF) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated March 11, 2013

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-8062 or by e-mail at fuller.demson@epa.gov or Srinivas Gowda by telephone at (703) 308-6354 or by e-mail at gowda.srinivas@epa.gov during the hours of 8:00am to 4:00pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Demson Fuller, Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510P)

Muy Sum Wa for

Office of Pesticide Programs

Enclosure: Stamped label



ACCEPTED

12/11/2014

Under the Federal Insecticide, Fungicide and Rodonlicide Act as amended, for the pesticide registered under EPA Reg. No. 1448-394

Buckman

ACTIVE INGREDIENT

KEEP OUT OF REACH OF CHILDREN **DANGER**

	FIRST AID
If Swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on Skin, Clothes	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-767-2722 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE) Mixers and loaders must wear: long-sleeved shirt and long pants; shoes and socks, and chemical-resistant gloves (such as barrier laminate, butyl, nitrile, or neoprene rubber, polyvinyl chloride (PVC) or Viton.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Instructions: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and change into clean clothing. Remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing as soon as possible wash thoroughly.

Buckman

ENVIRONMENTAL HAZARDS: This product is toxic to fish and shrimp. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

SAPSTAIN AND MOLD CONTROL:

BUSAN 1366 is used to control sapstain and mold in freshly cut hardwood and softwood lumber, logs, poles, posts and timbers. BUSAN 1366 is applied by dipping or spraying the wood until complete surface wetting is achieved. For bulk dip tanks BUSAN 1366 is diluted by using 0.5 gallons to 2.0 gallons BUSAN 1366 per 100 gallons of water. Agitate vigorously until completely dispersed. For conventional spray systems a 0.25% to 10% BUSAN 1366 spray solution is used. For example, in a 100 gallon day tank, 0.25 to 10 gallons of BUSAN 1366 are added to the day tank and then enough water is added to bring the total volume up to 100 gallons of solution. In electrostatic spray applications, BUSAN 1366 dilution is not required, treatment strength is varied by number of application nozzles used and line speed. Rates, for all applications used, will vary according to temperature, humidity, wood moisture, storage conditions, etc. Contact your local Buckman representative for application advice.

Remove sawdust and other debris from treating solution on a regular basis to maintain correct concentration of BUSAN 1366 in application solution. To prevent fungal attack below the surface of the wood, freshly sawn lumber must be treated within 24 hours. Treated lumber must be protected from rain and removed from direct soil/ground contact.

COATINGS, CAULKS, SEALANTS, ADHESIVES, AND INKS:

Sufficient mixing to ensure adequate dispersion of the biocide is required. BUSAN 1366 must be used at levels between 0.6 and 10.0%, based on the total weight of the formulation, to inhibit fungal disfigurement and deterioration. For solvent based formulations, BUSAN 1366 can be dissolved in aromatic solvents or combination of aromatic and aliphatic solvents and added to the letdown or added directly to the finished product. For water-thinned latex emulsion formulations, BUSAN 1366 can be premixed with the wetting agent and added to the pigment slurry or simply added to the letdown or the finished product.

Not for use in coatings and adhesives which will come in contact with paper or paperboard.



Buckman

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING:

{Text for all nonrefillable containers}

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

{Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{Liquid residue removal statement for nonrefillable containers with capacity of >5 gals}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

{Text for all nonrefillable containers}

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

{Text for refillable containers}

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

For containers larger than 55 gallons:

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120°F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.



For containers 55 gallons and smaller:

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Batch	code.	
Dawii	coue.	

Manufactured by:

Buckman Laboratories, Inc.

1256 N. McLean Blvd., Memphis, Tennessee 38108, U.S.A. (901) 278-0330 or 1-800-282-5626

EPA Est. No. 1448-TN-1

EPA Reg. No. 1448-394

Product Weight

8.5 lbs/qal

1.02 kg/l

NET CONTENTS MARKED ON CONTAINER

HMIS/NPCA RATINGS

Health 1 Flammability 1 Reactivity 1

Revised: 09/12/14