PM 34 1448-398 12/13/94 profe 1 3 3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

DEC 1 3 1999

Mr. Carl Watson Buckman Laboratories, Inc. 1256 N McLean Blvd Memphis, TN 8108

Dear Watson:

Subject: Revision of Precautionary Statement for WSKT EPA Registration Number 1448-398 Your Notification Dated November 22, 1999 Per PR-Notice 98-10

This will acknowledge receipt of your notification to revised the precautionary statement to read("Harmful if swallowed"), submitted under the provisions FIFRA section 3 c 9. Based on a review of the submitted material the following comment apply.

This application is acceptable and has been made a part of the records for this file.

If you have any question concerning this letter please contract Drusilla Copeland at (703) 308-6224.

Sincerely,

Adam Heyward

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division Branch (7510C)

CONCURRENCES								
SYMBOL,								
SURNAME								
DATE					****************			
SD& Form 1320-1A (1/90)		Printed on Recycled Paper				OFFICIAL FILE COPY		

Please read instructions on reverse before completing form.

United States

# **Environmental Protection Agency**

	Registration					
	Amendment					
/	Other					

Form Approved, OMB No. 2070-0060,

**OPP Identifier Number** 259579

Approval expires 2-28-95

· · · · · · · · · · · · · · · · · · ·	nington, DC 204			U Other			
	Applicatio	n for Pestic	ide - Sec	tion I			
1. Company/Product Number 1448-398		2. EPA Product Manager Adam Heyward			3. Proposed Classification  None Restricted		
4. Company/Product (Name) WSKT-10		PM# 34	1			None	
5. Name and Address of Applicant (Include ZIP of Buckman Laboratories, Inc. 1256 N McLean Blvd Memphis, TN 8108  Check if this is a new address	Cade)	(b)(i), to: EPA	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name				
		Section -					
Amendment - Explain below.  Resubmission in response to Agency letter  I offication - Explain below.  Explanation: Use additional page(s) if necession of Precautionary Statement (""Harmful if s	ary. (For section		Agency let "Me Too"  Other - Exp	Application.	se to 11/	16/99	
		Section -	111				
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes  No  Packaging  Yes  No  If "Yes" Unit Packaging wg	No, per t. container	Water Soluble Yes No If "Yes" Package wgt	Packaging No. per		Container  Metal Plastic Glass Paper Other (S	pacify)	
3. Location of Net Contents Information  Label Container	4. Size(s) Reta	il Container		5. Location of La	bal Direction	ns	
6. Manner in Which Label is Affixed to Product	Uithogr Paper I Stencil	od od	Othe	or			
		Section -					
Contact Point IComplete items directly below     Name     Carl Watson		of individual to Title Regulatory Tox		, if necessary, to p	T	No. (Indiede Area Code)	
I certify that the statements I have made of acknowledge that any knowlingly false of both under applicable law.	or misleeding stat	ell attachments t tement may be p	hereto are tru unishable by	se, socurate and co	omplete, nt or	6. Cate Application Received ''' (Stamped)	
2. Signature  Oul JWk	1	3. Title Regulatory Toxicologis					
4. Typed Name Carl Watson	5	5. Date 11/22/99				• 4 . 5	

# WSKT-10

# DANGER

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage and skin burns. May cause allergic skin reaction. Harmful if inhaled. Harmful if swallowed. Do not get in eyes, on skin, or clothing. Mixers, loaders and others exposed to this product must wear. long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then was thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. This product may cause skin sensitization reactions in some people.

#### STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Do not induce vomiting. Drink promptly a large quantity of egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person. If Inhaled: Remove immediately to fresh air. If not breathing apply artificial respiration. If breathing is difficult give oxygen. Call a physician. If on Skin: Wash thoroughly with soap and water. Remove and wash contaminated clothing before re-use.

If in Eyes: Flush with plenty of water for 15 minutes. Call a physician. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage.

ENVIRONMENTAL HAZARDS: This chemical is toxic to terrestrial and aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on the label.

### STORAGE AND DISPOSAL

**PROHIBITIONS:** This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

PESTICIDE AISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label institutions, portact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### **ACTIVE INGREDIENTS:**

Poly[oxyethylene(dimethyliminio)ethylene	
(dimethyliminio)ethylene dichloride	6.00%
5-Chloro-2-Methyl-4-isothiazolin-3-one	0.52%
2-Methyl-4-isothiazolin-3-one	0.19%
INERT INGREDIENTS:	93.29%

**GENERAL:** CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

COOLING WATER SYSTEMS: WSKT 10 may be used to control the growth of microorganisms including bacteria, algae, and fungi in recirculating cooling water systems. In noticeably fouled systems, WSKT 10 should be added at a dosage rate of 11.6 to 69.6 fluid ounces per 1000 gallons of system water (100 to 600 ppm WSKT 10). Extremely fouled systems should be cleaned to remove excess algal growth, excessive biofilm, and other deposits prior to program initiation. Subsequent additions of 1.16 to 34.8 fluid ounces of WSKT 10 per 1000 gallons of system water (10 to 300 ppm WSKT 10) should be made to maintain control.

AIR WASHER SYSTEMS: WSKT 10 may be used to control microbiological fouling in industrial airwash systems. Extremely fouled systems should be cleaned prior to addition of WSKT 10. When systems are noticeably fouled, WSKT 10 should be added at an application rate of 11.6 to 92.8 fluid ounces per 1000 gallons of system water (100 to 800 ppm WSKT 10) daily until control is evident. Subsequent additions of 11.6 to 58.0 fluid ounces per 1000 gallons of system water (100 to 500 ppm WSKT 10) should be added as needed to maintain control.

METALWORKING FLUID SYSTEMS: WSKT 10 may be used to prevent microbial degradation and fouling in metalworking fluid systems. WSKT 10 should be added tank-side to the system at 23.2 to 232 fluid ounces per 1000 gallons of dilute fluid (200 to 2000 ppm product) as needed to maintain control. Systems with excessive fouling should be cleaned prior to initiating the program.

FIRE WATER PROTECTION SYSTEMS: WSKT 10 can be added to help control microorganisms which may foul or cause corrosion in fire water protection systems. WSKT 10 should be added to the system at a point where it will be adequately distributed throughout the system. WSKT 10 should be fed to maintain 200 to 800 ppm of product in the system. This will require an initial dose of 23.2 to 92.8 fluid ounces per 1000 gallons of water. Subsequent doses should be evaluated based on microbiological activity and product level testing.

## **HMIS/NPCA RATING**

Health 3 Flammability 1 Reactivity 1

Product Weight: 8.7 lbs./gal. 1.04 kg/l NET CONTENTS MARKED ON CONTAINER

EPA Reg. No. 1448-398

Manufactured By EPA Est. No. 1448-TN-1
BUCKMAN LABORATORIES, INC.

1256 N. McLEAN BLVD., MEMPHIS, TN 38108 USA (901) 278-0330 or 1-800-BUCKMAN

Rev. 11/17/99