
1448-432



Subject:

06 10 2011



Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108-1241 USA

JUN 10 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Attention: Jeffery M. Thorne Director, Compliance

BCMW EPA Reg. No.: 1448-432 Amendment Application Dated May 12, 2011

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. The Agency approves the changes made to the label per the Agency letter dated January 7, 2011.

The label must be revised so the routes of exposure are listed in the same order in both the First Aid and Hazards to Humans and Domestic Animals Sections, organized so that the routes of exposure of most concern (severe routes of exposure) as supported by the toxicity category classification are listed first.

A stamped copy of the accepted labeling is enclosed. Submit three copies of your final printed labeling to the Agency before distributing or selling the product bearing the revised labeling.

If you have any questions concerning this letter, please contact Abigail Downs at (703) 305-5259.

Sincerely Marshall Swindell

Product Manager (33) Regulatory Management Branch I Antimicrobials Division (7510P)

BCMW

•	
ACTIVE INGREDIENT(S)	\$
Ammonia (total)	
INERT INGREDIENTS	
τοται	

7.59% 92. 41%

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION FIRST AID If in - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Eyes - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for further treatment advice. 1 1 1 6 1 If on - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. Skin. - Call a poison control center or doctor for treatment advice. Clothes lf - Call poison control center or doctor immediately for treatment advice. - Have person sip a glass of water, if able to swallow. Swallowed - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person. - Move person to fresh air. lf - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Inhaled - Call a poison control center or doctor for further treatment advice. HOT LINE NUMBER Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-767-2722 for emergency medical treatment information.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: The pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED with COLATAENTS b. SPA Lever Dated:

JUN TO 2011

Inder the Redetal Insecticule, Pingleide, and Rodenticide Act a. amended, for the pesticide, registered under EPA Reg. No 1448-438





Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is for **FORMULATING USE ONLY** into EPA registered antimicrobials for the following uses: Industrial processess and water systems - Pulp and Paper Mills, Recirculating Cooling Water Systems, Evaporative Condensers, Brewery and Food Pasteurizers, Seawater Desalination and Reverse Osmosis Systems, Sewage and Wastewater Systems, Non-Fish containing Decorative Fountains and Porids, Seawater and Freshwater Influent Systems, Paint Spray Booth Sumps, and Air Washers.

Formulators are responsible for obtaining registrations and preparing labeling in compliance with EPA guidelines for formulations based on this product.

ACCEPTED with COMMENTS in EPA Latter Dated: JUN 1 0 2011

Inder the Bederal Insectionde, Possible, and Rodennicide Acta. Imended, for the nearloids, registered under EPA Ney, No. 1448-433 ACCEPTED with COMMENTS in EPA Letter Dated:

Buckman

JUN 1 0 2011

Index the Federal Insecticide, Fundicide, and Rodenticide Act a. amended, for the pesticide, registen-ri under SPA Reg. No / 448-432

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

BCMM

PESTICIDE STORAGE: Keep container tightly closed. Store in a dry place. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the near st EPA Regional office for guidance. Clean equipment and/or dispose of equipment wash water in a manner to avoid contamination of water resources.

Nonrefillable

5 gals or less

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke. If metal container, do not puncture or burn.

Capacity of >5 gals

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke. If metal container, do not puncture or burn.

Refillable

Larger than 55 gallons

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the prinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

oompicted.

55 gallons and smaller

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Manufactured by	Buckman Laboratories, Inc. 1256 North McLean Blvd., Memp (901) 278-0330 or 1-800-282-562	•
EPA Est. No.	1448-TN-1	
EPA Reg. No.	1448-432	
Product Weight	9.59 lbs/gal 1.15kg/l	Net contents are marked on the container.
	NPCA Ratings nability 1 Reactivity 0	Last Revision 3/10/2011