SNURDER STATED TO NORTH HIM TO A PROTECTION	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Antimicrobials Division (7510P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 1448-449	Date of Issuance: 9/18/2020
	NOTICE OF PESTICIDE: <u>X</u> Registration Reregistration	Term of Issuance: Conditional	
	(under FIFRA, as amended)	Name of Pesticide Product: WSKT 10 _{NA}	
Name and Addre Buckman Laborat 1256 N. McLean I Memphis, TN 381	Blvd.		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.			
On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any			
time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.			
This product is co with the following	nditionally registered in accordance with FIFRA g conditions:	section 3(c)(7)(A)	. You must comply
1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.			
Signature of Approving Official:		Date:	
Jacqueline Hardy		9/18/2020	
Jacqueline Hardy Product Manager 34 Regulatory Branch II Antimicrobials Division (7510P) EPA Form 8570-6			

Registration Notice Conditional v.20150320

Page 2 of 2 EPA Reg. No. 1448-449 Decision No. 563415

- 2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Poly[oxyethylene(dimethyliminio)ethylene (dimethyliminio) ethylene dichloride] GDCI-069183-1581
 - b. 5-Chloro-2-methyl-4-isothiazolin-3-one GDCI 107103-1709
 - c. 2-methyl-4-isothiazolin-3-one GDCI 107104-1479

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): <u>http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division</u>

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 1448-449."
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSF:

• Basic CSF dated 08/28/2020

The following alternate brand names have been added to the product record:

- BULAB 6048_{NA}
- BUSAN 1184_{NA}

If you have any questions, please contact Srinivas Gowda by phone at 703-308-6354, or via email at gowda.srinivas@epa.gov.

Enclosure: Stamped Label



WSKT 10_{NA}

ACCEPTED 09/18/2020 Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1448-449

Industrial microbicide for use Cooling Water, Airwash, Metalworking and Fire Water Protection Systems; also used in Petroleum Secondary Recovery Systems.

ACTIVE INGREDIENT(S):	
Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride]	
5-Chloro-2-methyl-4-isothiazolin-3-one.	0.53%
2-Methyl-4-isothiazolin-3-one	0.18%
INERT INGREDIENTS:	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

	FIRST AID
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15–20 min. Remove contact lenses, if present, after first 5 min. then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
lf on Skin, Clothes	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice.
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or docto Do not give anything by mouth to an unconscious person.
lfinhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER
	act container or label with you when calling a Poison Control Center or doctor or ent. You may also contact CHEMTREC at 1-703-741-5970 for emergency medical mation.
	NOTE TO PHYSICIAN
Prob	bable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles, face shield, or safety glasses. Harmful if swallowed or absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment: Applicators and other handlers must wear: coveralls over long-sleeved shirt and long pants, chemical-resistant apron, socks and chemical resistant footwear, goggles or face shield, chemical-resistant gloves (such as waterproof or rubber gloves). Respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or NIOSH approval number prefix organic vapor (OV) cartridge or canister with any N,R,P, or HE prefilter. Remove contaminated clothing and wash clothing before reuse.

User Safety Requirements: User must wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User must remove Personal Protective Equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

ENVIRONMENTAL HAZARDS: The pesticide is toxic to fish, aquatic invertebrates and clams.. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS: This product is a reducer. Keep away from oxidizing agents.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

COOLING WATER SYSTEMS: This product is used to control the growth of microorganisms including bacteria and algae in recirculating cooling water systems. In noticeably fouled systems, add this product at a dosage rate of 11.6 to 69.6 fluid ounces per 1000 gallons of system water (100 to 600 ppm product). Clean extremely fouled systems to remove excess algal growth, excessive biofilm, and other deposits prior to program initiation. To maintain control, add subsequent additions of 1.16 to 34.8 fluid ounces of the product per 1000 gallons of system water (10 to 300 ppm product) every 1 to 5 days or as needed. Slug additions should be made in the sump of the cooling towers.

AIR WASHER SYSTEMS: This product is used to control microbiological fouling in industrial airwash systems. Clean extremely fouled systems prior to the addition of the product. When systems are noticeably fouled, add the product at an application rate of 11.6 to 82.25 fluid ounces per 1000 gallons of system water (100 to 800 ppm product) daily until control is evident. To maintain control, add subsequent additions of 11.6 to 58.0 fluid ounces per 1000 gallons of system water (100 to 500 ppm product) every 1 to 5 days or as needed. Slug additions should be made in the sump or to the water collection trays of the air washer systems. *Not registered for this use in California.*

METALWORKING FLUID SYSTEMS: This product is used to prevent microbial degradation and fouling in metalworking fluid systems. Add the product tank-side to the system at 23.2 to 232 fluid ounces per 1000 gallons of dilute fluid (200 to 2000 ppm product) as needed to maintain control. Clean systems with excessive fouling prior to initiating the program. *Not registered for this use in California.*

FIRE WATER PROTECTION SYSTEMS: This product is added to help control microorganisms which may foul or cause corrosion in fire water protection systems. Add the product to the system at a point where it will be adequately distributed throughout the system. Feed the product to the system to maintain 200 to 800 ppm of product in the system. This will require an initial dose of 23.2 to 64.0 fluid ounces per 1000 gallons of water. Evaluate subsequent doses based on microbiological activity and product level testing. *Not registered for this use in California*.

PETROLEUM SECONDARY RECOVERY: This product is used to control sulfate reducing bacteria and slime forming bacteria in oil field water, polymer or micellar floods, water disposal systems, and other oil field water systems. The product is used at concentrations of 100 to 800 ppm (weight/weight) or 11.6 to 92.8 fluid ounces per 1000 gallons of treated water. Make additions continuously or intermittently by means of a chemical-metering pump at the free water knockouts, before or after injection pumps and injection well headers. **Continuous Feed Method**: When system is noticeably fouled, add the product at a rate of 100 to 800 ppm (weight/weight) or 11.6 to 92.8 fluid ounces per 1000 gallons of treated water until desired degree of control is achieved. Then treat with 100 to 800 ppm (weight/weight) or 11.6 to 92.8 fluid ounces per 1000 gallons of treated water continuously, or as needed to maintain control. **Intermittent Feed Method**: When desired, the product can be fed directly by a timed chemical-metering pump. The dosage rate and feed time vary according to the degree of fouling, but typically 200 to 800 ppm (weight/weight) or 23.2 to 92.8 fluid ounces per 1000 gallons of water is added to the treated system for 4-8 hours per day, 1-4 times per week, or as needed to maintain control. *Not registered for this use in California*.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a dark, cool, dry, well-ventilated area, below 104°F (40°C), in well-closed original containers, away from energy sources, combustible organic materials, oxidizers and moisture.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: NONREFILLABLE CONTAINER. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

(Capacity of 5 gallons or less) Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(Capacity of greater than 5 gallons) Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

(All) Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke. If metal container, do not puncture or burn.

Sold by: **Buckman Laboratories, Inc.** 1256 N. McLean Bivd., Memphis, Tennessee 38108, U.S.A. (901) 278-0330 or 1-800-282-5626

EPA Reg. No. 1448-____ o EPA Est. No. 1448-TN-1 o EPA Est. No. 1448-MO-1 Product Weight: 8.7 lbs/gal 1.04 kg/l NET CONTENTS MARKED ON CONTAINER

Revised: 03/12/20