

14 1974

FEDERAL INSECTICIDE
FUNGICIDE ACT
POISON REGISTER
1459-34

FOR HOSPITAL AND INSTITUTIONAL USE

Septin P.F.

EPA REG. NO. 1459-34

GERMICIDAL DETERGENT Cleaner, Disinfectant, Deodorizer, Fungicide

ACTIVE INGREDIENTS: n-alkyl (60% C14, 30% C16, 5% C18) dimethyl benzyl ammonium chlorides 2.25%; n-alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides 2.25%; sodium carbonate 3.0%; tetrasodium ethylenediamine tetraacetate 1.0%; essential oils 0.4%

INERT INGREDIENTS: 91.1% (includes water, cleaning detergents, and dye).

DANGER: KEEP OUT OF REACH OF CHILDREN.

See back panel for first aid statement and other precautions.

EFFECTIVE AGAINST PSEUDOMONAS AERUGINOSA, HERPES SIMPLEX, INFLUENZA VIRUS TYPE A, VACCINA VIRUS AND IS FUNGICIDAL AGAINST PATHOGENIC FUNGI ON INANIMATE ENVIRONMENTAL SURFACES WHEN USED ACCORDING TO DIRECTIONS.

DIRECTIONS FOR USE

FOR GENERAL CLEANING AND DISINFECTING OF FLOORS, WALLS AND OTHER HARD SURFACES: Mix two ounces per gallon of water. Apply liberally with a cloth, mop or sprayer. For removing heavy soil or organic matter, use as above, pick up dirty solution and reclean surface.

FOR CLEANING AND SANITIZING FOOD EQUIPMENT OR FOOD CONTACT ITEMS: Limit the level of active quarternaries to 200 ppm (2.8 ounces per 5 gallons of water). Treated food contact surfaces and equipment must be rinsed with potable water prior to reuse.

Rinse empty container thoroughly with water before discarding.

DANGER: KEEP OUT OF REACH OF CHILDREN. May cause eye damage. Causes severe skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

*Received
3-6-74*

1459 PA

Manufactured by: BULLEN CHEMICAL CO., FOLCROFT, PA. 19032

ACCEPTED

3-14-74

ACCEPTED

MAR 14 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1459-34

FOR HOSPITAL AND INSTITUTIONAL USE

Septin **P.F.**

EPA REG. NO. 1459-34

GERMICIDAL DETERGENT
Cleaner, Disinfectant, Deodorizer, Fungicide

ACTIVE INGREDIENTS: n-alkyl (60% C14, 30% C16, 5% C18) dimethyl benzyl ammonium chlorides 2.25%; n-alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides 2.25%; sodium carbonate 3.0%; tetrasodium ethylenediamine tetraacetate 1.0%; essential oils 0.4%

INERT INGREDIENTS: 91.1% (includes water, cleaning detergents, and dye).

DANGER: KEEP OUT OF REACH OF CHILDREN.

See back panel for first aid statement and other precautions.

EFFECTIVE AGAINST PSEUDOMONAS AERUGINOSA, HERPES SIMPLEX, INFLUENZA VIRUS TYPE A, VACCINA VIRUS AND IS FUNGICIDAL AGAINST PATHOGENIC FUNGI ON INANIMATE ENVIRONMENTAL SURFACES WHEN USED ACCORDING TO DIRECTIONS.

DIRECTIONS FOR USE

FOR GENERAL CLEANING AND DISINFECTING OF FLOORS, WALLS AND OTHER HARD SURFACES: Mix two ounces per gallon of water. Apply liberally with a cloth, mop or sprayer. For removing heavy soil or organic matter, use as above pick up dirty solution and reclean surface.

FOR CLEANING AND SANITIZING FOOD EQUIPMENT OR FOOD CONTACT ITEMS: Limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). Treated food contact surfaces and equipment must be rinsed with potable water prior to reuse.

Rinse empty container thoroughly with water before discarding.

DANGER: KEEP OUT OF REACH OF CHILDREN. May cause eye damage. Causes severe skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED

MAR-14-1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1459-34

1459-PA-1

Manufactured by: BULLEN CHEMICAL CO., FOLCROFT, PA. 19032