[459-38]





MAY 17 1973

-MOER THE FEDERAL INSECTICIDE : MIGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNCER HO 1454.38 SUBJECT TO ATTACHED COMMENTS

## COMPACTOR & KITCHEN INSECTICIDE

SPECIAL LOW-OIL FORMULATION

EPA Reg. No. 1459-38

ACTIVE INGREDIENTS:	
Pryethrins	0.12%
* Piperonyl Butoxide, Technical	1.20%
Petroleum Distillate	457
INFOT INCOFDIENTS	98 20%

\*Equivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) ether and to 0.24% of related compounds.

CAUTION: Keep Out of Reach of Children.
See back panel for additional precautions.

**NET CONTENTS: 1 GALLON** 

FOR USE IN INDUSTRIAL AND RESIDENTIAL GARBAGE CHUTES, KITCHEN GARBAGE CANS, AND OTHER KITCHEN LOCATIONS.

THE INSECTICIDAL COMPONENTS OF THIS SPRAY ARE CLASSIFIED AS FOOD ADDITIVES AND WHEN USED AS DIRECTED, ALLOWABLE TOLERANCES WILL NOT BE EXCEEDED.

## DIRECTIONS FOR USE

For rapid control of roaches, ants, spiders, crickets, silverfish, centipedes, cheese mites, meal worms, grain beetles (confused flour beetles, red flour beetles) and weevils (granary weevils, rice weevils): Apply in a good sprayer adjusted to deliver a coarse wet spray, at a rate of 1 gallon to 750 square feet of surface. Direct spray into locations where these insects are found; garbage compactors, garbage chutes and cans, into cracks and crevices, dark corners, behind and beneath sinks, stoves, refrigerators, and cabinets, along baseboards, and around door and window frames. Spray ant trails, nests and points of entry. Spray insects directly wherever possible.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clear thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

Repeat treatment if reinfestation occurs

moths, wasps and hornets: Close windows and doors and shut off ventilating systems. Remove pets, birds and cover fish aquaria before spraying. Apply as a fine mist using a non-thermot sprayer. Thoroughtly fill the area with mist with special attention to light sources which attract these insects. Keep area closed for 15 minutes. Vacate treated area and ventilate before reoccupying.

CAUTION: Harmful if swallowed. Foods should be removed or covered during treatment. Any food processing surfaces should be covered during treatment or thoroughly cleaned before using. Do not apply while food is being-prepared.

This product may be toxic to fish. Do not contaminate water by cleaning or equipment or disposal of wastes. Apply only as specified on this label.

Do not reuse this container. Destroy by perforating or crushing and burying in a safe place.

Manufactured by

BULLEN CHEMICAL CO. FOLCROFT, PA. 19032