

FOR HOSPITAL AND INSTITUTIONAL USE

Septin **XL**

EPA REG. NO. 1459-1

GERMICIDAL DETERGENT
Cleaner, Disinfectant, Deodorizer, Fungicide

ACTIVE INGREDIENTS: n-alkyl (60% C_{14} , 30% C_{16} , 5% C_{12} , 5% C_{18})
dimethyl benzyl ammonium chlorides 2.25%;
n-alkyl (60% C_{12} , 32% C_{14}) dimethyl ethyl-
benzyl ammonium chlorides 2.25%; sodium
carbonate 3.7%; tetrasodium ethylenediamine
tetraacetate 1.0%

NET WEIGHT: 12.5% (includes water, cleaning detergents,
essential oils and dye).

DANGER: KEEP OUT OF REACH OF CHILDREN.

See label for full statement and other precautions.

NET: 1 U.S. Gal.

//

EFFECTIVE AGAINST PSEUDOMONAS AERUGINOSA, HERPES - SIMPLEX, INFLUENZA VIRUS TYPE A, VACCINA VIRUS AND IS FUNGICIDAL AGAINST PATHOGENIC FUNGI ON IMMEDIATE ENVIRONMENTAL SURFACES WHEN USED ACCORDING TO DIRECTIONS AT TWO OUNCES PER GALLON OF WATER.

SITUATIONS FOR USE

FOR GENERAL CLEANING AND DISINFECTING OF FLOORS, WALLS AND OTHER HARD SURFACES: Mix two ounces per gallon of water. Apply liberally with a cloth, mop or sprayer. For removing heavy soil or organic matter prior to application of the product solution for disinfecting, use as above, pick up dirty solution and reclean surface.

FOR CLEANING AND SANITIZING FOOD EQUIPMENT OR FOOD CONTACT ITEMS: Remove heavy soil or organic matter prior to sanitizing. Limit the level of active quaternaries to 200 ppm (2.6 ounces per 5 gallons of water). Treated food contact surfaces and equipment must be rinsed with potable water prior to reuse.

Rinse empty container thoroughly with water before recharging.

DANGER: KEEP OUT OF REACH OF CHILDREN. May cause eye damage. Causes severe skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

NOTE TO PHYSICIAN: The skin, eye and oral damage may indicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and other effects may be needed.

MS-PA-1

Manufactured by: [illegible], [illegible], [illegible], [illegible]

100-100-100-100

100-100-100-100

11A