


Greenfield

S275

PRODUCTS OF ELI LILLY AND COMPANY RESEARCH

DANDELION & CHICKWEED KILLER



Greenfield

PRODUCTS OF ELI LILLY AND COMPANY RESEARCH

DANDELION & CHICKWEED KILLER

WHEN TO APPLY ...


HOW TO APPLY ...

† KILLS

- Common chickweed
- Moust-ear chickweed
- Cinquofoil
- Clovers
- Docks
- Dandelion
- Field bindweed
- Ground ivy
- Herbit
- Knoleed
- Oxilis

and many more.

POWERED WITH 2, 4-D AND SILVEX



CAUTION: Keep out of reach of children. See back panel for additional caution statements.

©Lilly

† KILLS

- Annual morning glory
- Pennwort
- Broadleaf plantain
- Buckhorn plantain
- Poison ivy
- Poison oak
- Purslane
- Spotted spurge
- Thistles

and many more

HOW TO MIX:
For most lawns, follow proportions in table (1/2 oz. prod. gal. water: 200 sq. ft. of treated area).

AREA (SQ. FT.)	AMOUNT OF PRODUCT*	AMOUNT OF WATER
200	1 tablespoon (1/2 oz.)	1 gal.
2000	5 oz. (10 lbs.)	10 gal.
3200	1 cup (8 oz.)	16 gal.

*For bent grasses, red fescue, St. Augustine, centipede and carpet grass use the product at half rate.

Note: If grass browns temporarily, water heavily. Do not apply to new grass until lawn has been cut three times. Do not mow for 2 days following use. Do not reseed for 3-4 weeks after use. Do not use weed-killing sprayers for other purposes.

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes, clothing. Wash hands after use. Do not store near heat or open flame, or near seeds, fertilizers, insecticides, or fungicides. Do not contaminate water used for domestic or irrigation purposes. Do not reuse this container.

The manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

ELANCO PRODUCTS COMPANY
A DIVISION OF ELI LILLY AND COMPANY, INDIANAPOLIS, U.S.A.
TC 6023 AMB [3] [3] [3] USDA Reg. No. 1471-20

Greenfield

PRODUCTS OF ELI LILLY AND COMPANY RESEARCH

DANDELION & CHICKWEED KILLER

† KILLS

Common
chickweed

Mouse-ear
chickweed

Cinquefoil

Clovers

Docks

Dandelion

Field
bindweed

Ground ivy

Henbit

Knotweed

Oxalis

... and many more.

POWERED WITH 2, 4-D AND SILVEX



CAUTION: Keep out of reach of children. See back panel for additional caution statements.

Lilly

NET CONTENTS
GAL. 1.0
NO. 8

Greenfield

\$295
WEEDS
12,600
SQ. FT.

NET
CONTENTS
GAL. 1.0
NO. 8

Greenfield

NET
CONTENTS
GAL. 1.0
NO. 8

REGISTERED TRADEMARK

DANDELION & CHICKWEED KILLER

ACCEPTED
JUN 13 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 491-30 SUBJECT
TO ATTACHED COMMENTS.

9601-
232
S. 1000

PRODUCTS OF ELLIOTT AND COMPANY RESEARCH

DANDELION & CHICKWEED KILLER

WHEN TO APPLY: Broadleaf weeds can be killed anytime during the growing season, but are most easily killed when growing most rapidly. For best results apply when (1) temperature is moderately cool—below 85°F (2) there is little or no wind and (3) no rain is expected for 6-8 hours.

HOW TO APPLY: The contents of this can will cover 12,600 sq. ft. Apply by coarse spray from either tank-type or hose-end sprayer. Avoid drift or contact with shrubs or flowers, ~~since vapors from the product may be injurious to nearby plants.~~ One application will kill most weeds listed. However, if certain persistent weeds do not die within 3 weeks, repeat the application.

- KILLS**
- Common chickweed
 - Mouse-ear chickweed
 - Cinquefoil
 - Clovers
 - Docks
 - Dandelion
 - Field bindweed
 - Ground ivy
 - Henbit
 - Knotweed
 - Oxalis
 - and many more

POWERED WITH 2, 4-D AND SILVEX



KILLS DANDELION, CHICKWEED & 101 OTHER WEEDS

Active ingredients:

- *dichloro salt of 2,4-dichlorophenoxyacetic acid..... 12.65
- **dichloro salt of silvex [2-(2,4,5-trichlorophenoxy)propionic acid]..... 8.35

Inert ingredients..... 72.6%

*Equivalent to 12.65 of 2,4-dichlorophenoxyacetic acid
**Equivalent to 6.35 silvex 2-(2,4,5-trichlorophenoxy)propionic acid

CAUTION: Keep out of reach of children. See back panel for additional caution statements.

KILLS

- Annual meadow grass
- Barnyard grass
- Pennywort
- Broadleaf plantain
- Buckhorn plantain
- Poison ivy
- Poison oak
- Parslane
- Spotted spurge
- Thistles

HOW TO MIX:
For most lawns, follow proportions in table (1) oz prod./gal water/200 sq ft of treated area)

AREA (SQ. FT.)	AMOUNT OF PRODUCT*	AMOUNT OF WATER
200	1 tablespoon (1 1/2 oz)	1 gal.
2000	5 oz (10 tbs.)	10 gal.
3200	1 cup (8 oz)	16 gal.

Apply to growing weeds. Apply to wet, not dry, grass. Apply to lawn, not to garden.

Apply to lawn, not to garden. Apply to wet, not dry, grass. Apply to lawn, not to garden.

CAUTION: Harmful to animals. Avoid contact with skin, eyes, nose, mouth, and clothing. Wash hands after use. Do not breathe dust or spray. Do not eat or drink from treated areas. Do not use in areas where children or animals play.

Do not use in areas where children or animals play. Do not use in areas where children or animals play.

ELLANCO PRODUCTS COMPANY
A DIVISION OF ELLIOTT AND COMPANY, INDIANAPOLIS, U.S.A.

REGISTERED TRADEMARK

USDA Reg. No. 1471-30