


TREFLAN E.C. (E.P.A. Reg. No. 1471-55)
TREFLAN M.T.F.™ (E.P.A. Reg. No. 1471-116)
TREFLAN 5™ (E.P.A. Reg. No. 1471-120)



TREFLAN and TREFLAN/Atrazine Combinations
For Weed Control in Field Corn

TREFLAN may be applied alone or in tank mix combination with atrazine for weed control in field corn.

TREFLAN - Alone

Apply TREFLAN to field corn (two (2) leaf stage or taller) as an over-the-top or directed spray to effectively control weeds listed on the TREFLAN label (not including special rate programs). The soil surface should be free of any existing weeds, trash or clods before a TREFLAN application. TREFLAN will not control established grass or broadleaf weeds.

Application/Incorporation Directions

TREFLAN should be applied and incorporated at the recommended rates for the soil texture when the crop is well established (two (2) leaf stage or taller). TREFLAN may be applied either as an over-the-top spray or as a directed spray. Drop nozzles should be used if foliage prevents uniform coverage of the soil surface. Soil incorporation may be accomplished with one pass of a sweep-type cultivator or a properly adjusted rolling cultivator.

Broadcast Rates Per Acre

<u>Soil Texture</u>	<u>TREFLAN E.C./M.T.F.</u> (pints)	<u>TREFLAN 5</u> (pints)
Coarse	3/4 - 1 ¹	0.6 - 0.8 ¹
Medium	1 - 1 1/2	0.8 - 1.2
Fine	1 1/2 - 2	1.2 - 1.6

- ¹ Apply 1 to 1 1/2 pints per acre of TREFLAN E.C./M.T.F. or 0.8 to 1.2 pints per acre of TREFLAN 5 to control fall panicum and Texas panicum on coarse textured soils in the states of Alabama, Florida, Georgia, North Carolina, South Carolina and Virginia. For other weeds use the rate range indicated. Use the lower rate in the rate range in areas of low weed pressure and the higher end of the rate range in areas of dense weed pressure.

TREFLAN/Atrazine Tank-Mix

TREFLAN may be tank-mixed with atrazine for control of additional weeds in field corn. Follow soil preparation, application and incorporation procedures described above for TREFLAN alone. See the atrazine labels for use rates and weeds controlled.

Precaution

Do not apply TREFLAN to corn grown for seed. Do not apply TREFLAN to corn as a preplant or preemergence treatment, or crop injury may occur.

Read the TREFLAN and atrazine labels for additional directions, precautions and limitations before use.

TREFLAN® E.C., M.T.F.™, 5™ - trifluralin - Elanco Products Company

3.43

-3-

Elanco Products Company
A Division of Eli Lilly and Company
Indianapolis, Indiana 46285

152****/EC**60/LABELS/US/P3071/146