


TREFLAN® E.C. (E.P.A. Reg. No. 1471-35)
TREFLAN® M.T.F. (E.P.A. Reg. No. 1471-116)
TREFLAN® 5 (E.P.A. Reg. No. 1471-120)

**TREFLAN Followed by Overlay Treatments for Weed Control in Soybeans
(Do Not Use in California)**

Apply TREFLAN as a preplant incorporated treatment. Additional weeds tolerant to TREFLAN may be controlled by using overlay preemergence applications of Amiben®, Canopy®, Dual®, Gemini™, Lasso®, Lexone®, Lorox®, Lorox® Plus, Preview™, Scepter® or Sencor®. Consult these product labels for additional weeds controlled, application directions and precautions before use.

Read the TREFLAN labels for additional direction, precautions and limitations before use.

TREFLAN® E.C., M.T.F.™, TREFLAN 5™ (trifluralin, Elanco)
Amiben® (chloramben, Union Carbide)
Canopy® (chlorimuron ethyl plus metribuzin, DuPont)
Dual® (metolachlor, Ciba-Geigy)
Gemini™ (chlorimuron ethyl plus linuron, DuPont)
Lasso® (alachlor, Monsanto)
Lasso® Micro-Tech™ (alachlor, Monsanto)
Lexone® (metribuzin, DuPont)
Lorox® (linuron, DuPont)
Lorox® Plus (chlorimuron ethyl plus linuron, DuPont)
Preview™ (chlorimuron ethyl plus metribuzin, DuPont)
Scepter® (imazaquin, American Cyanamid)
Sencor® (metribuzin, Bayer, GmbH)



Elanco Products Company
A Division of Eli Lilly and Company
Indianapolis, Indiana 46285

152*** / EC**60 / LABELS / US / F507 / 160

TREFLAN® E.C. (E.P.A. Reg. No. 1471-35)
TREFLAN® M.T.F.™ (E.P.A. Reg. No. 1471-116)
TREFLAN® 5™ (E.P.A. Reg. No. 1471-120)

TREFLAN/Preview™ for Weed Control in Soybeans
(Do Not Use in California)

ACCEPTED
MAR 2 1987
1471-35
-116
-120

Apply TREFLAN/Preview as a preplant incorporated tank-mix treatment. Follow recommended soil preparation, application and incorporation procedures for TREFLAN. Plant soybeans within two (2) weeks after application.

TREFLAN/Preview tank-mix controls the following weed in addition to those controlled by TREFLAN alone (excluding special rate programs).

Controlled

Cocklebur, common	Prickly sida
Hophornbeam copperleaf	(Teaweed)
Jimsonweed	Ragweed, common
Mustards	Smartweeds, annual
Pigweed	Spotted spurge
(Palmer amaranth)	Sunflower
(Smooth)	Velvetleaf
(Tall waterhemp)	

Partially Controlled

Burcucumber	Nutsedge species
Eastern black nightshade	Ragweed, giant
Morningglory	
(Tall)	
(Ivyleaf)	
(Pitted)	
(Entireleaf)	

Large seeded weeds, germinating deep in the soil, such as morningglory, sicklepod, cocklebur and giant ragweed or weeds with subsequent flushes may require a cultivation or an application of a postemergence herbicide for season-long control.

Texture	TREFLAN		Preview Dispersible Granules	
	E.C./M.T.F. (Pints)	or TREFLAN 5 (Pints)	0.5 - 3% O.M. (Ounces)	3 - 5% O.M.
Coarse	1	0.8	6	7
Medium	1 1/2	1.2	7	8
Fine	2	1.6	8	9-10

Do not apply Preview to soil with less than 1/2% organic matter.

Use higher rates of Preview on soils with higher organic matter or heavy pressure from large deep germinating weed seeds.

Where Preview is applied, plant soybean seed 1 1/2" to 2" deep on a flat or raised seedbed only, or crop injury may occur.

Soybean injury may occur where Preview is applied if excessive rainfall occurs after application but before soybeans germinate.

Precautions

Read the Preview label carefully for cautions and precautions relating to environmental hazards, planting of rotation crops, sprayer contamination and cleanup, soil pH, organic matter and soil texture use restrictions, soybean variety planting restrictions, restrictions where atrazine or Scepter® were used the previous year, restrictions concerning use with organophosphate pesticides, grazing restrictions and other directions, precautions and limitations before applying the TREFLAN/Preview tank-mix.

Read the TREFLAN labels carefully for additional directions, precautions and limitations before applying these products.

TREFLAN® E.C., M.T.F.™, 5™ (trifluralin, Elanco)
 Preview™ (chlorimuron ethyl plus metribuzin, DuPont)
 Scepter® (imazaquin, American Cyanamid)

Elanco Products Company
 A Division of Eli Lilly and Company
 Indianapolis, Indiana 46285

TREFLAN® E.C. (E.P.A. REG. No. 1471-35)
TREFLAN® M.T.F.™ (E.P.A. REG. NO. 1471-116)
TREFLAN® 5™ (E.P.A. REG. NO. 1471-120)

TREFLAN/Scepter® Combinations For Weed Control In Soybeans
(Do Not Use in California)

TREFLAN may be tank mixed with Scepter for weed control in soybeans.

The TREFLAN/Scepter tank mix controls the weeds listed on the TREFLAN label for TREFLAN alone plus this additional weed:

Pigweed (Palmer amaranth)

Application Directions

Tank mixed TREFLAN/Scepter should be applied as a preplant incorporated treatment. Follow soil preparation, application and incorporation procedures described on the TREFLAN label.

Broadcast Rates Per Acre

<u>Soil Texture</u>	<u>TREFLAN</u>		<u>Scepter (Pints)</u>
	<u>E.C./M.T.F. (Pints)</u>	<u>TREFLAN 5 (Pints)</u>	
Coarse	1	0.8	1/3
Medium	1-1/2	1.2	1/3
Fine	2	1.6	1/3

Precautions

Read the Scepter label carefully for cautions and precautions relating to environmental hazards; planting of rotational crops; use of Scepter in conjunction with Classic, Gemini, or Caropy; grazing restrictions; and other directions, precautions, and limitations before applying Scepter.

precautions and limitations before applying these products.


TREFLAN® E.C., M.T.F.™, TREFLAN 5™ (trifluralin, Elanco)
Canopy® (chlorimuron ethyl plus metribuzin, DuPont)
Classic® (chlorimuron ethyl, DuPont)
Gemini™ (chlorimuron ethyl plus linuron, DuPont)
Scepter® (imazaquin, American Cyanamid)

Elanco Products Company
A Division of Eli Lilly and Company
Indianapolis, Indiana 46285

152***/*EC*MTF/LABELS/US/F5004/217

TREFLAN® E.C. (E.P.A. REG. NO. 1471-35)
 TREFLAN® M.T.F. (E.P.A. REG. NO. 1471-116)
 TREFLAN® 5 (E.P.A. REG. NO. 1471-120)

TREFLAN Followed by a Postemergence Treatment of
 Scepter® for Weed Control in Soybeans




TREFLAN should be applied as a preplant incorporated treatment. Follow soil preparation, application and incorporation procedures described on the TREFLAN label. Apply Scepter as a postemergence treatment after crop emergence, but before weeds exceed a height of 12 inches. Apply when weeds are actively growing.

Do not apply Scepter postemergence when soybeans and weeds have been subject to stress conditions such as temperature and moisture extremes.

Scepter herbicide does not contain a surfactant in the formulation. For postemergence applications, the addition of 2 pints of nonionic surfactant approved for use on growing crops per 100 gallons of spray mixture is required.

The TREFLAN/Scepter early postemergence combination controls the weeds listed on the TREFLAN label for TREFLAN alone excluding special rate programs plus these additional weeds:

Cocklebur, common
 Pigweed
 (Palmer)
 (Smooth)
 (Tall waterhemp)



Broadcast Rates Per Acre:


Soil Texture	TREFLAN		Scepter (Pints)
	E.C./M.T.F. (Pints)	or TREFLAN 5 (Pints)	
Coarse	1	0.8	1/3
Medium	1 1/2	1.2	1/3
Fine	2	1.6	1/3

sequential program uses of Scepter, harvest restrictions following postemergence treatments of Scepter, use of Scepter in conjunction with Classic®, Canopy® or Gemini®, grazing restrictions and other directions, precautions and limitations before applying Scepter. The use of Scepter is limited to those states listed on the Scepter label.

Read the TREFLAN labels carefully for additional directions, precautions and limitations before applying these products.

TREFLAN® E.C., M.T.F.™, 5™ (trifluralin, Elanco)
Canopy® (chlorimuron ethyl plus metribuzin, DuPont)
Classic® (chlorimuron ethyl, DuPont)
Gemini™ (chlorimuron ethyl plus linuron, DuPont)
Scepter® (imazaquin, American Cyanamid)

Elanco Products Company
A Division of Eli Lilly and Company
Indianapolis, Indiana 46285



152*** / EC*MTF / LABELS / US / F5004 / 219