

**DANDELION & BROADLEAF
WEED KILLER**

Net Wt.
10 Lbs.
HO 43

ACCEPTED

JAN 23 1973

UNIVERSITY OF CALIFORNIA, RIVERSIDE
FUNGICIDE AND HERBICIDE FACT
FOR ECONOMIC POISONING TESTER
ED UNDER NO. 1471-44 SUBJECT
TO ATTACHED COMMENTS.

Greenfield

PROOF OF PURCHASE REQUIRED FOR RETURN

\$4.95
WEEDS
5000 SQ. FT.

**DANDELION
& BROADLEAF
WEED KILLER**


Greenfield®

5000
SQ. FT.

**DANDEL
WEED K**

WEED KILLER

Greenfield®



**KILLS DANDELIONS
AND OTHER BROADLEAF WEEDS
INCLUDING CHICKWEED**

[HO 43]

CAUTION: Keep out of reach of children. See back panel for additional caution statements.

Active Ingredients:

*Isooctyl ester of 2,4-dichlorophenoxyacetic acid	2.30%
**Isooctyl ester of silvex [2-(2,4,5-trichlorophenoxy) propionic acid]	1.12%
Inert ingredients	96.58%


*Equivalent to 1.53% of 2,4-dichlorophenoxyacetic acid

**Equivalent to 0.77% of silvex [2-(2,4,5-trichlorophenoxy) propionic acid]

ELANCO PRODUCTS COMPANY • A DIVISION OF ELI LILLY AND COMPANY

DANDELION & BROADLEAF WEED KILLER

Net Wt.
10 Lbs.
HO 43
WEEDS
5000 SQ. FT.



Greenfield

PRODUCED BY ELANCO CHEMICALS COMPANY

DANDELION & BROADLEAF WEED KILLER

Kills the following broadleaf weeds with powerful 2,4-D and silvex combination:

Common Chickweed	Docks	Ground Ivy	Annual Morning Glory	Broadleaf Plantain	Spotted Spurge
Cinquefoil	Dandelion	Henbit	Oxalis	Buckhorn Plantain	Thistles
Clovers	Field Bindweed	Knotweed	Pennywort	Purslane	Many Others

APPLY ANYTIME during the growing season for broadleaf weed control. For best results apply when weeds are still small and most easily killed, when temperature is moderately cool (never above 85°F), when there is little or no wind and no rain is expected for 6-8 hours.

HOW TO APPLY: Follow directions for best results.

1. Measure lawn area to be treated. Apply evenly at the rate of one bag for each 5,000 sq. ft.
2. Apply with **GREENFIELD Model 105** Spreader opening set at 7.
3. **IMPORTANT:** Apply when grass is moist (after a rain, sprinkling or dew). Do not water lawn after material is applied. Watering will wash off weed killing material.
4. For most effective results, avoid unnecessary disturbance of treated areas for 48 hours after application.

NOTE—May damage bentgrasses, St. Augustine, centipede, carpetgrass, clover and dichondra—also grass seedlings of newly seeded lawn.

Greenfield®

SPREADER SETTINGS

The settings listed below are calculated to apply **GREENFIELD DANDELION AND BROADLEAF WEED KILLER** at the recommended rate. These settings are approximate. Check application rate of your spreader before applying. Settings vary with type, age and condition of spreader.

Spreader	Setting	Spreader	Setting
GREENFIELD Model 105	7	Jackson (drop type)	6
Lawn Beauty	4½	Vaughan	6
Sears	7	Modern	3½
Scotts 35, 75, 100 automatic	6	Ace (dial on hopper)	9

GREENFIELD "YARD-WIDE" GUARANTEE: ELANCO GUARANTEES YOU WILL BE SATISFIED WITH THE PERFORMANCE OF THIS FINE PRODUCT, WHEN USED AS DIRECTED, OR YOUR MONEY BACK. SIMPLY SEND EVIDENCE OF PURCHASE TO ELANCO PRODUCTS COMPANY AT THE ADDRESS SHOWN BELOW.

To sustain and improve the sturdiness of your turf, apply **GREENFIELD GREEN POWER**.

For most accurate coverage—use a **GREENFIELD Model 105 Show 'N Tell** Spreader.

