

SPECIMEN LABEL

Carbonated Solution

MAY 8 1972

UNDER THE FEDERAL INSECTICIDE FUNGICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO. 1471.5. SUBJECT TO ATTACHED COMMENTS.

A fungitoxic material for the prevention of <u>Botrytis</u>

flower rot of gladiolus and chrysanthemum

during storage and transit.

Active Ingredient:

2-aminobutane carbonated*......20

STANCE SHEET

*Equivalent to 15.45% 2-aminobutane

TUTANE™—the trademark for Elanco Products 2-aminobutane.

CAUTION: Keep out of reach of children. See side panel for additional caution statements.

ELANCO PRODUCTS COMPANY



A Division of Ell Lilly and Company

Read ail label directions carefully before applying.

GENERAL DIRECTIONS

For Flowers:

TUTANE^{IN} is recommended for the prevention of flower rot of gladiolus and chrysanthemum caused

by Botrytis during storage and transit. TUTANE will not injure or leave a visible residue on the treated flowers, leaves, or stems. TUTANE may be applied both as a pre- and post-harvest spray.

APPLICATION DIRECTIONS

Gladiolus and Chrysanthemum:

Pre-horvest: Flowers, leaves and stems should be sprayed until uniformly wet. Spray within 48 hours before cutting.

Post-harvest: Cut flowers, leaves and stems should

be sprayed until uniformly wet. Spray immediately before packaging so that moisture is still present when the treated material is placed in the shipping box. Best disease control is obtained when flowers are packed while they are still wet.

MIXING DIRECTIONS

Apply at the rate of 4 ounces of TUTANE solution per one gallon of water as a spray for both pre-

harvest or post-harvest application. Wear goggles when preparing working solution.

SPECIAL INSTRUCTIONS

Do not hold mixed solution in drums or spray tanks longer than three days. Do not store material where it will be exposed to direct light or temperature extremes.

CAUTION: Harmful if swallowed. Wash well after contact; if splashed into eyes, flush with copious amounts of water. If irritation persists, get medical attention. If skin should become irritated from alkalinity of solutions, rinse with dilute vinegar and use emollients. Insure adequate ventilation throughout

work and storage areas. When material is to be disposed of, insure at least a 200X dilution of working solutions (2%) before discharging into waste systems. Avoid contamination of foodstuffs, feeds and fishponds.

The manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

USDA Reg. No. 1471-54

AVOID FREEZING . PROTECT FROM LIGHT



ELANCO PRODUCTS COMPANY • A Division of Eli Lilly and Company INDIANAPOLIS, U.S.A.

PRINTED IN U. S. A.

EA4049