

(face copy)

Net wt.  
16 lb. 8 Oz.

NO 39

16.15  
TREATS  
3000 Sq. Ft.

GREENFIELD  
LAWNS OF DR. HILLY AND COMPANY RESEARCH

GREENFIELD  
LAWNS OF DR. HILLY AND COMPANY RESEARCH  
GRASS-KILLER/FERTILIZER/INSECTICIDE

USE WHEN SPRING GRASSING

- \*1. KILLS CRABGRASS  
BEFORE YOU SEE IT
- 2. FERTILIZES (16-8-4)  
YOUR LAWN
- 3. KILL SOIL  
INSECTS

CAUTION: Keep out of reach of children. See back for additional caution statements.

Active ingredients:

Surfen I-(2,4-dichlorophenoxy)  
 2,4-dichlorophenoxy.....2.4%  
 sulfonamide, technical\*.....1.04%

inert ingredients.....96.56%  
(Relative to herbicidal and insecticidal content)

\*Equivalent to 0.24% dichloro-4, 7-methano-  
tetrahydropyridine and 0.416% related compounds

Guarantee Minimum Fertilizer Analysis:

Total Nitrogen (N).....1%  
 Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>).....8%  
 Soluble Potash (K<sub>2</sub>O).....4%

potential acidity equivalent to 800 pounds of calcium carbonate per ton.

© Lilly

ACCEPTED

SEP 11 1967

RECEIVED  
 SEP 11 1967  
 LILLY

(back panel)

Net wt.  
16 lb. 8 Oz.

NO 39

TREATS  
3000 Sq. Ft.

GREENFIELD  
LAWNS OF DR. HILLY AND COMPANY RESEARCH

GREENFIELD  
LAWNS OF DR. HILLY AND COMPANY RESEARCH  
GRASS-KILLER/FERTILIZER/INSECTICIDE

CONTROLS THESE  
LAWN-DAMAGING SOIL INSECTS:

Ants	White Grubs	European Chafer Larvae
Wireworms	Japanese Beetle Grubs	Green June Beetle Grubs

USE WHEN SPRING GRASSING - APPLY BEFORE CRABGRASS TERMINATES

1. Apply after spring seeding of new lawns or reseeding of bare spots in established lawns. After application, provide sufficient moisture to insure germination of new grass seed. On established lawn use GREENFIELD Triple Action.
2. Can be used on blue grasses, fescues, rye grass and the following strains of bentgrass: Penncross, Seaside, Highland, Astoria, Nimisila, C-1, C-2 and C-11.
3. Do not use on other bentgrass strains or on Bermuda grass as injury to turf may result. Do not use on food crops.

HOW TO APPLY--It is important that this be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. The contents of one bag should be applied for every 3000 sq. ft. of lawn area (for example, 50 x 60 = 3000 sq. ft.), if your lawn measures 60 x 100 (or 6000 sq. ft.) 2 bags are sufficient.

1. With a GREENFIELD Home Use Spreader setting of 10 (calculated to apply at one-half rate), spread one-half of the required amount of Triple for your lawn, moving at a steady rate in one direction.
2. Spread the other half of the required amount over the same area again across or at right angles to the first application. (This minimizes skips and overlaps, insuring good coverage.) When turning or stopping spreader, spreader gate should be closed.

9/11/67

1471-561