

SONALAN® E.C. (EPA Reg. No. 1471-122)

SONALAN ALONE AND IN COMBINATION WITH AMIBEN® AND EPTAM® FOR WEED CONTROL IN SUNFLOWER

Sonalan should be applied as a preplant incorporated treatment alone or in tank mix combination with either Eptam or Amiben. Sonalan may also be applied as a preplant incorporated treatment and followed by an Amiben overlay. Check the section below for:

- A. Sonalan Alone
- B. Sonalan/Amiber
- C. Sonalan/Eptam

A. Sunflower--Sonalan Alone

Sonalon should be applied as a preplant incorporated treatment. Follow recommended soil projection at incorporation, and a soul me

For broader spectrum weed control, Sonalan may be used in combination with Amiben and Eptam. Read the combination product label for directions, cautions and limitations prior to use.

General Weed Control -- Except Groundcherry and Nightshade:

Broadcast Rates Pei Acre

| Soil Texture | Sonalan (Pints) | | | |
|--------------|---|--|--|--|
| | | | | |
| Coarse | $\frac{1}{2} \frac{1}{2} - \frac{2}{2}$ | | | |
| Medium | 2 - 2 1/2 | | | |
| Fine | 2 1/2 - 3 | | | |

Precaution: Do not graze or forage crop grown in treated soil or cut for hay or silage.

Read the Sonalan label for additional directions, cautions and limitations prior to use.

B. Sunflower--Sonalan/Amiben Tank Mix or Overlay

Sonalan/Amiben should be applied as a preplant incorporated tank mix, or Sonalan preplant incorporated followed by an Amiben overlay. The Sonalan/Amiben combination effectively controls the weeds listed for Sonalan alone for general weed control plus these additional weeds:

Common ragweed Pennsylvania smartweed Velvetleaf Wild mustard Black nightshade

Broadcast Rates Per Acre

| Soil Texture | Sonalan | + | Amiben 2S | or | Amiben DS |
|--------------|---------------|---|-----------|----|------------|
| | (pints) | | (quarts) | | (pounds) |
| Coarse | 1 1/4 - 2 | | 4 - 6* | | 2.4 - 3.6* |
| Medium | 1 3/4 - 2 1/2 | | 4 - 6 | | 2.4 - 3.6 |
| Fine | 2 1/4 - 3 | | 4 - 6 | | 2.4 - 3.6 |

Precaution: Do not graze or forage crop grown in treated soil or cut for hay or silage.

*Use the higher rate where heavy populations of smartweed, velvetleaf, ragweed, wild mustard or black nightshade are expected.

Read the Amiben label for directions, cautions and limitations prior to use.

C. Sunflower--Sonalan/Eptam Tank Mix for Use Only in North Dakota, South Dakota and Minnesota

The Sonalan/Eptam tank mix effectively controls the weeds listed for Sonalan alone for general weed control plus these additional weeds:

Annual Weeds Perennial Weeds Ryes (Italian) Bermudagrass Bermuda: 'seedling) Purple nutsedge Yellow nutsedge Rescuegrass Volunteer grains (barley, hat, wheat) Annual morningglory Black nightshade Hairy nightshade Corn spurry Fiddleneck Goosefoot nettleleaf Shepherdspurse Tumble pigweed

Follow recommended soil preparation directions for Sonalan. Apply the tank mix in at least 10 gallons of water or liquid fertilizer per acre. Apply and immediately incorporate the tank mix prior to planting in the spring.

Broadcast Rates Per Acre

| Soil Texture | Sonalan | + | Eptam 7E | | |
|--------------|---------------|---|---------------|--|--|
| | (pints) | | (pints) | | |
| Coarse | 1 1/4 - 2 | | 2 1/2 - 3 1/2 | | |
| Medium | 1 3/4 - 2 1/2 | | 2 1/2 - 3 1/2 | | |
| Fine | 2 1/4 - 3 | | 2 1/2 - 3 1/2 | | |

Precaution: Do not graze or forage crop grown in treated soil or cut for hay or silage.

Read the Eptam label for directions, cautions and limitations prior to use.

Sonalan® - ethalfluralin, Elanco Products Company Amiben® - chloramben, Union Carbide Agricultural Products Company Eptam® - EPTC, Stauffer Chemical Company

> Elanco Products Company A Division of Eli Lilly and Company Indianapolis, Indiana 46285

dasonasupp300 Revised 12/11/84 S 2 2