

SONALAN® FOR WEED CONTROL IN PEANUTS

SONALAN should be applied as a preplant incorporated application alone or in tank mix combination with Dual®, Lasso®, or Vernam® for weed control in peanuts.

Peanuts -- SONALAN Alone

SONALAN should be applied as a preplant incorporated (PPI) treatment. Follow recommended soil preparation, application and incorporation procedures for SONALAN. See the SONALAN label for weeds controlled.

Broadcast Rates Per AcreSoil Texture

Coarse
Medium
Fine

SONALAN
(pints)

1½ - 2
2 - 2½
2½ - 3

ACCEPTED
JUL 17 1987

1471-122

Do not graze or forage crop grown in treated soil or cut for hay or silage.

Read the SONALAN label for additional directions, cautions and limitations prior to use.

Peanuts -- SONALAN/Dual Tank Mix

SONALAN/Dual should be applied as a preplant incorporated tank mix treatment. The SONALAN/Dual combination effectively controls the weeds listed for SONALAN alone for general weed control plus yellow nutsedge, prairie cupgrass, red rice, southwestern cupgrass and galinsoga.

Follow recommended soil preparation procedures for SONALAN. Apply the tank mix in at least ten (10) gallons of water or liquid fertilizer per acre up to fourteen (14) days prior to planting. Incorporate the tank mix within two (2) days after application in the top two (2) to three (3) inches of soil.

BEST AVAILABLE COPY

161****/EC**36/LABELS/US/****/273

Coarse	1½ - 2	1½ - 2	1½ - 2
Medium	1 3/4 - 2½	1½ - 2	1½ - 2
Fine	2½ - 3	1½ - 2	1½ - 2

Read the SONALAN and Dual labels for additional directions, cautions and limitations prior to use.

Peanuts -- SONALAN/Lasso Tank Mix

SONALAN/Lasso should be applied as a preplant incorporated tank mix treatment. The SONALAN/Lasso combination effectively controls the weeds listed for SONALAN alone for general weed control plus yellow nutsedge, red rice and galinsoga.

Followed recommended soil preparation procedures for SONALAN. Apply the tank mix in at least ten (10) gallons of water or liquid fertilizer per acre up to seven (7) days prior to planting. Incorporate the tank mix within two (2) days after application in the top two (2) to three (3) inches of soil.

Broadcast Rates Per Acre

<u>Soil Texture</u>	<u>SONALAN</u> (pints)	+	<u>Lasso 4EC</u> (quarts)	
Coarse	1½ - 2		3	524-285
Medium	1 3/4 - 2½		3	
Fine	2½ - 3		3	524-314

Read the SONALAN and Lasso labels for additional directions, cautions and limitations prior to use.

Peanuts -- SONALAN/Vernam Tank Mix

SONALAN/Vernam should be applied as a preplant incorporated tank mix treatment. The SONALAN/Vernam combination effectively controls the weeds listed for SONALAN alone for general weed control plus annual morningglory, sicklepod, purple nutsedge, and yellow nutsedge.

Apply SONALAN/Vernam in at least ten (10) gallons per acre of water or liquid fertilizer. Follow recommended soil preparation procedures for SONALAN. SONALAN/Vernam can be applied up to ten (10) days prior to planting. Incorporate the tank mix immediately following application uniformly in the top two (2) to three (3) inches of soil.

Broadcast Rates Per Acre

<u>Soil Texture</u>	<u>SONALAN</u> (pints)	+	<u>VERNAM 7E</u> (pints)
Coarse	1 1/2 - 2		2 1/3
Medium	1 3/4 - 2 1/2		3
Fine	2 1/2 - 3		3

Read the SONALAN and Vernam labels for additional directions, cautions and limitations prior to use.

SONALAN® (ethalfluralin, Elanco)
Dual® (metolachlor, Ciba-Geigy)
Lasso® (alachlor, Monsanto)
Vernam® (vernolate, Stauffer) 476

Elanco Products Company
A Division of Eli Lilly and Company
Indianapolis, Indiana 46285