

Fall Applications of TREFLAN for Weed Control in
Spring Planted Barley in Montana, Minnesota,
North Dakota and South Dakota

TREFLAN may be fall applied for control of weeds listed on the TREFLAN label (except for special rate or use programs) in spring barley planted the following spring. TREFLAN may be applied to ground that has a manageable trash level or has been fallowed or pre-tilled. The first incorporation is required within 24 hours after application. A second incorporation is required prior to planting to destroy emerged weeds and to ensure an even distribution of TREFLAN treated soil. TREFLAN applied in this way provides partial control or suppression of kochia, Russian thistle and wild oats.

BROADCAST RATES PER ACRE

<u>Soil Texture</u>	<u>TREFLAN TR-10</u> (Pounds)
Coarse	5
Medium	7-1/2
Fine	7-1/2

INCORPORATION DIRECTIONS

Any of the following tools are recommended for fall incorporation. The disc or field cultivator may be used for the spring incorporation pass. Care should be taken to operate the tool at a more shallow depth than the fall application.

- ✓ 1. Chisel Plow: May be used for the first pass only. Operate at 4-5 inches deep at 4-6 MPH. A chisel plow is defined as having three rows of up to 18 inch sweeps on no greater than 12 inch centers. Stagger sweeps so that no soil is left unturned.
- ✓ 2. Tandem Disc: Operate 3-4 inches deep at 4-6 MPH.

✓ Barley should be planted approximately two inches deep.

PRECAUTION

✓ While use of this practice may result in a stand reduction, slight stand reductions do not normally affect yield.

✓ Read the TREFLAN TR-10 label for additional directions, precautions and limitations before use.

TREFLAN® TR-10™ - trifluralin, Elanco Products Company

Elanco Products Company
A Division of Eli Lilly and Company
Indianapolis, Indiana 46285

152****/C***10/LABELS/US/F1199/49

TREFLAN® E.C. (E.P.A. REG. NO. 1471-35)
TREFLAN® M.T.F.™ (E.P.A. REG. NO. 1471-116)
TREFLAN® 5™ (E.P.A. REG. NO. 1471-120)
TREFLAN® TR-10™ (E.P.A. REG. NO. 1471-143)

Special Precaution for Pecos County and Reeves County, Texas

Do not use TREFLAN on any crop grown in Pecos County or Reeves County, Texas.

Read the TREFLAN labels for additional directions, precautions and limitations before applying these products.

TREFLAN® E.C., M.T.F.™, 5™, TR-10™ - trifluralin - Elanco Products Company

Elanco Products Company
A Division of Eli Lilly and Company
Indianapolis, Indiana 46285

cjtreffsupp69
(03/04/86)