


Best Available COPY

STOP - READ LABEL BEFORE USING!

DANGER—POISON—PRECAUTIONS 

**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

**POISONOUS IF BREATHED**

Breathing vapors, spray, mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.



**POISON**

See Side Panels for Antidote & Precautions

FLAMMABLE MIXTURE

KEEP AWAY FROM HEAT OR OPEN FLAME



**DANGER**

Keep Out of Reach of Children

**NOT FOR HOME USE**

**PROEFTX BRAND**

**METHYL PARATHION\* EC-46**  
**EMULSIFIABLE**

Contains 4 pounds Methyl Parathion per gallon at 68°F.


**ACTIVE INGREDIENTS:**

O, O-dimethyl O-p-nitrophenyl thiophosphate\* .....46%

Aromatic Petroleum solvent .....48%

**INERT INGREDIENTS:** ..... 6%

\* Methyl Parathion ..... 100%



Main Office: 734 East S. P. Drive — Phoenix, Arizona 85001 — Phone 252-1111

For ground application dilute in 10 to 30 gallons of water per acre. For air application dilute in 3 to 10 gallons of water per acre

CROP	INSECT PESTS	MAXIMUM RATE	LIMITATIONS
Alfalfa	Aphids	1½ quarts per acre	Do not apply within 20 days of harvest
	Armyworms Leafhoppers Mites	-or- 1 quart per acre (in California use ¾ pint per acre)	
Barley, wheat	Aphids	1/2 pint per acre	No time limitation
	Armyworms	-or- 1½ pints per acre	
	Leafhoppers	-or- 1½ quarts per acre	
			Do not apply after heads begin to form

**DIRECTIONS FOR USE**

CROP	INSECT PEST	RATE	LIMITATIONS
Broccoli Brussels sprouts	Aphids	1 pint per acre	Do not apply within 7 days; 10 days for cabbage
Cabbage Cauliflower	Aphids	1½ quarts per acre	Do not apply within 21 days of harvest
	Cabbage looper		
Carrots	Aphids	1 quart per acre	Do not apply within 15 days of harvest. Do not use treated tops for food or feed.
	Armyworms		
	Flea beetles		
	Leafhoppers		
Cotton	Aphids	3 quarts per acre	Do not apply within 5 days of handpicking. (Workers entering fields within 24 hrs. should wear protective clothing.)
	Fleahoppers		
	Lygus bugs		
	Thrips		
	Cotton leaf perforator		

1526-194

11-3-71

1075

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 1526-194

25547

DATE

NET CONTENTS 5 GALLONS

*Red*  
**POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**CONTAINER DISPOSAL**

Do not reuse empty drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place.

**NOTICE**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

CROP	INSECT PEST	MAXIMUM RATE	LIMITATIONS
Lettuce	Aphids	1 quart	Do not apply within 21 days of harvest
	Armyworms	per acre	
	Leafhoppers		
	Cabbage worms		
Onions	Thrips	7/8 quart per acre	Do not apply within 15 days of harvest
Potatoes	Aphids	1 1/2 quarts	Do not apply within 5 days of harvest
	Armyworms	per acre	
	Flea beetles		
	Leafhoppers		
Safflower	Lygus bugs	1 pint per acre	Do not apply after flowering
Sorghum	Aphids	1 quart per acre	Do not apply within 21 days of harvest. Leaf injuries may occur on some varieties.
Spinach	Aphids	1 pint per acre	Do not apply within 14 days of harvest

CROP	INSECT PEST	MAXIMUM RATE	LIMITATIONS
Sugar beets	Armyworms	3/4 pint	Do not apply within 20 days of harvest; 60 days if tops are to be fed to livestock
	Flea beetles	per acre	
	Leaf hoppers		
	Mites		
Sweet potatoes	Flea beetles	1 1/2 pints per acre	Do not apply within 5 days of harvest
Tomatoes	Aphids	1 pint	Do not apply within 10 days of harvest
	Armyworms	per acre	
	Flea beetles	-or-	
	Leafhoppers	1 1/2 quarts per acre	Do not apply within 15 days of harvest
Turnips (foliage treatment)	Aphids	4/5 quart per acre	Do not apply within 15 days of harvest; 21 days if tops are to be used as food or feed.

For a mosquito larvicide on irrigated pastures, use 1/5 pint per acre up to 7 days of harvest.

*2015*



DANGER—POISON—PRECAUTIONS 

**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

**POISONOUS IF BREATHED**

Breathing vapors, spray, mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

STOP - READ LABEL BEFORE USING!

**POISON**

See Side Panels  
for Antidote &  
Precautions



**DANGER**

Keep Out of  
Reach of  
Children

FLAMMABLE MIXTURE

KEEP AWAY FROM HEAT OR OPEN FLAME

**NOT FOR HOME USE**

**PROEXTIX BRAND**

**METHYL PARATHION\* EC-46**  
**EMULSIFIABLE**

Contains 4 pounds Methyl Parathion per gallon at 68°F.

**ACTIVE INGREDIENTS:**

O, O-dimethyl O-p-nitrophenyl thiophosphate\* .....46%  
Aromatic Petroleum solvent .....48%

**INERT INGREDIENTS:** ..... 6%

\* Methyl Parathion ..... 100%



Main Office: 734 East S. P. Drive — Phoenix, Arizona 85001 — Phone 253-1111

For ground application dilute in 10 to 30 gallons of water per acre. For air application dilute in 3 to 10 gallons of water per acre

CROP	INSECT PESTS	MAXIMUM RATE	LIMITATIONS
Alfalfa	Aphids	1½ quarts per acre	Do not apply within 20 days of harvest
	Armyworms Leafhoppers Mites	-or- 1 quart per acre (in California use ¾ pint per acre)	Do not apply within 15 days of harvest
Barley, wheat	Aphids	1/2 pint per acre	No time limitation
	Armyworms Leafhoppers	-or- 1½ pints per acre	Do not apply within 15 days of harvest
		-or- 1½ quarts per acre	Do not apply after heads begin to

**DIRECTIONS FOR USE**

CROP	INSECT PEST	RATE	LIMITATIONS
Broccoli Brussels sprouts	Aphids	1 pint per acre	Do not apply within 7 days; 10 days for cabbage
	Aphids Cabbage flower loopers	1½ quarts per acre	Do not apply within 21 days of harvest
Carrots	Aphids	1 quart per acre	Do not apply within 15 days of harvest. Do not use treated tops for food or feed.
	Armyworms Flea beetles Leafhoppers		
Cotton	Aphids Flea hoppers Lygus bugs Thrips Cotton leaf perforator	3 quarts per acre	Do not apply within 5 days of handpicking. (Workers entering fields within 24 hrs. should wear protective clothing.)

30/5

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

*Red*  
**POISON SIGNS (Symptoms)**  
*med* Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

*med* Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM Chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**CONTAINER DISPOSAL**

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

**NOTICE**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 1526-194

NET CONTENTS 5 GALLONS

25547

DATE

CROP	INSECT PEST	MAXIMUM RATE	LIMITATIONS
Lettuce	Aphids	1 quart	Do not apply within
	Armyworms	per acre	21 days of harvest
	Leafhoppers		
	Cabbage worms		
Onions	Thrips	7/8 quart per acre	Do not apply within 15 days of harvest
Potatoes	Aphids	1 1/2 quarts	Do not apply within
	Armyworms	per acre	5 days of harvest
	Flea beetles		
	Leafhoppers		
Safflower	Lygus bugs	1 pint per acre	Do not apply after flowering
Sorghum	Aphids	1 quart per acre	Do not apply within 21 days of harvest. Leaf injuries may occur on some varieties.
Spinach	Aphids	1 pint per acre	Do not apply within 14 days of harvest
		or- 1 quart	Do not apply within

CROP	INSECT PEST	MAXIMUM RATE	LIMITATIONS
Sugar beets	Armyworms	3/4 pint	Do not apply within
	Flea beetles	per acre	20 days of harvest;
	Leaf hoppers		60 days if tops are
	Mites		to be fed to livestock
Sweet potatoes	Flea beetles	1 1/2 pints per acre	Do not apply within 5 days of harvest
Tomatoes	Aphids	1 pint	Do not apply within
	Armyworms	per acre	10 days of harvest
	Flea beetles	-or-	
	Leafhoppers	1 1/2 quarts per acre	Do not apply within 15 days of harvest
Turnips (foliage treatment)	Aphids	4/5 quart per acre	Do not apply within 15 days of harvest; 21 days if tops are to be used as food or feed.

For a mosquito larvicide on irrigated pastures, use 1/3 pint per acre up to 7 days of harvest.

stop

ACCEPTED

NOV 3 1971

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

1526-194

50-