

Active ingredients: Gamma-benzene ring  
of benzene, hexachlorocyclopentadiene, 1,4-  
dioxane, 50%; Nylex 10%; Mercaptan 40%  
6677  
Inert ingredients 30%

## SMEAREX

### 367

For the treatment of  
wounds of horses, sheep,  
goats and beef cattle in-  
fested with screw worms  
and to prevent attack by  
blow flies.

**CAUTION:** Keep out of reach  
of children. See back panel for  
additional caution.

Manufactured by:

**CURTS** Laboratories, Inc.  
P.O. Box 142  
Piquette, Michigan 48864  
64105

**NET WT: 4 OUNCES**

## SMEAREX 367

For the treatment of wounds  
of horses, sheep, goats and beef cattle  
infested with screw worms and to  
prevent attack by blow flies.

Active ingredients: Gamma-benzene ring  
of benzene, hexachlorocyclopentadiene,  
1,4-dioxane, 50%; Nylex 10%; Mercaptan 40%  
6677

Inert ingredients 30%

**CAUTION:** Keep out of reach  
of children. See back panel for  
additional caution.

Manufactured by:  
**CURTS** Laboratories, Inc.  
P.O. Box 142  
Piquette, Michigan 48864  
64105

**NET WT: 16 OUNCES (1 POUND)**

Apply with the brush in the direction of the hair. Work  
into wounds, cracks, and sores into all pockets. Cover  
thoroughly all areas which are likely  
to be infested. Two treatments may be necessary  
by as indicated. For prevention, apply the heavy  
cream with a brush with a piece of cloth or a brush  
liberally to the treatment areas, which may be  
on 2 inches outside the treatment area.  
not necessary.

**CAUTION:** May be absorbed by skin. Avoid  
contact with skin. In case of contact, wash  
immediately with soap and water. Avoid  
contamination of food and feed. Do not apply to  
told feet or humps. Do not use on cats. Do  
not apply on dairy animals. Use only on animals  
and to whom it may be applied. Wash  
or of transparent to a water.  
**Rinse empty container thoroughly with water and  
discard it.**

**DO NOT USE, POUR, SPILL OR STORE NEAR  
HEAT OR OPEN FLAME.**

Apply with the brush in the direction of the hair. Work  
into wounds, cracks, and sores into all pockets. Cover  
thoroughly all areas which are likely to be infested.  
Two treatments may be necessary by as indicated. For  
prevention, apply the heavy cream with a brush with a  
piece of cloth or a brush liberally to the treatment areas,  
which may be on 2 inches outside the treatment area.

Two treatments may be necessary by as indicated. For  
prevention, apply the heavy cream with a brush with a  
piece of cloth or a brush liberally to the treatment areas,  
which may be on 2 inches outside the treatment area.

**CAUTION:** May be absorbed by skin. Avoid  
contact with skin. In case of contact, wash  
immediately with soap and water. Avoid  
contamination of food and feed. Do not apply to  
told feet or humps. Do not use on cats. Do  
not apply on dairy animals. Use only on animals  
and to whom it may be applied. Wash  
or of transparent to a water.

**Rinse empty container thoroughly with water and  
discard it.**

**DO NOT USE, POUR, SPILL OR STORE NEAR  
HEAT OR OPEN FLAME.**