

WARNING

May be fatal or harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe the dust or fumes. Do not take internally. If spilled on skin or clothing wash thoroughly with soap and water and change clothes. Bathe promptly with soap and water after working with this product and before eating or smoking. Wash clothing with soap and water before reuse.

ANTIDOTE

Call a Physician. Give emetic: take one or two 1/100 grain atropine tablets and repeat in 1 hour if necessary.

CAUTION

Keep out of reach of children and domestic animals. Do not contaminate feed or foodstuffs. Use only for recommended purposes at recommended dosages. Stay out of smoke or fumes. Do not apply DYLOX to, or allow dust to drift onto, varieties of sorghum which are sensitive to phosphates. To do so may cause burning of the sorghum or milo. When container is empty, wash thoroughly and destroy. Never reuse.

CAUTION

Toxic to fish and wildlife. Keep out of lakes, ponds, or streams. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

DYLOX* 3 TOXAPHENE 10 With 50% Sulfur

U. S. D. A. Reg. No. 1526-351

WARNING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

Dimethyl (2,2,2-trichloro-1-hydroxyethyl)phosphonate**-----	3.00%
Toxaphene***-----	10.00%
Sulfur-----	50.00%
INERT INGREDIENTS:-----	37.00%
	<u>100.00%</u>

- * Reg. U.S. & Canadian Pat. Off. by Farbenfabriken Bayer, A.G. Chemagro Corporation Licensee.
- ** U.S. Patent No. 2,701,225, Canadian Patent No. 529,379. Effective for purpose claimed.
- *** Chlorinated Camphene (Chlorine Content 67%-69%)

ACCEPTED

JUN 5 1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBERTICIDE ACT
FOR ECONOMIC PEACETIME REGISTERED
UNDER NO. 1526-351 SUBJECT
TO ATTACHED COMMENTS.

1526-351



Main Office: 734 East S. P. Drive — Phoenix, Arizona 85001 — Phone 253-1111

DIRECTIONS FOR USE

This insecticide is for the control of beet army worm, cotton leaf perforator, and lygus bugs on cotton. Apply in a manner to give thorough coverage of the affected portions of the crop-plants when a damageable or potentially damageable infestation of the insect pests occur. Apply at the rate of 20 to 30 pounds per acre. Do not apply within 7 days of handpicking or mechanical picking. Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season. For further specific information, consult your state agricultural extension service.

CAUTION

Do not apply this material with equipment that has ever been used to apply 2,4-D, 2,4,5-T or other related weedkilling compounds. Do not allow to drift to sulfur allergic crops, such as cucurbits (melons, squash, cucumbers, etc.) or lettuce.

NOTICE

See material on back of container for full directions for use of this product. Other than as directed, use of this product is at the user's risk of use and of handling. Proper handling is essential to safety.