

PRECAUTIONARY & ANTIDOTE STATEMENT

WARNING

Harmful if swallowed, inhaled or absorbed through skin. Do not take internally. If spilled on skin or clothing, wash thoroughly with soap and water. Do not contaminate feed and foodstuffs. Keep out of reach of children and domestic animals. Wash hands before eating or smoking.

ANTIDOTE AND FIRST AID

Give an emetic of warm mustard water. CALL A PHYSICIAN.

CAUTION

Do not allow this dust to drift onto sulfur allergic cucurbits (melons, cucumbers, squash, etc.) and lettuce crops. Sulfur may burn foliage when temperatures are excessively high.

CAUTION

Highly toxic to fish. Do not contaminate any body of water nor apply to any area not specified on this label.

CAUTION

DO NOT APPLY THIS MATERIAL WITH EQUIPMENT THAT HAS EVER BEEN USED TO APPLY 2,4,-D, 2,4,5-T OR RELATED WEED KILLING COMPOUNDS.

When container is empty, wash thoroughly and destroy. Never re-use.

NET CONTENTS

STOP-READ LABEL BEFORE USING!

Agro-Chem Brand

CHEMICAL DISTRIBUTORS

D B A



P. O. BOX 21837 PHOENIX, ARIZ. 85028 PHONE 602 244-1311

E.P.A. REG. NO. 1526-408

EST. NO. 1526-AZ-1

CAPTAN 15 + 30% SULFUR

ACTIVE INGREDIENT(S):

Captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide) 15.00%

Sulfur 30.00%

INERT INGREDIENT(S): 55.00%
100.00%

ACCEPTED

Nov 25, 1974
1526-408
EPA 408

DIRECTIONS FOR USE

This product is for the control of bunch rot on grapes. Apply at the rate of 25 to 33 lbs. per acre in a manner to give thorough coverage of the affected portions of the crop plants. Begin applications when a damageable or potentially damageable infestation of the rot appears, and continue treatments at weekly intervals as additional control is needed. For further specific information, consult your state agricultural experiment station.

WARNING: Keep Out of Reach of Children. Harmful if Swallowed. Do Not Inhale. SEE WARNING AND ANTIDOTE STATEMENTS ON THIS LABEL

NOTICE
User makes no warranty or representation regarding the use of this product in any manner not indicated in the label. It is the user's responsibility to read the label and instructions and to follow the directions and instructions.

READ LABEL BEFORE USING!

WARNING

Harmful if swallowed, inhaled or absorbed through skin. Do not take internally. If spilled on skin or clothing, wash thoroughly with soap and water. Do not contaminate feed and foodstuffs. Keep out of reach of children and domestic animals. Wash hands before eating or smoking.

ANTIDOTE AND FIRST AID

Give an emetic of warm mustard water. CALL A PHYSICIAN.

CAUTION

Do not allow this dust to drift onto sulfur allergic cucurbits (melons, cucumbers, squash, etc.) and lettuce crops. Sulfur may burn foliage when temperatures are excessively high.

CAUTION

Highly toxic to fish. Do not contaminate any body of water nor apply to any area not specified on this label.

CAUTION

DO NOT APPLY THIS MATERIAL WITH EQUIPMENT THAT HAS EVER BEEN USED TO APPLY 2,4,-D, 2,4,5-T OR RELATED WEED KILLING COMPOUNDS.

When container is empty, wash thoroughly and destroy. Never re-use.

CHEMICAL DISTRIBUTORS

D B A



P. O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 244-1311

E.P.A. REG. NO. 1526-408

EST. NO. 1526-AZ-1

CAPTAN 15 + 30% Sulfur

ACTIVE INGREDIENT(S):

Captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide)..... 15.00%

Sulfur..... 30.00%

INERT INGREDIENT(S):..... 55.00%
100.00%

ACCEPTED
07 25 1974
1526-408

This product is for the control of bunch rot on grapes. Apply at the rate of 25 to 33 lbs per acre in a manner to give thorough coverage of the affected portions of the crop plants. Begin applications when a damageable or potentially damageable infestation of the rot appears, and continue treatments at weekly intervals as additional control is needed. For further specific information, consult your state agricultural experiment station.

NET CONTENTS

**WARNING: Keep Out of Reach of Children. Harmful if Swallowed. Do Not Inhale.
SEE WARNING AND ANTIDOTE STATEMENTS ON THIS LABEL.**