

DANGER: Keep Out of Reach of Children Harmful if Swallowed. Do Not Inhale.

FIRST AID: If Swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately! If on Skin: In case of contact, remove contaminated clothing and immediately wash with soap and water. If in Eyes: Wash with flowing water at least 15 minutes.


ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Liberal doses of glucose appear to enhance the antidotal properties of atropine.

TO PHYSICIAN: Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

WARNING: Poisonous if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through the skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Di-Syston^(R) protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not re-use empty container. Destroy by burying with waste or burning. Stay out of smoke. Do not store near feed and food products. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not breathe dust!

CAUTION: Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on this label.

CAUTION: This product is toxic to bees and should not be applied when bees are actively visiting the area.




U. S. D. A. Reg. No. 1526— 411

ACTIVE INGREDIENTS:

0,0-diethyl S-2-(ethylthio)ethyl Phosphorodithioate*	6.50%
Pentachloronitrobenzene	6.50%
INERT INGREDIENTS:	87.00%
	100.00%

*U.S. Patent No. 2,759,010; Canadian Patent No. 518,967



DANGER POISON



DANGER: KEEP OUT OF REACH OF CHILDREN. SEE WARNING AND ANTIDOTE STATEMENTS ON SIDE PANEL



Main Office: 734 East S. P. Drive — Phoenix, Arizona 85001 — Phone 253-1111

DIRECTIONS FOR USE

DIRECTIONS: This product is a mixture of systemic insecticide and a fungicide for use as a seed and soil treatment on cotton at planting time. The systemic insecticide will prevent attack upon the seedling by such insects as thrips, aphids and mites. The fungicide will aid in suppressing Seed Rot, Damp-Off and Soreshin.

APPLICATION: Apply at the rate of 15 pounds per acre (18 oz. per 1,000 linear feet) for 36 inch row spacings. Distribute the granules evenly in the furrow at planting time. For further specific information consult your local agricultural extension service. Allow a minimum of 21 days between applications. Do not apply within 28 days of harvest. Do not apply more than twice per season. Read "Important" statement for additional information before use on this crop.

CAUTION: Soil temperature, moisture and tillage should be favorable for good germination and emergence. Under adverse planting conditions, plant stand may be affected.

IMPORTANT: When used on cotton at the maximum recommended rates, under adverse conditions such as extremely cool and wet, or extremely dry weather, Di-Syston^(R) may cause some delay in emergence, stunting of seedlings, or reduction of stand. Such damage may be more pronounced in light, sandy soils. Plant injury may also occur or may be enhanced when certain pre-emergent herbicides are used in conjunction with Di-Syston^(R).

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes the risk of fire and of handling of the material. Seller's liability is limited to the handling is contrary to the instructions.

NET CONTENTS