

DANGER: Keep Out of Reach of Children Harmful if Swallowed. Do Not Inhale.

WARNING

May be fatal if swallowed, inhaled or absorbed thru skin! **RAPIDLY ABSORBED THROUGH SKIN!** Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

ANTIDOTE

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY!**

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

CAUTION


Workers entering treated fields within 24 hours after application should wear protective clothing. Keep away from fire and sparks.

CAUTION

Do not allow to drift to sulfur sensitive crops such as cucurbits (melons, squash, cucumbers, etc.) or to lettuce.

CAUTION

DO NOT APPLY THIS MATERIAL WITH EQUIPMENT THAT HAS EVER BEEN USED TO APPLY 2,4-D, 2,4,5-T OR RELATED WEEDKILLING COMPOUNDS.



U. S. D. A. Reg. No. 1526-440

ACTIVE INGREDIENTS:


Parathion*-----	2.00%
Maneb (Manganous ethylene - bisdithiocarbamate)-----	5.00%
Sulfur-----	50.00%
INERT INGREDIENTS; -----	<u>43.00%</u>
	100.00%

*0,0-diethyl 0-p-nitrophenyl thiophosphate

CAUTION

Toxic to fish and wildlife. Do not contaminate lakes, streams, or ponds with this material. Burn or destroy containers - never reuse. Stay out of smoke and fumes. Use only for recommended purposes at recommended dosages.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



DANGER POISON



Main Office: 734 East S. P. Drive — Phoenix, Arizona 85001 — Phone 253-1111

DIRECTIONS FOR USE

This insecticide is for the control of aphids, cabbage looper and thrips on spinach, imported cabbage worm and cabbage looper on broccoli, cabbage and cauliflower. On potatoes this insecticide is for the control of aphids, flea beetle, leafhopper and white flies. For further specific information, consult your state agricultural experiment station.

This material is also a fungicide and to prevent and control downy mildew of spinach and Brussels sprouts. Begin application at the first indication of any of the diseases (especially when the humidity is favorable for the spread of the disease) at a rate of 25 pounds per acre in a manner to insure thorough coverage of the affected portions of the crop-plants. This product must not be used unless residues are removed by stripping, trimming and washing. For further specific information on the use of this product, especially as to unusual weather, climate, or soil conditions, consult your state agricultural experiment station.

Apply in a manner to give thorough coverage of the affected portions of the crop-plants when a damageable or potentially damageable infestation of the insect-pests occurs. Continue treatments as additional control is needed, heeding the following dosages and limitations.

BROCCOLI, CABBAGE: Use 15 pounds per acre. Do not apply within 10 days of harvest. **CAULIFLOWER:** Use 25 pounds per acre. Do not apply after edible parts start to form. **SPINACH:** Apply at 25 pounds per acre. Do not apply within 14 days of harvest. **POTATOES:** Use 30-35 pounds per acre. Apply when insects first appear and repeat as required. Do not apply within 5 days of harvest.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material. If use or handling is contrary to label instructions.

**DANGER, KEEP OUT OF REACH OF CHILDREN
SEE WARNING AND ANTIDOTE STATEMENTS ON SIDE PANEL**

NET CONTENTS

LBS.