

Best Available Copy

**WARNING & ANTIDOTE STATEMENT**

WARNING

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or clothing. Do not breathe dust. Do not take internally. If spilled on skin or clothing, wash thoroughly with soap and water. Wash clothing with soap and water before reuse. Do not contaminate feed and foodstuffs. Keep out of reach of children and domestic animals. Wash hands thoroughly before eating or smoking. Wear regular long-sleeved work clothing, changing to clean clothing daily. Take shower or bath after work.

ANTIDOTE AND FIRST AID

Give an emetic of warm mustard water. CALL A PHYSICIAN. Take one or two 1/100 grain atropine tablets and repeat in 1 hour if necessary.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

CAUTION

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

CAUTION

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**ACCEPTED**

NOV 26 1969

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
AND ECONOMIC POISON REGISTER  
REGISTER NO. 1526-443

1526-443

**PHOENIX BRAND**

**SEVIN\* 10**

U.S.D.A. Reg. No. 1526-443

**ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl N-methyl-  
carbamate)----- 10.00%

**INERT INGREDIENTS:**----- 90.00%  
100.00%

\*Trademark of Union Carbide Corporation for the active ingredient Carbaryl.



Main Office: 734 East S. P. Drive — Phoenix, Arizona 85001 — Phone 253-1111

DIRECTIONS FOR USE

This product is for the control of bollworm, cotton fleahopper, cotton leafworm, leaf rollers, pink bollworm, and cotton leaf perforator on cotton. Apply at the rate of 15 pounds per acre in a manner to give thorough coverage of the affected portions of the crop-plants. For control of salt-marsh caterpillar, apply at the rate of 20 pounds per acre. Begin applications when a damageable or potentially damageable infestation of the insects appear, and continue treatments at weekly intervals as additional control is needed. For further specific information consult your State Agricultural Extension Service.

CAUTION

Use only for recommended purposes and at recommended dosages.

Do not apply this material with equipment that has ever been used to apply 2,4-D, 2,4,5-T or related weed killing compounds.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**WARNING: KEEP OUT OF REACH OF CHILDREN**

SEE WARNING AND ANTIDOTE STATEMENTS ON SIDE

CONTENTS

LBS.

1526-443

11/26/1969

11