

**DANGER: Keep Out of Reach of Children: Harmful if Swallowed. Do Not Inhale.**

WARNING

poisonous if swallowed, inhaled or absorbed through the skin. Do not get in eyes or on skin. Wear protective clothing, natural rubber gloves and goggles. Do not breathe fumes or spray mist. Wear a mask or respirator effective for protection against Guthion. Information as to suitable types of masks or respirators is available from the U.S. Department of Agriculture. In Canada obtain this information from your dealer.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered for at least two days. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains, vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Liberal doses of glucose appear to enhance the antidotal properties of atropine.

TO PHYSICIAN: Compound inhibits cholinesterase, resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treat symptomatically.

**PHOENIX BRAND**

GUTHION 3 WITH 50% SULFUR

U. S. D. A. Reg. No. 1526-454

ACTIVE INGREDIENTS:

\*O,O-Dimethyl S-(4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl) phosphorodithioate---- 3.00%  
Sulfur----- 50.00%

INERT INGREDIENTS:----- 47.00%  
100.00%

\*Guthion - Product of Chemagro Corporation under license from Farbenfabriken Bayer U.S. Patent No. 2,758,115 and Canadian Patent No. 552,660

WARNING

Do not allow to drift to sulfur allergic crops such as cucurbits (melons, squash, cucumbers, etc.) or to lettuce.

WARNING

Do not apply this material with equipment that has ever been used to apply 2,4-D, 2,4,5-T or related weedkilling compounds.

APR 7 1953



**DANGER POISON**



**DANGER KEEP OUT OF REACH OF CHILDREN.**