

PRECAUTIONARY STATEMENTS



DANGER — POISON — PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin. In eyes or in clothing would get through clothes.

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is visible or likely.

This product is highly toxic to bees exposed to direct treatment or residue on plants. Protective information may be obtained from the Cooperative Agricultural Entomologists' Society.



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection.
- (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor, physician, clinic or hospital. Immediately explain that the victim has been exposed to parathion and describe his condition. After first aid is given see First Aid Treatment Section and if a doctor cannot come take victim to clinic or hospital.

IMPORTANT! Before removing gloves wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK Take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

STOP - READ LABEL BEFORE USING!

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Agro-Chem Brand

Mfg. for: CHEMICAL DISTRIBUTORS, INC.

D E A



P. O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 243-2711

PARATHION 2 PERTHANE 5

ACTIVE INGREDIENTS.

Parathion*	2.00%
Diethyl Diphenyl Dichloroethane	4.75%
Related Compounds	0.25%
INERT INGREDIENTS	93.00%

100.00%

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. If rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping of eyelids, twitching of nose, muscle spasms and coma.

POST TREATED AREA

Consult your State Agricultural Service or Experiment Station regarding posting treated areas.

FIRST AID TREATMENT

Call a doctor or physician and get to hospital immediately. Explain that the victim may have been exposed to methyl parathion and describe his condition.

If breathing has stopped start artificial respiration immediately and maintain until doctor reaches victim.

If swallowed and victim is awake, do not induce vomiting. Induce vomiting quickly by giving vomit by sticking finger down throat. If the victim is unconscious, stop salt water in mouth. Repeat until victim is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

NOTE TO PHYSICIAN

Antidote: 100 mg. of 2,4,6-trinitrophenol (picric acid) in 100 cc. of 5% aqueous solution. Repeat at 15 to 30 minute intervals until signs of strychnine poisoning subside. Parathion is a cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal responses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

*O,O-d.ethyl O-P-Nitrophenyl Phosphorothioate

POISON
Read This Label
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

041

NET CONTENTS

50 lbs.

DANGER POISON: Keep Out of Reach of Children
See other precautions on this label.

STOP - READ LABEL BEFORE USING!

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

Agro-Chem Brand

Mfg. for: CHEMICAL DISTRIBUTORS, INC.



P. O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 243-2711

PARATHION 2 PERTHANE 5

ACTIVE INGREDIENTS:

Parathion*	2.00%
Diethyl Diphenyl Dichloroethane	4.75%
Related Compounds	0.25%
INERT INGREDIENTS	93.00%
	100.00%

*0,0-diethyl O-P Nitrophenyl Phosphorothioate

PHYSICIAN
 Atropine sulfate in
 1 to 4 mg intravenous
 doses as soon as cyanosis
 is at 5 to 10 minute
 intervals of atropinization ap-
 proach is also antidotal and
 should be given in conjunction with
 GIVE MORPHINE OR
 Parathion is a
 cholinesterase inhibitor affecting
 central nervous systems
 and respiratory de-
 pression of pulmonary edema
 may be given supplemental
 symptomatically. Con-
 siderable poisoning may occur
 if it has been reported after
 VERY CLOSE SUPER-
 VISION IS INDICATED FOR

POISON
 Read This Label
 for Antidote &
 Precautions



DANGER
 Keep Out of
 Reach of
 Children

041

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


NOTE: Important - Avoid drift of this product to crops for which its use is not registered or to any crop for which its use may be registered but application would be closer to harvest than recommended. This product is to be applied in a future application only.

This product is for control of leafhoppers, cabbage looper, aphids, typhus and thrips. Apply in a manner to give thorough coverage to the affected portions of the crop/print as soon as damageable infestation is discovered, and repeated at weekly intervals if additional control is needed. For further information as to application, consult your State Agricultural Extension Service.

CROP	CROP PEST	DOSAGE RATE ACRE	LIMITATIONS
Broccoli	Cabbage looper, Aphids	25 lbs	Do not apply within 3 days before harvest
Cabbage Cauliflower	Cabbage looper, Aphids	25 lbs	Do not apply within 3 days before harvest
Let-tuce Head Lettuce Spinach	Cabbage looper, Cabbage looper, Aphids, Typhus, Thrips	25 lbs	Do not apply within 4 days before harvest

STORAGE AND DISPOSAL

- PROHIBITIONS** - Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL** - Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- CONTAINER DISPOSAL** - Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.
- GENERAL** - Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.



E.P.A. REG NO 1526-457
 E.P.A. EST NO 33691-AZ-1

1526-457⁰⁴²

WARNING: Keep Out of Reach of Children.
 See other precautions on this label.



NOTICE
 See other precautions on this label for information concerning the use of this product. Buyer assumes a risk of use and handling of this material when such use and/or handling is contrary to label instructions.