

ACCEPTED
 5/13/71
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND MITICIDE ACT
 1526-459
 COMMENTS.



WARNING

KEEP OUT OF REACH OF CHILDREN

CHLORDANE 8-E

EMULSIFIABLE CONCENTRATE

FOR **PCO'S**

See back side panel for additional precautions.

Formulated for and sold exclusively to:

ARIZONA
AGROCHEMICAL
CORPORATION
Growing thru Chemical Progress
 Head office: 734 East S. P. Drive • Phoenix, Ariz. 85001 • Phone 253-1111

CONTAINS 8 LBS. CHLORDANE PER GALLON FOR THE CONTROL OF:

- | | | |
|-----------------|-----------------|---------------|
| ANTS | EARWIGS | SOD WEBWORMS |
| ARMYWORMS | GRASSHOPPERS | SPIDERS |
| BOXELDER BUGS | HOUSEFLIES | TERMITES |
| BROWN DOG TICKS | JAPANESE BEETLE | TICKS |
| CARPET BEETLES | GRUBS | WASPS |
| CENTIPEDES | MOLE CRICKETS | WHITE-FRINGED |
| CHIGGERS | MOSQUITOES | BETLES |
| CHINCH BUGS | ROACHES | WHITE GRUBS |
| CRICKETS | SILVERFISH | WIREWORMS |

ACTIVE INGREDIENTS:	BY WEIGHT
Technical Chlordane*	73.0%
Petroleum Distillate	21.5%
INERT INGREDIENTS	<u>5.5%</u>
	100.0%

*Equivalent to 43.8% Octachloro-4,7-Methanotetrahydroindane and 29.2% related compounds.

NET CONTENTS GALLONS

and wasps, add 1½ to 2 table-
 te to 1 quart of water and thor-
 as doors, around windows and
 o thoroughly treat screens,
 ted areas of porches where these
 . Repeat application if neces-

1½ to 2 tablespoonsful of
 of water and thoroughly spray
 wherever these pests may enter

to 2 tablespoonsful of 8-E
 water and thoroughly spray
 orage places and other hiding
 ary to maintain effective

pedes, add 1½ to 2 tablespoos-
 1 quart of water and thoroughly
 s, around pipes, storage local-
 isements. Repeat application
 onrol.

id with a mixture composed of 1
 water. Never dig trenches

IONS

, as an overall pre-construction
 under attached porches.

feet to critical areas under
 treatment, such as along the
 id around utility entrances
 ation walls.

set along the outside of the
 the depth of the foundation.


Basements

set as a trenching application
 ouse, such as along the inside
 nd piers and utility entrances.
 18 inches, apply 4 gallons per

set in a trench along the out-
 cluding entrance platforms and
 is not more than 15-18 inches
 deep but not over 30 inches
 neal feet of trench.

feet of soil surface as a pre-
 the attached porches, entrance
 , etc., have covering slab on

ained by the use of a Chlordane



USDA REG. NO. 1526-459

CONTAINS 8 LBS. CHLORDANE PER GALLON FOR THE CONTROL OF:

- | | | |
|-----------------|-----------------|---------------|
| ANTS | EARWIGS | SOD WEBWORMS |
| ARMYWORMS | GRASSHOPPERS | SPIDERS |
| BOXELDER BUGS | HOUSEFLIES | TERMITES |
| BROWN DOG TICKS | JAPANESE BEETLE | TICKS |
| CARPET BEETLES | GRUBS | WASPS |
| CENTIPEDES | MOLE CRICKETS | WHITE-FRINGED |
| CHIGGERS | MOSQUITOES | BEETLES |
| CHINCH BUGS | ROACHES | WHITE GRUBS |
| CRICKETS | SILVERFISH | WIREWORMS |

WARNING

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep children and pets off treated areas until this material is washed into the soil and grass is dry. Do not reuse container. Destroy when empty.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ACTIVE INGREDIENTS:	BY WEIGHT
Technical Chlordane*	73.0%
Petroleum Distillate	21.5%
INERT INGREDIENTS	5.5%
	100.0%

*Equivalent to 43.8% Octachloro-4,7-Methanotetrahydroindane and 29.2% related compounds.

Code No. 25523

1m-1-71

NET CONTENTS GALLONS

DIRECTIONS

LAWN OR TURF APPLICATIONS

For the control of ants, armyworms, crickets, grasshoppers and spiders, add 1.5 tablespoonful of 46% Chlordane concentrate to enough water to thoroughly treat or spray the lawn, turf or ornamental plants of 1,000 square feet area.

For the control of chiggers, earwigs, or ticks, add 1.5 to 3 tablespoonful of 46% Chlordane concentrate to enough water to thoroughly spray or treat the lawn, turf or ornamental plants of 1,000 square feet area.

For the control of boxelder bugs, add 1.5 to 3 tablespoonful of 46% Chlordane concentrate to enough water to treat 1,000 square feet. Spray around the base or trunks of boxelder trees, along porches or foundation of buildings or other protected places.

For the control of mosquitoes, add 1 to 2 tablespoonful of 46% Chlordane concentrate to enough water to thoroughly treat the lawns, turf or ornamental plants of 1,000 square feet area.

For the control of mole crickets, add 1.5 to 3 tablespoonful of 46% Chlordane concentrate to enough water to thoroughly treat or spray the lawn or turf of 1,000 square feet. Sprinkle the lawn before the Chlordane spray is applied.

For the control of chinch bugs, sod webworms or lawn moths, add 3 to 4.5 tablespoonful of 46% Chlordane concentrate to enough water to thoroughly treat 1,000 square feet of lawn or turf.

For the control of white grubs, Japanese beetle grubs, white-fringed beetle and wireworms, add 4 to 8 tablespoonful of 46% Chlordane concentrate to enough water to thoroughly treat the lawn or turf of 1,000 square feet. Wash the Chlordane into the soil immediately after the application.

HOUSEHOLD APPLICATION

For the control of roaches or waterbugs, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray infested cracks and other hiding places and of adjacent exposed surfaces where they crawl when they come out of hiding. Repeat treatment when necessary.

For the control of ants, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray ant trails and areas around door sills and window frames where they enter. It is desirable to treat the openings around water pipes, heat ducts, electrical outlets and baseboards where ants may come into rooms from wall spaces or partitions. Repeat treatments as often as necessary to maintain effective control.

For the control of silverfish, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray baseboards, areas behind shelving, book cases and storage areas. Repeat application to maintain effective control.

For the control of brown dog ticks, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat pets or other animals.

For the control of carpet beetles, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray infested areas of carpets, localized areas of floors and baseboards,

and into cracks and under carpets where these pests may be found. Repeat application as often as necessary to maintain effective control.

For the control of flies, mosquitoes and wasps, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray selected surfaces such as doors, around windows and areas frequented by these pests. Also thoroughly treat screens, window frames, door sills, and selected areas of porches where these insects tend to alight or congregate. Repeat application if necessary for effective control.

For the control of boxelder bugs, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray around door sills, window frames or wherever these pests may enter the home.

For the control of crickets, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray baseboards, floors of closets and storage places and other hiding places. Repeat application as necessary to maintain effective control.

For the control of spiders and centipedes, add 3 to 4 tablespoonful of 46% Chlordane concentrate to 1 quart of water and thoroughly spray infested baseboards and corners, around pipes, storage localities and other infested areas in basements. Repeat application as necessary to maintain effective control.

TERMITE CONTROL APPLICATION

In buildings, termites are controlled with a mixture composed of 1 qt. Chlordane EC-46 per 12 gallons of water.

DIRECTIONS

1. Slab-Type Construction

- Apply 1 gallon per 10 sq. ft. as an overall pre-construction treatment under the slab and under attached porches.
- Apply 2 gallons per 5 lineal feet to critical areas: under the slab as pre-construction treatment, such as along the inside of foundation walls and around utility entrances and interior partition foundation walls.
- Apply 2 gallons per 5 lineal feet along the outside of the foundation using a trench to the depth of the foundation.

2. Crawl-Space Houses and Homes with Basements

- Apply 2 gallons per 5 lineal feet as a trenching application to critical areas under the house, such as along the inside of foundation walls and around piers and utility entrances. If trench is deeper than 15-18 inches, apply 4 gallons per 5 lineal feet.
- Apply 2 gallons per 5 lineal feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches deep, apply 4 gallons per 5 lineal feet of trench.
- Apply 1 gallon per 10 square feet of soil surface as a pre-construction treatment where the attached porches, entrance platforms, utility entrances, etc., have covering slab on fill of ground.

A minimum of 5 years control is obtained by the use of Chlordane EC-46 emulsion in above application.