

AGROCHEM BRAND
18-46-0
With 0.2% Thimet (R)

ANALYSIS IN PERCENT

Nitric	NITROGEN			PHOSPHORIC ACID AVAILABLE	POTASH WATER SOLUBLE
	Ammonic	Organic	TOTAL		
0	18	0	18	46	0

USDA REG NO. 1526

NITROGEN from Ammonium Phosphates
 PHOSPHORIC ACID from Ammonium Phosphate

Pesticide Ingredients:

ACTIVE INGREDIENTS:


O,O-diethyl (ethylthiomethyl) Phosphorodithioate*..... 0.20%
 INERT INGREDIENT:..... 99.80%
 100.00%

*Thimet

(R) Registered trademark of American Cyanamid Company

DANGER! POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING.
 RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION
 OF SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY
 INCREASE SUSCEPTIBILITY TO POISONING.

ACCEPTED
 JUL 16 1968
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTE-
 RED UNDER NO. 1526-91 SUBJECT
 TO ATTACHED COMMENTS



~~Do not get in eyes, on skin, on clothing.~~

Wear clean, natural rubber gloves, goggles and clean waterproof or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Do not breathe dust or vapor.

Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for THIMET protection. If handled indoors provide mechanical exhaust ventilation.

(CONTINUED)



DANGER POISON



CAUTION: Harmful if Swallowed. Do Not Inhale. Keep Out of Reach of Children.

NITROGEN from Ammonium Phosphates
PHOSPHORIC ACID from Ammonium Phosphate

Pesticide Ingredients:

ACTIVE INGREDIENTS:


O,O-diethyl (ethylthiomethyl) Phosphorodithioate*..... 0.20%
INERT INGREDIENT:..... 99.80%
100.00%

*Thimet

(R) Registered trademark of American Cyanamid Company

DANGER! POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING.
RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION
OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY
INCREASE SUSCEPTIBILITY TO POISONING.

ACCEPTED
JUL 16 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1526-99 SUBJECT
TO ATTACHED COMMENTS.
Do not get in eyes, on skin, on clothing.



Wear clean, natural rubber gloves, goggles and clean waterproof or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

Do not breathe dust or vapor.

Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for THIMET protection. If handled indoors provide mechanical exhaust ventilation.

(CONTINUED)



DANGER POISON



CAUTION: Harmful if Swallowed. Do Not Inhale. Keep Out of Reach of Children.

NOTICE

Faint, illegible text, likely bleed-through from the reverse side of the page.



Do not contaminate food or feed products.

Sweep up and bury spillage. Wash area thoroughly with a full-strength liquid household chlorine bleach.

Remove unauthorized persons from operating area. Destroy empty bags by burning. Stay away from smoke and fumes. Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on this label.

ANTIDOTE: Atropine is an antidote. Consult your physician about obtaining a supply of 1/100 grain tablets for emergency use. Never take atropine unless symptoms of poisoning have occurred.

FIRST AID: If symptoms or signs of poisoning (see Physician's Note) include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 grain) at once.

Call a physician at once in all cases of suspected poisoning.

Remove patient immediately from the area. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of the pesticide. If swallowed, induce vomiting by giving warm salty or soapy water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

PHYSICIAN'S NOTE: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

DIRECTIONS FOR USE

Do not use this product for any uses other than those specified on this label.

THIMET is an effective soil and systemic insecticide for early season insect control which has been combined with fertilizer for efficient and uniform application. Application should be made at planting time. Application at rates higher than those

... containing a copy of the label for emergency use. Never take atropine unless symptoms of poisoning have occurred.

FIRST AID: If symptoms or signs of poisoning (see Physician's Note) include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 grain) at once.

Call a physician at once in all cases of suspected poisoning.

Remove patient immediately from the area. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of the pesticide. If swallowed, induce vomiting by giving warm salty or soapy water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

PHYSICIAN'S NOTE: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

DIRECTIONS FOR USE

Do not use this product for any uses other than those specified on this label.

THIMET is an effective soil and systemic insecticide for early season insect control which has been combined with fertilizer for efficient and uniform application. Application should be made at planting time. Application at rates higher than those shown on label may result in illegal crop residue.

Potatoes: When planting potatoes, apply at the rate of 1,000 pounds fertilizer per acre in a double band 2 inches on each side of, and 2 inches below the seed potato. For further specific information, consult your local agricultural authorities.

