

AGRICULTURAL INSECT CONTROL

LAWN AND TURF

Crop	Insect Pest	Dosage/Acre	Directions
Turf or lawn	Ants Fire Ants Harvester Ants Leaf Cutting Ants	30 lbs. of 5% Dust	Apply 5% dust at 1 lb. per 1500 sq. ft. These applications should be used with care around food crops when the edible portion of the food crop is not present.
	Ants	5% Dust	Blow 5% dust into the tunnels.
	Earwigs	5% Dust	Apply to infested outside area, especially along fences, walks and buildings.

HOUSEHOLD AND HOUSEHOLD PLANTS

Area	Insect Pest	Concentration	Directions
Inside homes	Ants	5% Dust	Thoroughly dust ant trails and areas around door sills and window frames where the ants may enter. Treat the openings around water pipes, heat ducts, electrical outlets and baseboards where ants may come into room from wall spaces and partitions. Repeat applications as necessary.
	Boxelder Bugs	5% Dust	Thoroughly dust around door sills, window frames or wherever these pests may enter homes. Repeat application as necessary. Thoroughly dust areas where these insects crawl or congregate on porches or sides of houses.

Area	Insect Pests	Directions
Inside homes	Brown Dog Tick	Thoroughly dust around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Place fresh bedding in animals quarters following treatment. Repeat application as necessary.

HOUSEHOLD AND HOUSEHOLD PLANTS

Area	Insect Pests	Directions
Inside homes (continued)	Carpet Beetles	Thoroughly dust infested areas of carpets, localized areas of floors and baseboard, shelves of closets. Repeat application as necessary.
	Centipedes Spiders	Thoroughly dust infested baseboards, corners, pipes, storage localities and other infested areas in basements. Repeat application as necessary to maintain effective control.
	Crickets	Thoroughly dust baseboards, floors of closets, storage places and other hiding places. Repeat application as necessary.
	Roaches Waterbugs	Thoroughly dust infested cracks and other hiding places and adjacent exposed surfaces where roaches will crawl when they come out of hiding. Repeat application as necessary.
	Scorpions	To prevent entry of scorpions thoroughly dust around doorsills, window frames or areas where these insects may enter the premises. Also thoroughly dust surfaces in garages and buildings other than human dwellings. Repeat application as necessary.
	Silverfish	Thoroughly dust baseboards, areas behind shelving, bookcases and storage areas.
PLANTS		
African Violets	Springtails Symphitids	Potting Soil — Add 1½ pounds of 5% dust per gallon of soil. Potted Plants — Sprinkle ¼ teaspoon of 5% dust over soil per 3 inch pot. Proportionate amount for other sizes. Water from top for next several waterings. Repeat application at 4 to 6 month intervals or whenever insects appear. Re-Potting — Mix into new soil as above. Dust old soil ball slightly

CHLORDANE 5

INSECTICIDE DUST

FOR PCO'S

ACTIVE INGREDIENTS:

Technical Chlordane*	5%
INERT INGREDIENTS	95%
	100%

*Equivalent to 3% Octachloro-4, 1-methanotetrahydroindane and 2% related compounds.

U.S.D.A. Registration No. 1526 - 478

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

SEE OTHER PRECAUTIONS ON THE BACK SIDE PANEL

1-23-71
1526-478