

PREGNANCY & ANTIDOTE STATEMENT

DANGER

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT BREATHE DUST. DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.

ANTIDOTE Atropine is an antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine. Consult your physician about obtaining a supply of 1 100 grain tablets for emergency use. Never take atropine unless symptoms of poisoning have occurred.

FIRST AID: If symptoms or signs of poisoning (see Note to Physicians) include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1 100 grain) at once.

Call a physician at once in all cases of suspected poisoning.

Remove patient immediately from the area. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of the pesticide. If swallowed, induce vomiting by giving warm salty, or soapy water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

NOTE TO PHYSICIANS: Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1 100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams or more, may be required during the first 24 hours. Never give morphine or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

Wear freshly laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Sweep up and bury spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied while still in the field.

Remove unprotected persons and domestic animals from operating areas.

Destroy empty bags and cartons by burning. Stay away from smoke and fumes.

Do not use this product for any uses other than those specified on this label.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Keep out of any body of water.

STOP-READ LABEL BEFORE USING!

Agro-Chem Brand

CHEMICAL DISTRIBUTORS

D E A



P.O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 244-1311

EPA REG. NO. 1526-492
EPA EST. NO. 1526-AZ-1

GRANULES - CONTAINING

THIMET[®] 6.5 + TERRACLOR[®] 6.5

ACTIVE INGREDIENTS:

Phorate (O,O-diethyl S-(ethylthio) methyl phosphorodithioate) 6.50%

Pentachloronitrobenzene 6.50%

INERT INGREDIENTS: 87.00%

Ⓡ Reg. Trademark of American Cyanamid Company 100.00%

Ⓡ Reg. Trademark of Olin Corporation

*

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

POISON

Read This Label
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

ACC
JUL
Under the 1
Full
as a result of
registered
EPA Reg.

NET CONTENTS

50 lbs.

DANGER POISON Keep Out of Reach of Children

See other precautions on this label.

For
worn
and
blight
Appl
over
spac
Do n
stocl
in re



EMENT

STOP - READ LABEL BEFORE USING!

DIRECTIONS FOR USE

DO NOT USE THIS PRODUCT FOR ANY USES OTHER THAN THOSE SPECIFIED IN THE DIRECTIONS FOR USE.

Agro-Chem Brand

CHEMICAL DISTRIBUTORS

DEA



P.O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 244-1311

EPA REG. NO. 1526-492
EPA EST. NO. 1526-AZ-1

COTTON

For the control of early season insects (aphids, black cutworms, leafhoppers, leafminers, thrips, whiteflies and mites) and control of Rhizoctonia induced damping off, seedling blight or rot, and soreshin on cotton.

Apply 27 oz. (or 1.7 pounds) per 1,000 feet of row in furrow over seed and surrounding soil at planting time. (36 inch rows spacing)

Do not allow the feeding or grazing of cotton foliage by livestock. Do not plant any root crop not registered for Terraclor in rotation on Terraclor treated soil.

GRANULES - CONTAINING

THIMET® 6.5 + TERRACLOR® 6.5

ACTIVE INGREDIENTS:

Phorate (O,O-diethyl S-(ethylthio) methyl phosphorodithioate	6.50%
Pentachloronitrobenzene	6.50%

INERT INGREDIENTS: 87.00%


100.00%

® Reg. Trademark of American Cyanamid Company

® Reg. Trademark of Olin Corporation

*

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS



POISON

Read This Label
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

ANGER POISON Keep Out of Reach of Children

See other precautions on this label.



NOTICE
Selling without warranty expressed or implied. Buyer assumes all liability for use of this product other than as directed on the label and/or instruction.