

PRECAUTIONARY & ANTIDOTE STATEMENT

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Do not contaminate food or feed products.

POISONOUS BY SKIN CONTACT

This product is rapidly absorbed through the skin. Repeated skin contact may, without symptoms, progressively increase susceptibility to poisoning. Do not get in eyes, on skin or on clothing.

POISONOUS IF BREATHED

Repeated inhalation may, without symptoms, progressively increase susceptibility to poisoning. Do not breathe dust.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from area treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of any body of water.

STORAGE AND DISPOSAL

1. Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
2. Pesticide Disposal: Pesticide, spray mixture, sludge that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
3. Container Disposal: Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.
4. General: Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear freshly laundered, long sleeved shirt and long pants daily as well as socks and shoes.
2. While transferring from package to equipment, wear a respirator, clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Do not wear the same gloves for other work. Dryfit and replace gloves frequently.

WORK SAFETY RULES

1. Remove unprotected persons and domestic animals from operating areas.
2. Do not use this product for any uses other than those specified on this label.
3. Do not breathe dust while emptying bags into equipment. Pour downwind and allow as little free fall as possible. Do not pour at face level, do not allow dust to reach the breathing zone, and wear a respirator.
4. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse.
5. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.
6. Sweep up and properly dispose of any spillage. Once a bag has been opened, use it completely or properly dispose of it.
7. Make sure that the hoppers of equipment are emptied while in the field.

POISONOUS SIGNS (SYMPTOMS)

Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

ANTIDOTE

Atropine is an antidote. 2 PAM is also antidotal and may be administered in conjunction with atropine. Consult your physician about obtaining a supply of 1/100 grain tablets for emergency use. Never take atropine unless symptoms of poisoning have occurred.

+ FIRST AID TREATMENT +

1. Emptying or signs of poisoning (see Note to Physicians) include blurred vision, abdominal cramps and tightness in the chest. Wait for a doctor but give two atropine tablets (each 1/100 grain) at once.
2. Call a physician at once in all cases of suspected poisoning.
3. Remove patient immediately from the area.
4. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of the pesticide.
5. IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth in an unconscious person.
6. IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen.
7. IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

NOTE TO PHYSICIANS

1. Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.
2. Treatment: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) at once and every hour as required until pupils dilate. 20 to 30 milligrams or more may be required during the first 24 hours. Never give morphine or other narcotic tranquilizers. Keep chest free of pulmonary drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause respiratory insufficiency in very small doses of new cholinesterase inhibitor. Allow for further exposure until cholinesterase activity has been taken place as determined by blood tests.

NET CONTENTS

50 lbs.

DANGER POISON

STOP-READ LABEL BEFORE USING!

Agro-Chem Brand

CHEMICAL DISTRIBUTORS

OR A



P. O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 243-2711

EPA REG. NO. 1525-492
EPA EST. NO. 33691-AZ-1

GRANULES - CONTAINING

THIMET® 6.5 + PCNB 6.5

ACTIVE INGREDIENTS:

Phorate (O,O-diethyl S-(ethylthio) methyl phosphorodithioate	6.50%
Pentachloronitrobenzene	6.50%

INERT INGREDIENTS:	87.00%
© Reg. Trademark of American Cyanamid Company	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER POISON



See Side Panel for Precautionary Statements

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


COTTON

For control of early season insects (aphids, black cutworms, leafhoppers, leafminers, thrips, whiteflies and mites) and control of Rhizoctonia induced damping off, seedling blight or rot, and soreskin on cotton.

Apply 27 oz. (or 1.7 pounds) per 1,000 feet of row in the furrow over the seed and surrounding soil at planting time using suitable application equipment (36 inch row spacing).

Do not allow the feeding or grazing of cotton foliage by livestock.

Do not plant any root crop not registered for PCNB in rotation on PCNB treated soil.



Keep Out of Reach of Children  **POISON**
See other precautions on this label.

NOTICE
Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.