

Reg# 1526-492
PMA 10

P. 1/5

RESTRICTED USE PESTICIDE
Due to acute oral and dermal toxicity; and bird toxicity. For retail sale to and application only by certified applicators or personnel under their direct supervision.

STOP - READ LABEL BEFORE USING!

Agro-Chem Brand

ACCEPTED
SEP 3 1986
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1526-492



P.O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 437-1510
EPA REG. NO. 1526-492
EPA EST. NO. 10163-AZ-1

GRANULES - CONTAINING **THIMET[®] 6.5 + PCNB 6.5**

ACTIVE INGREDIENTS:	
Phorate (O,O-diethyl S-(ethylthio) methyl phosphorodithioate	6.50%
Pentachloronitrobenzene	6.50%
INERT INGREDIENTS:	87.00%
	100.00%

® Reg. Trademark of American Cyanamid Company

KEEP OUT OF REACH OF CHILDREN

**DANGER
PELIGRO**



POISON

Not for use or storage in or around the home.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen.
IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

See Side Panel for Precautionary Statements

Keep Out of Reach of Children.
See other precautions on this label.

PC

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Do not contaminate food or feed products.

POISONOUS BY SKIN CONTACT

This product is rapidly absorbed through the skin. Repeated skin contact may, without symptoms, progressively increase susceptibility to poisoning. Do not get in eyes, on skin or on clothing.

POISONOUS IF BREATHED

Repeated inhalation may, without symptoms, progressively increase susceptibility to poisoning. Do not breathe dust.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills.

STORAGE AND DISPOSAL

1. **Prohibitions:** Do not contaminate water, food or feed by storage or disposal.
2. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
3. **Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1. Wear freshly laundered, long sleeved shirt and long pants daily as well as socks and shoes.
2. While transferring from package to equipment, wear a respirator, clean cap and gloves (rubber or cotton). If cotton gloves are used, they must be laundered or discarded after each day's use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

WORK SAFETY RULES

1. Remove unprotected persons and domestic animals from operating areas.
2. When applying product, wear protective clothing, gloves and goggles.
3. Do not use this product for any uses other than those specified on this label.
4. Do not breathe dust while emptying bags into equipment. Pour downwind and allow as little free fall as possible. Do not pour at face level, do not allow dust to reach the breathing zone, and wear a respirator.
5. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse.
6. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.
7. Sweep up and properly dispose of any spillage. Once a bag has been opened, use it completely or properly dispose of it.
8. Make sure that the hoppers of equipment are emptied while still in the field.

POISONOUS SIGNS (SYMPTOMS)

Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

ANTIDOTE

Atropine is an antidote. 2 PAM is also antidotal and may be administered in conjunction with atropine.

NOTE TO PHYSICIANS

1. Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.
2. Treatment: give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) at once and every hour as required until pupils dilate. 20 to 30 milligrams or more may be required during the first 24 hours. Never give morphine or phenothiazine tranquilizers. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

NET CONTENTS

50 LBS.

DANGER POISON

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not reenter treated fields before 24 hours after application. If reentry prior to 24 hours is required, take the same precautions as an applicator of the product including use of protective clothing, gloves, and goggles. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written and oral warnings must include the following information: DANGER — Area treated with Phorate and PCNB on (date of application). Do not enter without appropriate protective clothing until dusts have settled. In case of accidental exposure, follow instructions under Statement of Practical Treatment section.

COTTON

For control of early season insects (aphids, black cutworms, leafhoppers, leafminers, thrips, whiteflies and mites) and control of Rhizoctonia induced damping off, seedling blight or rot, and soreshin on cotton.

Apply 27 oz. (or 1.7 pounds) per 1,000 feet of row in the furrow over the seed and surrounding soil at planting time using suitable application equipment (36 inch row spacing).

Do not allow the feeding or grazing of cotton foliage by livestock.

Do not plant any root crop not registered for PCNB; its rotation on PCNB treated soil.

Food/feed crops other than those registered for use with phorate may not be planted in phorate-treated soil.

ORGANOPHOSPHORUS PESTICIDE MIXTURE, SOLID; POISON B. UN278



NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.