

DANGER — POISON — PRECAUTIONS



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**Apply This Product Only As Specified On This Label
CONTAINER DISPOSAL**

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.



E.P.A. REG. NO. 1526-490
E.P.A. EST. NO. 1526-A2-1

PRECAUTIONARY & ANTIDOTE STATEMENT

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor (physician), clinic or hospital — immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious), make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 15 minute intervals until signs of atropinization appear. 2-PAM chloride is also available and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

"Toxaphene produces central nervous system excitation which ordinarily responds to Barbituric Acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms.

POST TREATED AREA

Consult your State Agricultural Service or Experiment Station regarding posting treated areas.

AL USARLO. Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente

**FLAMMABLE MIXTURE
KEEP AWAY FROM HEAT OR OPEN FLAME
NOT FOR HOME USE**

POST TREATED AREA AVAILABLE

POISON
Read This Label
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

NET CONTENTS



DANGER POISON: Keep Out of Reach of Children
See other precautions

STATEMENT

STOP READ LABEL BEFORE USING!

DIRECTIONS FOR

NOTE TO PHYSICIAN

Antidote — administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also available and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

"Toxaphene produces central nervous system excitation which ordinarily responds to Barbituric Acid derivatives, but this drug should be considered only if complete atropinalization fails to relieve symptoms.

POST TREATED AREA

Consult your State Agricultural Service or Experiment Station regarding posting treated areas.

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

Agro-Chem Brand

CHEMICAL DISTRIBUTORS

D B A

1526-499



ARIZONA AGROCHEMICAL

Moving thru Chemical Progress

P.O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 244-1311

**TOXAPHENE 6-E
METHYL PARATHION 3-E**

EMULSIFIABLE

ACTIVE INGREDIENTS:

*Toxaphene	52.5%
(O,O-dimethyl O-nitrophenyl phosphorothioate)	26.3%
Xylene	15.2%
INERT INGREDIENTS	6.0%
	<u>100.0%</u>

*Registered Trademark of Hercules, Inc.
Technical Chlorinated Camphene (Chlorine content 67-69%).

CONTAINS 6 LBS. TOXAPHENE AND 3 LBS. METHYL PARATHION PER GALLON.

Do not use this product for any uses other than those specified in the directions for use: For ground application — dilute in a minimum of 3-10 gallons water. For aerial application — dilute in a minimum of 3-10 gallons water.

NOTE: Important — avoid drift of this product to crops for which its use may be registered but application would be considered a faller application unless otherwise specified.

CROP	CROP PEST	DOSAGE RATE/ACRE
Cotton (Early-Season)	Plant Bugs, Fleahoppers	1-1½ pints. Make 2-3 applications at 5-7 day intervals starting at 2 leaf stage.
	Thrips	¾-1 pint
	Cutworms	3½ pints
Cotton (Mid-Season)	Overwintering Boll Weevils, Plant Bugs, Aphids, Garden Webworms, Cotton Leafworms	2-2½ pints. Make applications at 7 day intervals as insect counts necessitate.
Cotton (Late-Season)	Boll Weevils, Bollworms, Garden Webworms, Aphids	3-4 pints. Make applications at 5-7 day intervals as insect counts necessitate.
Soybeans	Aphids, Armyworms, Bean Leaf Beetles, Corn Earworms, Grasshoppers, Green Cloverworms, Velvet Bean Caterpillars	1½ quarts
Wheat, Oats, Barley, Rice	Armyworms	1 quart

DANGER

Keep Out of Reach of Children

BEST DOCUMENT AVAILABLE

Keep Out of Reach of Children. See other precautions on this label.



NO WARRANTY is made by the Seller for the use of this product other than that specified in the instructions. Buyer assumes all risk of use when such use and or instructions are not followed.

READ LABEL BEFORE USING!

RESTRICTED USE PESTICIDE

RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Agro-Chem Brand

CHEMICAL DISTRIBUTORS

DBA

ARIZONA AGROCHEMICAL



Leading thru Chemical Progress

21537 PHOENIX, ARIZ. 85036 PHONE 602 244-1311

**TOXAPHENE 6-E
METHYL PARATHION 3-E**

EMULSIFIABLE

ACTIVE INGREDIENTS:

Toxaphene	52.5%
1,1-Dimethyl O-nitrophenyl phosphorothioate	26.3%
Xylene	15.2%
INERT INGREDIENTS	6.0%
	<u>100.0%</u>

Registered Trademark of Hercules, Inc.
Technical Chlorinated Camphene (Chlorine content 67-69%).

CONTAINS 6 LBS. TOXAPHENE AND 3 LBS. METHYL PARATHION PER GALLON.

Keep out of reach of children.
Read this label.



DIRECTIONS FOR USE

Do not use this product for any uses other than those specified on this label.

Per acre water usage in applying this product should comply with the following unless otherwise designated in the directions for use: For ground application — dilute in a minimum of 10-30 gallons water; For aerial application — dilute in a minimum of 3-10 gallons water.

NOTE: Important — avoid drift of this product to crops for which it is not registered or to any crop for which its use may be registered but application would be closer to harvest than recommended. This product is to be applied as a foliar application unless otherwise specified in the directions for use.

CROP	CROP PEST	DOSEAGE RATE/ACRE	LIMITATIONS
Cotton (Early-Season)	Plant Bugs, Fleahoppers	1-1½ pints. Make 2-3 applications at 5-7 day intervals starting at 2 leaf stage.	Do not hand pick or harvest within 7 days of application. Do not graze dairy animals or animals being finished for slaughter in fields treated with this product. Workers entering treated fields within 24 hours after application should wear protective clothing.
	Thrips	¾-1 pint	
	Cutworms	3½ pints	
Cotton (Mid-Season)	Overwintering Boll Weevils, Plant Bugs, Aphids, Garden Webworms, Cotton Leafworms	2-2½ pints. Make applications at 7 day intervals as insect counts necessitate.	
Cotton (Late-Season)	Boll Weevils, Bollworms, Garden Webworms, Aphids	3-4 pints. Make applications at 5-7 day intervals as insect counts necessitate.	
Soybeans	Aphids, Armyworms, Bean Leaf Beetles, Corn Earworms, Grasshoppers, Green Cloverworms, Velvet Bean Caterpillars	1½ quarts	Do not apply within 21 days before harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry. Do not apply more than twice per season.
Wheat, Oats, Barley, Rice	Armyworms	1 quart	Do not apply within 15 days before harvest. Do not feed forage treated with this product to dairy animals or animals being finished for slaughter.

BEST DOCUMENT AVAILABLE

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.