

PRECAUTIONARY & ANTIDOTE STATEMENT

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if inhaled or swallowed. Do not breathe dust. Do not take internally. Avoid breathing dust. Skin contact may be harmful. Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily.

ANTIDOTE: Note to Physician. Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

ENVIRONMENTAL HAZARDS: To protect fish and wildlife, do not contaminate any body of water with this material. This pesticide is toxic to aquatic organisms. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Extension Service.

DO NOT ALLOW THIS PRODUCT TO DRIFT FROM THE AREA BEING TREATED.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.

STOP READ LABEL BEFORE USE

Agro-Chem Brand

Mfg. for: CHEMICAL DISTRIBUTORS, INC.

DBA



P. O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 243-2

E.P.A. REG. NO. 1526-504
E.P.A. EST. NO. 33691-AZ-1

SEVIN* 5 DUST
SPECIMEN LABEL

ACTIVE INGREDIENTS:	
Carbaryl (1-Naphthyl N - Methylcarbamate)	5.00
INERT INGREDIENTS	95.00
	<hr/>
	100.00

ACCEPT KEEP OUT OF REACH OF CHILDREN
CAUTION
1526-504

* Trademark of Union Carbide Corporation for the active ingredient Carbaryl.

34

NET CONTENTS **50 LBS.**

CAUTION: Keep Out of Reach
See other precautions on this label

BEST DOCUMENT AVAILABLE

READ LABEL BEFORE USING!

Agro-Chem Brand

Mfg. for: CHEMICAL DISTRIBUTORS, INC.

DBA



ARIZONA GROCHEMICAL COMPANY

Growing thru Chemical Progress

P. O. BOX 21537 PHOENIX, ARIZ. 85036 PHONE 602 243-2711

E.P.A. REG. NO. 1526-504

E.P.A. EST. NO. 33681-AZ-1

SEVIN*5 DUST

SPECIAL MODEL

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N - Methylcarbamate) 5.00%
 Inert Ingredients 95.00%
 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Trademark of Union Carbide Corporation for the active ingredient Carbaryl.

34

DIRECTIONS FOR USE

CROP	CROP PEST	DOSAGE RATE/ACRE	LIMITATIONS
Swiss Chard ✓	Flea beetles, harlequin bugs, leafhoppers	10-20 lbs	Do not apply within 14 days before harvest.
	Armyworms, small cabbage loopers, stink bugs, tarnished plant bugs	20-40 lbs For small cabbage loopers, apply at 5-7 day intervals.	
Tobacco in fields ✓	Tobacco budworms, Tobacco flea beetles	8-12 lbs For hand applications only directed into buds and top leaves only. Avoid heavy applications with cloth bags as plant injury may result.	None
	Flea beetles, hornworms, Japanese beetles, June beetles, tobacco budworms	15-25 lbs	
	Aphids, grasshoppers	30-50 lbs	
Tomatoes ✓	Colorado potato beetles, flea beetles, leafhoppers	10-20 lbs	None
	European corn borers, fall armyworms, lace bugs, pinworms, stink bugs, tomato fruitworms, tomato hornworms, tarnished plant bugs	20-40 lbs	
	Climbing cutworms	20 lbs	
	Flea beetles, harlequin bugs	10-20 lbs	
Turnips ✓	Armyworms, small cabbage loopers, imported cabbageworm, stink bugs, tarnished plant bugs	10-40 lbs For small cabbage loopers, apply at 5-7 day intervals.	Do not apply within 3 days before harvest. Do not apply within 14 days before harvest if tops are to be used for food or feed.
FOR USE ON POULTRY:		DIRECTIONS FOR USE	
ANIMAL Chickens, Ducks, ✓ Game birds, Geese, Partridges, Pheasants, Pigeons, Turkeys	ANIMAL PEST Chicken mites, fleas, lice, northern fowl mites	Apply 1 lb/100 birds by use of a shaker can or hand duster, direct dust into vent and fluff areas. Also treat head and neck for stick-tight fleas. Repeat in 4 weeks if needed. This is a supplement to premise and litter treatments for chicken mites and fleas. Do not apply within 7 days before slaughter. Do not contaminate feed and drinking water.	
FOR USE ON AGRICULTURAL PREMISES AND EQUIPMENT:		DIRECTIONS FOR USE	
AREA Poultry Houses ✓	PEST Bed bugs, chicken mites, fleas, lice, northern fowl mites	Apply 25 lbs/1000 square feet to floors, litter, roosts, and adjacent areas with a scoop, hand duster or power duster. Force dust into cracks and crevices.	
FOR USE ON HUMANS ONLY:		DIRECTIONS FOR USE	
HUMAN PEST Body Louse, Crab Louse, Head Louse		Dust infested areas and rub in to insure skin contact. Allow dust to remain in contact with infested areas for at least 1 hour. Repeat as needed. Do not get in eyes. Dry clean or sterilize clothing.	
FOR USE IN DOG HOUSES, KENNELS, SLEEPING QUARTERS:		DIRECTIONS FOR USE	
PEST Ticks ✓ Fleas	DOSAGE RATE 2 1/2-5 lbs/5000 square feet 5-10 lbs/5000 square feet	Apply liberally by garden type duster. Force dust into cracks and crevices. Repeat as needed. Do not expose kittens less than 4 weeks old to treated areas.	
FOR USE ON DOGS AND CATS:		DIRECTIONS FOR USE	
PEST Fleas, Lice, Ticks		Dust liberally over animal and rub thoroughly into skin. Do not apply to kittens and puppies under 4 weeks of age. For brown dog ticks be sure to also apply on legs, feet and between toes. Comb out dead ticks a few hours after treatment. Keep dust out of eyes. Apply in and around sleeping quarters, kennels, and dog houses. Force dust into cracks and crevices. Repeat at weekly intervals or as needed. Sprinkle lightly on furniture, floors, and rugs. Remove with a vacuum cleaner after an hour or two.	

35

Keep Out of Reach of Children.
 See other precautions on this label.

NOTICE
 Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.