

1528-28

REGISTERED
AUG 15 1974
UNDER THE FEDERAL
FUNGICIDE AND RODENT
FOR ECONOMIC POISON
ED UNDER NO.
TO ATTACHED CONTAINER

HOUSE AND GARDEN SPRAY

Active Ingredients:

*1(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3- 2-methylpropenyl)	0.250% w/w
cyclopropanecarboxylate	0.034%
Related compounds	0.332%
Aromatic petroleum hydrocarbons	99.384%
Inert Ingredients:	100.000%

*Cis/trans isomers ratio: max. 30% (±)cis and min. 70% (±)trans.
†U.S. Patent No. 3,465,007

CAUTION

KEEP OUT OF REACH OF CHILDREN

SHAKE BEFORE USING

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Cover or remove fish bowls. Do not use on edible crops. It may be used on household plants and in gardens (ornamentals only).

WARNING: Contents under pressure. Do not puncture. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

Net Weight 1 lb. (16 oz. avoird.)

EPA Reg. No. 1528-28

DIRECTIONS FOR USE

AQUATIC Pressurized Spray Insecticide - Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS - FOR HOUSEFLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. *Site = VIII indoors*

INDOORS - FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and ~~under floors~~. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. *Site = VIII outdoors*

OUTDOORS - TO KILL FLYING INSECTS: Spray areas infested with mosquitoes, gnats (midges), houseflies, biting flies and flying moths (millers). Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated air. Repeat as necessary.

OUTDOORS - TO PROTECT ORNAMENTAL PLANTS: To control aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, ~~hibiscus~~, toyon, viburnum, ~~cuscuta~~, oak, maple, locust, Forsythia and ~~others~~; and ~~Japanese beetle~~ on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray burst of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, geraniums, chrysanthemums, nasturtiums, daisy, geranium, marigolds, daphne, fuchsia, ivy, tobira, green sage and broad leaf acacia for control of aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.


Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Camellia may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

INDOORS - TO PROTECT HOUSE PLANTS: Spray infested African violets, philodendron, geraniums, begonias, coleus for control of listed pests. Repeat application as necessary.

OUTDOORS - TO CONTROL NUISANCE PESTS: ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary. *Site = VIII outdoors*



Manufactured by
SHEPARD LABORATORIES
Division of
NEBRASKA PRODUCING & REFINING
1521 North 11th Street
Omaha, Nebraska 68110