

MASTER LABEL: ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

## FUNGITROL® 420S FUNGICIDE

FOR INDUSTRIAL USE ONLY

**ACTIVE INGREDIENT:**

3-Iodo-2-propynyl butyl carbamate.....20.00%

**OTHER INGREDIENTS**.....80.00%

**TOTAL** .....100.00%

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.


Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EMERGENCY MEDICAL INFORMATION: (800) 241-7439



International  
Specialty  
Products  
1361 Alps Rd.  
Wayne, NJ 07470

EPA Reg. No.: 1529-41  
EPA Est. No.: 1529-CAN-001



NOTE: READ THE MATERIAL SAFETY DATA  
SHEET BEFORE  
USING THIS PRODUCT.

IN CASE OF TRANSPORTATION EMERGENCY  
CALL CHEMTREC 800-424-9300 (703-527-3887)

2/7

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Do not apply this product in a way that will contact workers or other persons.

Causes skin irritation and moderate eye irritation. Avoid contact with eyes, skin and clothing. Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

Mixers and other handlers must wear appropriate clothing such as long-sleeve shirt and long pants, chemical resistant gloves, and shoes and socks. Users should remove personal protective equipment (PPE) immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The following are suggested use levels for Fungitrol® 420S Fungicide.

The suggested use levels of Fungitrol® 420S Fungicide are given in percentage by weight.

For use as a preservative in manufacturing dry film paint generally use 0.2-4% in wet paint, for aqueous metal working, cutting, cooling and lubricating fluids and concentrates use 0.15-0.5%, for paper coatings use 0.25-3.75%, for plastics and plastic coatings use 0.25-5.0%, for cordage use 0.25-5.0%, for inks use 0.25-3%. For wood preservation, use only in above-ground applications only at 1.5-6.0%. Fungitrol® 420S Fungicide can be used as a fungicide in non-medical, non food contact aqueous, solvent and non-solvent based systems such as natural and synthetic adhesives, caulks, patching compounds, sealants, grouts, latexes such as sbr/latex used in the manufacture of flooring adhesives or carpet backings. Use levels for these applications are 0.125-1.25%. For specific recommendations on specific amounts of product to use please contact ISP.

See side panel for precautionary statements.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE** - Do not store with strong oxidizing agents or strong (concentrated) acids. Keep container tightly closed when not in use. Do not reuse container.

**PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your local State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

MASTER LABEL: ALTERNATE LABEL LANGUAGE FOR RETAIL PACKAGING - 1.5 oz  
pillowpacks and 7.5 oz., 2.48 lbs. and 4.95 lbs. containers

**FUNGITROL® 420S FUNGICIDE**

For Use in All Interior/Exterior Latex [or Water Based], Oil and Solvent Based Paints, Stains, Coatings,  
and Adhesives  
Inhibits Mold, Mildew, and Algae on Dry Film

ACTIVE INGREDIENT:	
3-Iodo-2-propynyl butyl carbamate.....	20.00%
OTHER INGREDIENTS.....	80.00%
TOTAL .....	100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EMERGENCY MEDICAL INFORMATION: (800) 241-7439



International  
Specialty  
Products  
1361 Alps Rd.  
Wayne, NJ 07470

EPA Reg. No.: 1529-41  
EPA Est. No.: 1529-CAN-001

NOTE: READ THE MATERIAL SAFETY DATA  
SHEET BEFORE  
USING THIS PRODUCT.

IN CASE OF TRANSPORTATION EMERGENCY  
CALL CHEMTREC 800-424-9300 (703-527-3887)

4/7

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Do not apply this product in a way that will contact any person or pet. Causes skin irritation and moderate eye irritation. Avoid contact with eyes, skin and clothing. Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Fungitrol 420S Fungicide is a low VOC formula and has no odor.

**MIXERS AND HANDLERS:** Read Precautionary Statements prior to handling product.

Add Fungitrol 420S Fungicide as directed below to the coating for maximum protection against mold, mildew, and algae. Mix thoroughly, stirring Fungitrol 420S Fungicide into the coating for 2 - 3 minutes. Apply the coating to the surface as directed by the coating manufacturer. In all cases, the coating should be mixed prior to applying to the surface. To ensure best results, follow coating manufacturer's instructions for cleaning and preparing the surface. Fungitrol 420S Fungicide is for protecting the applied film and paint, not the substrate.

For 1.5 oz. pillowpack: Cut off corners as marked and squeeze entire contents into 1 gallon of paint or other coating. Shake or stir thoroughly for 2 - 3 minutes.

For 7.5 oz. plastic jar: Pour entire contents into 5 gallons of paint or other coating. Shake or stir thoroughly for 2 - 3 minutes.

For 2.48 lbs. plastic container with pump: Add 1 oz. (2 squirts) per gallon of paint or other coating. Shake or stir thoroughly.

For 2.48 lbs. and 4.95 lbs. plastic containers: Pour Fungitrol 420S Fungicide into color canister. Dispense as shown in **Table A**. Shake or stir thoroughly.

Table A  
In-store dispenser calibration chart for Fungitrol 420S Fungicide

Dispenser Calibration	16ths.	32nds.	48ths.	64ths.
For 5 Gallons	5 8/16	5 16/32	5 24/48	5 32/64
For 1 Gallon	1 2/16	1 3/32	1 5/48	1 6/64
For 1 Quart	5/16	9/32	14/48	18/64

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

**Do not contaminate water, food, or feed by storage or disposal.**

**PESTICIDE STORAGE** - Do not store with strong oxidizing agents or strong (concentrated) acids. Keep container tightly closed when not in use. Do not reuse container.

**PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your local State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** - For 1.5 oz pillowpack: Wrap empty container and paint stirrer in newspaper and dispose immediately in trash. Never place unused product down any indoor or outdoor drain. For all other containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

6/7

MASTER LABEL: ALTERNATE LABEL LANGUAGE FOR HOME PACKAGING -  
1.5 oz. pillowpack and 7.5 oz. containers

## FUNGITROL® 420S FUNGICIDE

For Use in All Interior/Exterior Latex [or Water Based], Oil and Solvent Based Paints, Stains, Coatings,  
and Adhesives  
Inhibits Mold, Mildew, and Algae on Dry Film

**ACTIVE INGREDIENT:**

3-Iodo-2-propynyl butyl carbamate.....20.00%

OTHER INGREDIENTS.....80.00%

TOTAL .....100.00%

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EMERGENCY MEDICAL INFORMATION: (800) 241-7439



International  
Specialty  
Products  
1361 Alps Rd.  
Wayne, NJ 07470

EPA Reg. No.: 1529-41  
EPA Est. No.: 1529-CAN-001

NOTE: READ THE MATERIAL SAFETY DATA  
SHEET BEFORE  
USING THIS PRODUCT.

IN CASE OF TRANSPORTATION EMERGENCY  
CALL CHEMTREC 800-424-9300 (703-527-3887)

7/7

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Do not apply this product in a way that will contact any person or pet.

Causes skin irritation and moderate eye irritation. Avoid contact with eyes, skin and clothing. Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Fungitrol 420S Fungicide is a low VOC formula and has no odor.

**NOTE:** Read Precautionary Statements prior to handling the product.

Add Fungitrol 420S Fungicide as directed below to the coating for maximum protection against mold, mildew, and algae. Mix thoroughly, stirring Fungitrol 420S Fungicide into the coating for 2 - 3 minutes. Apply the coating to the surface as directed by the coating manufacturer. In all cases, the coating should be mixed prior to applying to the surface. To ensure best results, follow coating manufacturer's instructions for cleaning and preparing the surface. Fungitrol 420S Fungicide is for protecting the applied film and paint, not the substrate.

For 1.5 oz. pillowpack: Cut off corners as marked and squeeze entire contents into 1 gallon of paint or other coating. Shake or stir thoroughly for 2 - 3 minutes.

For 7.5 oz. plastic jar: Pour entire contents into 5 gallons of paint or other coating. Shake or stir thoroughly for 2 - 3 minutes.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment, washwaters or rinsate.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store with strong oxidizing agents or strong (concentrated) acids. Keep container tightly closed when not in use. Do not reuse container.

**PESTICIDE DISPOSAL:** Wrap empty container and paint stirrer in newspaper and dispose immediately in trash. Never place unused product down any indoor or outdoor drain.

Label edit date: 3/10/06 Submitted as amendment to EPA on 3/10/06
--