1529-43

9/4/2003

Page 122

FUNGITROL® 440S FUNGICIDE

FOR INDUSTRIAL USE ONLY

ACTIVE INGREDIENT:	
3-Iodo-2-propynl butyl carbamate	40.00%
Other Ingredients	60.00%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN EMERGENCIES CALL CHEMTREC (800) 424-9300

EPA Reg. No.: 1529-43

EPA Est. No.: 1100-CN-02

SEP - 4 2003

Under the Federal Insecticide, Fungloide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 1529-43

International Specialty Products 1361 Alps Road Wayne, NJ 07470

Net Contents

282

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Do not breath vapor or spray mist. Wear goggles or face shield (safety glasses). Wear one of the following NIOSH-approved respirators: (1) a non-powered cartridge respirator equipped with an R- or P- series air-purifying filter (NIOSH pre-six TC-84A), or, (2) a powered cartridge respirator equipped with a high efficiency particulate air (HEPA) filter (MSHA/NIOSH approval number prefix TC 21C). Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The following are suggested use levels for Fungitrol® 440S Fungicide. The suggested use levels of Fungitrol® 440S Fungicide are give in percentage by weight.

For use as a preservative in manufacturing of dry film paint generally use 0.1 - 2.0% in wet paint, for aqueous metal working, cutting, cooling and lubricating fluids and concentrates use 0.05 - 0.5%, for paper coatings use 0.05 - 2.0%, for plastics and plastic coatings use 0.5 - 2.5%, for cordage use 0.5 - 2.5%, for inks use 0.05 - 3.0%. For wood preservation, use only in above-ground applications at 0.5 - 3.0%. Fungitrol® 440S Fungicide can be used as a fungicide in non-medical, non food contact aqueous, solvent and non-solvent based systems such as natural and synthetic adhesives, caulks, patching compounds, sealants, grouts, latexes such as sbr/latex used in the manufacture of flooring adhesives or carpet backings. Use levels for these applications are 0.05 - 0.625%. For specific recommendations on specific amounts of product to use please contact ISP.

See side panel for additional precautionary statements.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE - Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acid.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your local State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Do not reuse container. Triple rinse container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke.