

1529-59

3/4/2014

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Kaci Rosario, Product Regulatory Specialist
International Specialty Products
An Ashland Inc. business
1005 U.S. 202/206
Bridgewater, NJ 08807

MAR 4 2014

Subject: Notification; Per PR-Notice 98-10
Product Name: Nuosept W Concentrate
EPA Registration Number: 1529-59
Application Date: September 10, 2013

Dear Ms. Rosario:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated September 10, 2013 for the product referenced above. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The addition of the label statement, "These applications are not approved for use in California." is acceptable and will be placed in our records.

If you have any questions regarding this letter, please email Amaris Johnson at johnson.amaris@epa.gov or call (703) 305-9542.

Sincerely,

A handwritten signature in cursive script that reads "Amaris Johnson for".

Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobial Division (7510P)
Office of Pesticide Programs

**EPA**
 United States
Environmental Protection Agency
 Washington, DC 20460

- ☐
- Registration**
-
- ☐
- Amendment**
-
- ☒
- Other**

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1529-59	2. EPA Product Manager Marshall Swindell	3. Proposed Classification ☒ None ☐ Restricted
4. Company/Product (Name) Nuosept W Concentrate	PM# 33	
5. Name and Address of Applicant (Include ZIP Code) International Specialty Products An Ashland Inc. business 1005 U.S. 202/206 Bridgewater, NJ 08807 ☒ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated 2/24/2009
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application
☒ Notification - Explain below.	☐ Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of minor label revision per PR Notice 98-10. Label is being revised to include statement in reference to certain use applications that are not approved in the state of California.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging ☐ Yes* ☐ No	Unit Packaging ☐ Yes ☐ No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging ☐ Yes ☐ No If "Yes" Package wgt. No. per container	2. Type of Container ☐ Metal ☐ Plastic ☐ Glass ☐ Paper ☐ Other (Specify)
*Certification must be submitted			
3. Location of Net Contents Information ☐ Label ☐ Container	4. Size(s) Retail Container	5. Location of Label Directions ☐ On Label ☐ On labeling accompanying product	
6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Paper glued ☐ Stenciled ☐ Other			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)			
Name Kaci Rosario	Title Product Regulatory Specialist	Telephone No. (Include Area Code) 908-243-3546	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature <i>Kaci Rosario</i>	3. Title Product Regulatory Specialist		
4. Typed Name Kaci Rosario	5. Date September 10, 2013		

Kathryn Rosario
Product Regulatory Specialist

3/5
International Specialty Products
An Ashland Inc. Business

1005 U.S. 202/206
Bridgewater, NJ 08807
Tel: 908-243-3546, Fax: 908-243-3582

krosario@ashland.com

September 10, 2013

via FEDEX

Mr. Marshall Swindell
Product Manager 33
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue NW
Washington, DC 20460

RE: Notification per PR Notice 98-10
Nuosept W Concentrate (EPA Reg. No. 1529-59)

Dear Mr. Swindell:

Please find enclosed notification in reference to minor revisions to the product label for Nuosept W Concentrate (EPA Reg. No. 1529-59). The label is being revised to include a statement in reference to certain use applications that are not approved in the state of California.

To support this Notification, I am submitting the following documents for review:

1. Application for Pesticide Notification which includes a statement certifying compliance with PR Notice 98-10; and
2. One (1) copy of the labeling with changes highlighted.

Thank you in advance for your assistance with this Notification. If you have any questions, you can reach me at 908-243-3546 or by e-mail at krosario@ashland.com.

Sincerely,



Kaci Rosario
Product Regulatory Specialist

ASHLAND.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS.

DANGER

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, absorbed through the skin or inhaled. Do not breathe spray mist. Mixers, applicants and all other users should wash hands with soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. If pesticide gets inside clothing, remove clothing immediately, wash thoroughly, and put on clean clothing. This product may cause skin sensitization reactions in some people.

Mixers, loaders, and other handlers must wear long-sleeved shirt and long pants; shoes plus socks; chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, or polyvinyl chloride; protective eyewear such as goggles or face shield; and a chemical resistant apron. Users should remove personal protective equipment (PPE) immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

ACTIVE INGREDIENTS:
Bronopol..... 14.00%
5-chloro-2-methyl-4-isothiazolin-3-one..... 1.5%
2-methyl-4-isothiazolin-3-one..... 0.5%
OTHER INGREDIENTS..... 84.00%
TOTAL..... 100.00%

EPA Reg. No. 1529-59
EPA Est. No. 74655-GA-001

**- KEEP OUT OF REACH OF
CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR ON CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move the person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

EMERGENCY MEDICAL INFORMATION:
800-241-7439

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NUOSEPT™ W CONCENTRATE

STORAGE AND DISPOSAL
DO NOT CONTAMINATE WATER, FOOD
OR FEED BY STORAGE AND DISPOSAL
NONREFILLABLE CONTAINER
DO NOT REUSE OR REFILL THIS CONTAINER

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

INDUSTRIAL USE ONLY

Nuosept W Concentrate is a liquid in-can preservative and may be added at any point in the production process. For best results add it as early as possible in the manufacturing process. Avoid high temperature/high alkaline conditions.

Typical usage rates are 0.025 – 0.19% by wt. (35 – 266 ppm bronopol and 5 – 38 ppm isothiazolones) for adhesives and tackifiers (such as animal glues, rubber

CONTAINER DISPOSAL-
Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinse into application equipment or a mix tank or store rinse for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

detergents, la softeners, laur cleaners, all-pi tarnish produc polishes*, car pre-spotters, a waxes, and po package utility moistened spo aqueous comp and dispersion and pigment disper

*These applica use in Californ

ENVIRON

This pesticide i aquatic plants, invertebrates. containing this ponds, estuar unless in acco requirements c Discharge Elin permit and the been notified ir Do not discha product to sew previously notil treatment plant contact your St Regional Office

NOTE: READ 1 SHEET BEFC

IN CASE OF TR CALL CHEMTRE

INTERNATION AN ASH

13 W/ 45

NUOSEPT™ W CONCENTRATE

INGREDIENTS:

methy-4-isothiazolin-3-one	14.00%
-isothiazolin-3-one	1.5%
INGREDIENTS	0.5%
	84.00%
	100.00%

No. 1529-59

Jo. 74655-GA-001

**P OUT OF REACH OF
CHILDREN
DANGER**

FIRST AID

IS: Hold eye open and rinse slowly with water for 15-20 minutes. Contact lenses, if present, after the first rinse, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IN OR ON CLOTHING: Take off contaminated clothing. Rinse skin immediately with water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

LOWED: Call a poison control center immediately for treatment advice. Do not induce vomiting unless told to by a poison control center or doctor. Do not get anything into an unconscious person's mouth.

ED: Move the person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, if possible. Call a poison control center or doctor for further advice.

PHYSICIAN: Probable mucosal irritation. Advise the use of gastric lavage.

GENCY MEDICAL INFORMATION:
800-241-7439

product container or label with you when you go to a hospital or doctor or going for treatment.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

INDUSTRIAL USE ONLY

Nuosept W Concentrate is a liquid in-can preservative and may be added at any point in the production process. For best results add it as early as possible in the manufacturing process. Avoid high temperature/high alkaline conditions. Typical usage rates are 0.025 – 0.19% by wt. (35 – 266 ppm bronopol and 5 – 38 ppm isothiazolones) for adhesives and tackifiers (such as animal glues, rubber latices, acrylic latices), paints and coatings (such as architectural paints, water coatings such as for paper or wood, emulsions), building materials (such as caulks, joint cements, grouts, mastics, sealants, spackling, ready-to-mix cement, tape joint compounds), wallboard (drywall and gypsum board); latices (such as synthetic and natural polymer latices, starches and casein derived polymers, protein derived polymers), fountain solutions for lithographic printing operations, photo processing, inks/ink components*, metal working and metal cleaning fluids, industrial water such as process water, wash water and waste water; industrial cooling water and air washer systems, consumer household and institutional products (such as dishwashing detergents, laundry

temperature/high alkaline conditions. Typical usage rates are 0.025 – 0.19% by wt. (35 – 266 ppm bronopol and 5 – 38 ppm isothiazolones) for adhesives and tackifiers (such as animal glues, rubber latices, acrylic latices), paints and coatings (such as architectural paints, water coatings such as for paper or wood, emulsions), building materials (such as caulks, joint cements, grouts, mastics, sealants, spackling, ready-to-mix cement, tape joint compounds), wallboard (drywall and gypsum board); latices (such as synthetic and natural polymer latices, starches and casein derived polymers, protein derived polymers), fountain solutions for lithographic printing operations, photo processing, inks/ink components*, metal working and metal cleaning fluids, industrial water such as process water, wash water and waste water; industrial cooling water and air washer systems, consumer household and institutional products (such as dishwashing detergents, laundry

temperature/high alkaline conditions. Typical usage rates are 0.025 – 0.19% by wt. (35 – 266 ppm bronopol and 5 – 38 ppm isothiazolones) for adhesives and tackifiers (such as animal glues, rubber latices, acrylic latices), paints and coatings (such as architectural paints, water coatings such as for paper or wood, emulsions), building materials (such as caulks, joint cements, grouts, mastics, sealants, spackling, ready-to-mix cement, tape joint compounds), wallboard (drywall and gypsum board); latices (such as synthetic and natural polymer latices, starches and casein derived polymers, protein derived polymers), fountain solutions for lithographic printing operations, photo processing, inks/ink components*, metal working and metal cleaning fluids, industrial water such as process water, wash water and waste water; industrial cooling water and air washer systems, consumer household and institutional products (such as dishwashing detergents, laundry

temperature/high alkaline conditions. Typical usage rates are 0.025 – 0.19% by wt. (35 – 266 ppm bronopol and 5 – 38 ppm isothiazolones) for adhesives and tackifiers (such as animal glues, rubber latices, acrylic latices), paints and coatings (such as architectural paints, water coatings such as for paper or wood, emulsions), building materials (such as caulks, joint cements, grouts, mastics, sealants, spackling, ready-to-mix cement, tape joint compounds), wallboard (drywall and gypsum board); latices (such as synthetic and natural polymer latices, starches and casein derived polymers, protein derived polymers), fountain solutions for lithographic printing operations, photo processing, inks/ink components*, metal working and metal cleaning fluids, industrial water such as process water, wash water and waste water; industrial cooling water and air washer systems, consumer household and institutional products (such as dishwashing detergents, laundry

temperature/high alkaline conditions. Typical usage rates are 0.025 – 0.19% by wt. (35 – 266 ppm bronopol and 5 – 38 ppm isothiazolones) for adhesives and tackifiers (such as animal glues, rubber latices, acrylic latices), paints and coatings (such as architectural paints, water coatings such as for paper or wood, emulsions), building materials (such as caulks, joint cements, grouts, mastics, sealants, spackling, ready-to-mix cement, tape joint compounds), wallboard (drywall and gypsum board); latices (such as synthetic and natural polymer latices, starches and casein derived polymers, protein derived polymers), fountain solutions for lithographic printing operations, photo processing, inks/ink components*, metal working and metal cleaning fluids, industrial water such as process water, wash water and waste water; industrial cooling water and air washer systems, consumer household and institutional products (such as dishwashing detergents, laundry

detergents, laundry pre-spotters, fabric softeners, laundry spray starch, surface cleaners, all-purpose liquid cleaners, anti-tarnish products, furniture and floor polishes*, carpet shampoos and carpet pre-spotters, automotive cleaners, waxes, and polishes) as well as for package utility products such as pre-moistened sponges and mops; and other aqueous compositions such as emulsions and dispersions, pesticide formulations; pigment dispersions and slurries.

*These applications are not approved for use in California.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to terrestrial and aquatic plants, fish, and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: READ THE MATERIAL SAFETY DATA SHEET BEFORE USING THIS PRODUCT.

**IN CASE OF TRANSPORTATION EMERGENCY
CALL CHEMTREC 800-424-9300 (703-527-3887)**

**INTERNATIONAL SPECIALTY PRODUCTS
AN ASHLAND INC. BUSINESS
1361 ALPS ROAD
WAYNE, NJ 07470
(973) 628-4000**

5/5