### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

29 FEB 1996

Ms. Dee Guerrin W.F. Young, Inc. 111 Lyman Street Springfield, MA 01103

Dear Ms. Guerrin:

Subject; Amendment - Label

Absorbine Flys-X Ready To Use Insecticide

EPA Registration No. 1543-10

Your Submission dated January 30, 1996

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, Rodenticide Act, as amended, is acceptable subject to the comments listed below. Three copies of the finished labeling must be submitted prior to releasing the product for shipment.

We cannot accept the addition of the picture of the "pyrethrin plant" to the label for the following reasons:


- The picture is misleading, since it gives the impression that the product is derived solely from the plant, when if fact the product's ingredients are a combination of both botannicals and other chemicals. On the other hand, we have no objection to the addition of the following statement to the label. ....."Contains Botannically derived Insecticide".....
- Pyrethrin is extracted from various species of chrysanthemum plants. There is no such thing as a pyrethrin plant.

Sincerely yours,

RPK

Richard P. Keigwin, Jr. Product Manager 10 Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure:



## ACCEPTED with COMMENTS in EPA Letter Dated

# 29 FEB 1996

Under the Federal Insecticide, Funnicide, and Distinction Latas amunded, for the perilide registered under EPA Rcg. No.

or covered during treatment. All lood reas and ventilate before reoccupying. For those of spot treatment and surface spray is

strol cockroaches, palmetto bugs, ants, lover mites, cheese miter, granary weevils, der beetles, cigarette ! retles, drugstore miles and cadelles. A just sprayer to a ie spray Into hiding piaces, cracks and dispersed foods, behind shelves and drawers. es. For anis, spray trails, nests, and points n only is to be used, spray Boors and other gallon to 750 square feet of area.

## IONARY STATEMENTS

MANS & DOMESTIC ANIMALS

llowed. Avoid contamination of feed and ith eyes. In case of contact immediately water. Get medical altention if irritation

### NMENTAL HAZARDS


b. Keep out of takes, streams or ponds T is likely to occur. Do not contaminate oment or disposal of wastes. Apply this on this label.

STATE OF THE PROPERTY OF THE P

#### GE AND DISPOSAL

SPORT OR STORE UNDER 32° E. Store ly in a locked storage area. Leaking i may be disposed of on site or at an

ninate water, food, or feed by storage or a from the use of this product may be a approved waste disposal facility. Triple in offer for recycling or reconditioning, of in a samuary landfill, or incineration. local authorities, by burning. If burned



# Contains Botanically Derived Insecticide

0.1%

1.0% 98.9% 100%

AT INVENTAVENAVA TO

ACTIVE INGREDIENTS:

PYDETURING

\*PIPERONYL BUTOXIDE, TECHNICAL

TIGERT INGREDIENTS

- FOUTVALENT TO MIN 0.8% (BUT) LCARBITYL) 17 PROPYLPIPERONY) ETHER AND 0.2% RELATED COMPOUNDS

CAUTION
SEE OTHER PRECAUTIONS ON THE
BACK PANEL

•. 32 fl oz e (946 mL)

EFFECTIVE, FAST-ACTING, READY TO USE INSECTICIDE. DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

e de til 196 kannan kun meddining i er en niger **engligt skriften i** ett skriften.

Food si

process

cleaned

Suctac

confuse

beetles,

CORESE

For silve

surface

CAUT

foods flush

persi

water

produ

STOR

pack

dispo dispo rinse

HORSE AND LIVESTOCK SPRAY

Effective, fast acting, ready to use insecucide. Apply with conventional sprayers or a cloth.

rotect caule and horses from horn files, house files, masquitoes and grass, apply a light mist sufficient to wet the surface of the hair. To control stable flies, horse flies, and deer flies, apply at a rate of 2-4 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection. To control face flies, apply with a cloth dampened with the spray. To control blood sucking lice, apply to the infested areas of the animal. Use a stiff british to get the spray to the base of the bale. Repeat every 2-3 weeks if required.

PET INSECTICIDE

For control of fleas and brown dog ticks on premises and on pets.

Fifective, fast-acting insecticide.

Surface spraying: Thoroughly spray injected areas, per beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames and entire areas of floor covering. Fresh bedding should be placed in animal quarters following treatment.

Repeat treatment as needed.

On Petas: Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered including the legs and under body. While spraying, fluff the hair so spray will penetrate to the

Do not spray into eyes or face. Avoid contact with genitalia. Repeat as needed.

HOUSEHOLD SPRAY

Effective fast acting ready to use spray for use in homes.

Leaves no oily or objectionable residues
Indoor Application: Use of this product in food processing areas
should be limited to periods when the kitchen is not in operation.



Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

E.P.A. Ess. No. 1543-MA-1; 11715-TN-1; 67572-GA-1 E.P.A. Reg. No. 1543-10

LI TOURSON CAR U

Distributed by OWF Young, Inc. Springfield, MA 01103 U.S.A.

RM312387/5 Printed in U.S.A.

 $\mathbf{g}_{i}^{-1} = \mathbf{g}_{i}^{-1} = \mathbf{g}_{i}^{-1$ 

**BEST AVAILABLE COPY**