

**NOW CITRONELLA  
SCENTED!**



# FLYS-X<sup>®</sup>

*Ready to Use Insecticide*  
(AQUEOUS)

*Contains Botanically Derived Insecticide*



ACTIVE INGREDIENTS:

PYRETHRINS	0.1%
*PIPERONYL BUTOXIDE, TECHNICAL	1.0%
INERT INGREDIENTS	98.9%
*EQUIVALENT TO MIN. 0.8% (BLTYLCARBITYL) (6-PROPYLPIPERONYL) ETHER AND 0.2% RELATED COMPOUNDS	100%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
SEE OTHER PRECAUTIONS ON THE BACK PANEL

32 fl oz (946 mL)

**READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON HORSES, PONIES AND DOGS  
EFFECTIVE, FAST-ACTING, READY TO USE INSECTICIDE.**

**DIRECTIONS FOR USE:**  
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.  
**HORSE AND LIVESTOCK SPRAY:**  
Effective, fast acting, ready to use insecticide. Apply with conventional sprayers or a cloth.  
To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair.  
To control stable flies, horse flies, and deer flies, apply at a rate of 2-4 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.  
To control face flies, apply with a cloth dampened with the spray.  
To control blood sucking lice, apply to the infested areas of the animal. Use a stiff brush to get the spray to the base of the hair. Repeat every 2-3 weeks if required.

**PET INSECTICIDE**  
For control of fleas and brown dog ticks on premises and on pets. Effective, fast-acting insecticide.  
**Surface spraying:** Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and entire areas of floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed.  
**On Pets:** Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered including the legs and under body. While spraying, fluff the hair so spray will penetrate to the skin.  
Do not spray into eyes or face. Avoid contact with genitalia. During the flea season retreat weekly as necessary.  
Do not use on foals or puppies under 12 weeks.  
**HOUSEHOLD SPRAY**  
Effective fast acting ready to use spray for use in homes.  
Leaves no oily or objectionable residues.



Distributed by:  
W. F. Young, Inc.  
E. Longmeadow, MA 01028  
©W.F.Y.  
800-628-9653 Monday - Friday  
8:00 A.M. - 4:30 P.M. E.S.T.  
[www.absorbine.com](http://www.absorbine.com)  
RM342395-Temp  
Printed in U.S.A.  
E.P.A. Est. No. 11715-TN-1  
E.P.A. Reg. No. 1543-10

**ABSORBINE**

*The Horse World's Most Trusted Name<sup>®</sup>*

**Indoor Application:** Use of this product in food processing areas should be limited to periods when the kitchen is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Vacate areas and ventilate before reoccupying. For maximum results, a combination of spot treatment and surface spray is recommended.

**Surface spraying:** To control cockroaches, palmeto bugs, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, confused flour beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and caddisflies. Adjust sprayer to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, around containers of stored foods, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests, and points of entry. If surface application only is to be used, spray floors and other surfaces at the rate of 1 gallon to 750 square feet of area.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**FIRST AID:** Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid contact with eyes. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**STORAGE AND DISPOSAL**

**STORAGE:** DO NOT TRANSPORT OR STORE UNDER 32° F. Store in original container only in a locked storage area. Leaking packages of this product may be disposed of on site or at an approved waste disposal facility.

**DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**FIRST AID**

If swallowed	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

**ACCEPTED**  
AUG 21 2001  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 1543-10

↑ indicates stamping area-

1543-10

08/21/2001

111