1/12

NOV 7 2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Sharon M. Johnston W.F. Young, Inc. 302 Benton Drive East Longmeadow, MA 01028

Subject: Label Notification(s) for Pesticide Registration 98-10

Dear Ms. Johnston:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated for July 15, 2013 for:

Alternate Brand Name Absorbine UltraShield Flys-X

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

EPA Registration Number 1543-10 Absorbine Flys-X

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks at <u>banks.melody@epa.gov</u>. or at 703 305-5413.

Sincerely,

Richard Gebken

Product Manager

Insecticide Branch

Registration Division (7504P)

	•	,)	2/12
United States Environmental Protection Washington, DC 20460		Registration Amendment Other	OPP Identifier Number
Application	for Pesticide - Sectio	n l	
1. Company/Product Number 1543-10	2. EPA Product Manage Richard Gebken	ľ	roposed Classification
4. Company/Product (Name) // Absorbine Flys-X	PM# . 10 /		
5. Name and Address of Applicant (Include ZIP Code) W.F. Young, Inc. 302 Benton Drive East Longmeadow, MA 01028 Check if this is a new address	6. Expedited Reveil (b)(i), my product is sto: EPA Reg. No. Product Name	w. INDTIFICATION of the similar or identical in control of the NOV - 7 20	THE RA Section 3(c)(3) omposition and labeling
	Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	f 1	lication.	
Explanation: Use additional page(s) if necessary. (For section I This notification is consistent with the provisions of PR Notice 98-10 a labeling or the confidential statement of formula of this product. I under EPA. I further understand that if this notification is not consistent with FIFRA and I may be subject to enforcement action and penalties under NOTIFICATION OF ALTERNATE BRAND NAME PER PR NOTICE 9	and EPA regulations at 40 CFR 152 lerstand that it is a violation of 18 U the terms of PR Notice 98-10 and er sections 12 and 14 of FIFRA.	.S.C. Sec. 1001 to willfully 40 CFR 152.46, this prod	make any false statement to
	Section - III		
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes V No * Certification must be submitted Unit Packaging Unit Packaging Via No No. per container	Water Soluble Packaging Yes ✓ No If "Yes" No. per container.	Paper	
3. Location of Net Contents Information 4. Size(s) Retail	Container 5.	Location of Label Direct	ions
6. Manner in Which Label is Affixed to Product Lithograph Paper glosses		on label	0.000.0 0.000.0 0.000.0
And the second s	Section - IV		77 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7
1. Contact Point (Complete items directly below for identification Name	itle Regulatory Consulta	nt salas	is application.) ne: Bô. (Include Area Code) (636) 942-2583 6: Date Application Reserved
I acknowledge that any knowlingly false or misleading state both under applicable law.	ment may be punishable by fine	or imprisonment or	၌ အ (Stamped)
	Title Regulatory Cons	sultant	
4. Typed Name 5. Sharon M. Johnston	July 15, 20	013	

MASTER LABEL

Notification July 15, 2013

SUB-LABEL A – PROFESSIONAL USE

ABSORBINE® Flys-X® [Alternate Brand Name:] [ABSORBINE® UltraShield Flys-X]

NOTIFICATION

[Ready To Use Insecticide [Aqueous]]
[Contains Pyrethrins, a Botanical Insecticide [Aqueous]]

NOV -7 2013

[Citronella Scented]

[The Horse World's Most Trusted Name® [Since 1892]

[[Also] For use on [Horses], [Ponies], [Foals], [Livestock], [Cattle], [Dogs]]

ACTIVE INGREDIENTS:

 Pyrethrins
 0.1%

 Piperonyl Butoxide*
 1.0%

 OTHER INGREDIENTS:
 98.9%

 TOTAL:
 100.0%

*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back/Side Label Panel for Additional Precautionary Statements

Net Cóntents __

Notification July 15, 2013

READ ENTIRE LABEL BEFORE EACH USE ON ANIMAL USE - USE ONLY ON HORSES, CATTLE, PONIES AND DOGS

EFFECTIVE, FAST-ACTING, READY TO USE INSECTICIDE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions & Use Restrictions

Entry Restrictions:

- Except when applying to dogs, foals, horses and livestock, do not allow others to enter treated area until sprays have dried.

Application Restrictions:

- Except when applying to dogs, foals, horses and livestock, do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.
- Do not apply using a high pressure hand-wand or hand-held fogger in enclosed spaces.
- Not for use in or around floor drains or sewers.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.
- Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquarium before surface spraying.
- Do not use on foals or puppies less than 12 weeks of age.
- Do not apply this water-based spray on or around electrical equipment due to the possibility of shock hazard.

HORSE AND LIVESTOCK-SPRAY

Effective, fast-acting, ready to use insecticide. Apply with conventional sprayers or a cloth. To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair. To kill stable flies, horse flies, and deer flies, apply at a rate of 2-4 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection. To kill face flies, apply with a cloth dampened with the spray. To kill blood sucking lice, apply to the infested areas of the animal. Use a stiff brush to get the spray to the base of the hair. Repeat ever 2-3 weeks as required.

Notification July 15, 2013

DOG AND FOAL INSECTICIDE USE

To kill fleas and brown dog ticks on premises and on dogs. Effective, fast-acting insecticide.

Surface spraying: Remove dogs prior to treatment. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, windows and door frames and entire areas of floor covering. Fresh bedding should be placed in animal quarters following treatment.

On Dogs and Foals: Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered including the legs and under body. While spraying, fluff the hair so spray will penetrate to the skin. Do not spray into eyes or face. Avoid contact with eyes and genitalia. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. During the flea season, retreat weekly if necessary.

HOUSEHOLD SPRAY

Effective, fast-acting ready to use spray for use in homes. Leaves no oily or objectionable residues. Use of this product in kitchens should be limited to periods when not in use.

Indoor surface spraying: For maximum results, a combination of spot treatment and surface spray is recommended. To kill cockroaches, palmetto bugs, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, confused flour beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadelles. Adjust spray to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, around containers of stored foods, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces at the rate of 1 gallon to 750 square feet of area.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool area above 32 °F and protect from freezing. Store in original container only in a locked storage area.

Pesticide Disposal and Container Handling: Non-refillable container. Do not reuse, or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place, unused product down any indoor or outdoor drain.

{Alternate Storage and Disposal instructions for refillable containers}

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool area above 32 °F and protect from freezing. Store in original container only in a locked storage area.

Pesticide Disposal and Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

	FIRST AID
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	container or label with you when calling a poison control center or doctor, or nt. You may also contact 1-800-628-9653 for emergency medical treatment

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- long-sleeve shirt.
- long pants,
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Absorbine Flys-X 1543-10

MASTER LABEL

Notification July 15, 2013

Discard clothing and other absorbent material that have been drenched or heavily contaminated with this product. Do not reuse them.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Distributed by:

W.F. Young, Inc.
302 Benton Drive
E. Longmeadow, MA 01028
©WFY
RM#
Printed in U.S.A.
www.absorbine.com

EPA Est. No. EPA Reg. No. 1543-10

[] Denote alternate text in addition to any subset of the directions for use.

MASTER LABEL

Notification July 15, 2013

SUB-LABEL B - HOMEOWNER USE

ABSORBINE® Flys-X®

{Alternate Brand Name:} [ABSORBINE® UltraShield Flys-X]

[Ready To Use Insecticide [Aqueous]]
[Contains Pyrethrins, a Botanical Insecticide [Aqueous]]
[Citronella Scented]
[The Horse World's Most Trusted Name® [Since 1892]]
[[Also] For Use On [Horses], [Ponies], [Foals], [Dogs]]

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
Piperonyl Butoxide*	1.0%
OTHER INGREDIENTS:	98.9%
TOTAL:	100.0%

^{*(}butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

	See	Back/Side	Label Pane	l for Additional	Precautionary	Statements
--	-----	-----------	------------	------------------	---------------	-------------------

TAT _ 4	Contents	
Vet	Contents	
1100	Comments	

READ ENTIRE LABEL BEFORE EACH USE ON ANIMAL USE - USE ONLY ON HORSES, PONIES AND DOGS

EFFECTIVE, FAST-ACTING, READY TO USE INSECTICIDE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions & Use Restrictions

Entry Restrictions:

- Except when applying to dogs, foals and horses, do not allow others to enter treated area until sprays have dried.

Application Restrictions:

- Except when applying to dogs, foals and horses, do not apply this product in a way that will contact adults, children or pets either directly or through drift.
- Not for use in or around floor drains or sewers.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.
- Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquarium before surface spraying.
- Do not use on foals or puppies less than 12 weeks of age.
- Do not apply this water-based spray on or around electrical equipment due to the possibility of shock hazard.

HORSE-SPRAY-

Effective, fast-acting, ready to use insecticide. Apply with conventional sprayers or a cloth. To protect horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair. To kill stable flies, horse flies and deer flies, apply at a rate of 2-4 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection. To kill face flies, apply with a cloth dampened with the spray. To kill blood sucking lice, apply to the infested areas of the animal. Use a stiff brush to get the spray to the base of the hair.

MASTER LABEL

Notification July 15, 2013

DOG AND FOAL INSECTICIDE USE

To kill fleas and brown dog ticks on premises and on dogs. Effective, fast-acting insecticide.

Surface spraying: Remove dogs prior to treatment. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, windows and door frames and entire areas of floor covering. Fresh bedding should be placed in animal quarters following treatment.

On Dogs and Foals: Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered including the legs and under body. While spraying, fluff the hair so spray will penetrate to the skin. Do not spray into eyes or face. Avoid contact with eyes and genitalia. Sensitivities may occur after using ANY pesticide product on pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. During the flea season, retreat weekly if necessary.

HOUSEHOLD SPRAY

Effective, fast-acting ready to use spray for use in homes. Leaves no oily or objectionable residues. Use of this product in kitchens should be limited to periods when not in use.

Indoor surface spraying: For maximum results, a combination of spot treatment and surface spray is recommended. To kill cockroaches, palmetto bugs, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, confused flour beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadelles. Adjust spray to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, around containers of stored foods, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces at the rate of 1 gallon to 750 square feet of area.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool area above 32 °F and protect from freezing. Store in original container only in a locked storage area.

Pesticide Disposal and Container Handling: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Alternate Storage and Disposal instructions for refillable containers}

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool area above 32 °F and protect from freezing. Store in original container only in a locked storage area.

Pesticide Disposal and Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID		
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
_	container or label with you when calling a poison control center or doctor, or nt. You may also contact 1-800-628-9653 for emergency medical treatment	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash before reuse.

Distributed-by:

W.F. Young, Inc.
302 Benton Drive
E. Longmeadow, MA 01028
©WFY
RM#
Printed in U.S.A.

Absorbine Flys-X 1543-10 www.absorbine.com

MASTER LABEL

Notification July 15, 2013

EPA Est. No. EPA Reg. No. 1543-10

[] Denote alternate text in addition to any subset of the directions for use.