

149-11

1/24/2000

1/4

857052



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

149-11

Date of Issuance:

JAN 24 2000

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Term of Issuance:

Conditional

Name of Pesticide Product:

Terro Insect Killer

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Senoret Chemical Co., Inc.  
566 Leffingwell Avenue  
Kirkwood, MO 63122

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phase "EPA Registration No. 149-11".
- b. Revise the bullet to read , "For Household Use Only".
- c. Delete the statements, "Do not use in rooms/areas xxx etc. and Do not use in classrooms xxx etc." since they imply use in hospitals and institutions which this product is not labeled for.
- d. Revise the statement to read, "For Control of ornamental Garden Insects".

Signature of Approving Official:

Date:

page 2  
EPA Reg. No.' 149-11

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

# Terro® Insect Killer

X

- CONTAINS PYRENONE® AND PERMANONE®
- CONTROLS RESIDENTIAL AND GARDEN INSECTS
- SEEKS OUT BUGS WHERE THEY HIDE
- KILLS ON CONTACT
- FOR HOUSEHOLD USE
- NON-STAINING
- A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS (INCLUDING CARPENTER ANTS), BEETLES (INCLUDING CARPET, FLOUR, GRAIN, AND GROUND BEETLES), CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS (INCLUDING MOLE CRICKETS), EARWIGS, FIREBRATS, FLEAS, MILLIPEDES, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS, AND OTHER PESTS LISTED ON THE LABEL
- NO UNPLEASANT ODOR
- WATER-BASED FORMULA
- FOR USE ON PREMISES TO CONTROL FLEAS AND TICKS
- PROTECTS FOR UP TO [4 WEEKS], [12 WEEKS], [3 MONTHS]

### ACTIVE INGREDIENTS:

Pyrethins	0.10%
Piperonyl Butoxide, Technical*	0.50%
Permethrin**	0.20%
OTHER INGREDIENTS	99.20%
TOTAL	100.00%

\*Equivalent to min. 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.

\*\* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethyl) 2, 2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

Pyraperm, Pyrenone and Permanone - Registered Trademarks of AgrEvo Environmental Health, Inc.

EPA REG. NO. 149-RR

EPA EST. NO. \_\_\_\_\_

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

### FIRST AID

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

See Rear Panel For Use Cautions

NET CONTENTS:            ACCEPTED with COMMENT in EPA Letter B...

JAN 24 2000

## PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION. Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

### Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water.\* Do not contaminate water when disposing of equipment washwaters.

### Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

### STORAGE AND DISPOSAL

Store in cool, dry area. Do not transport or store below 32°F. Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use. } drkk

### SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

### INDOORS:

CLUSTER FLIES, HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, BLACK FLIES, SKIPPER FLIES, BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment if reinfestation occurs.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment if reinfestation occurs.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat treatment if reinfestation occurs.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment if reinfestation occurs.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment if reinfestation occurs. Allow all sprayed articles to dry thoroughly before use.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

FLEAS IN BUILDINGS - SPACE SPRAY: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or if reinfestation occurs.

FLEAS & TICKS (ADULTS AND LARVAE): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

OUTDOORS: Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: *Flies, Mosquitoes, Gnats, and Small Flying Moths.* Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat treatment if reinfestation occurs.

CRAWLING INSECTS: *Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish.* Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as *Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites* and *Leafminers*.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites* and *Army Worms*. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment if reinfestation occurs.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured for:  
Senoret Chemical Company, Inc.  
566 Leffingwell Avenue  
Kirkwood, MO 63122