

1543-11

**ACCEPTED**  
MAY 6 2002  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1543-11



# SUPERSHIELD® RED

## Fly Repellent & Insecticide

Patented **WATER-RESISTANT** Formula  
Conditions, Detangles & Shines

*113 3/3/03*

REPELS FOR 2-3 DAYS

ACTIVE INGREDIENTS:  
BUTOXYPOLYPROPYLENE GLYCOL 10.00%  
\*PIPERONYL BUTOXIDE TECHNICAL 1.00%  
PYRETHRINS 25%  
INERT INGREDIENTS 88.75%  
\*EQUIVALENT TO 0.8% (BUTYL CARBITO) (3 PROPYLPIPERONYL) ETHER AND TO 0.2% RELATED COMPOUNDS

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION: SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

32 fl oz (946 mL)



The Horse World's Most Trusted Name®

FOR MAXIMUM PROTECTION APPLY 4 TO 6 OZ. TO ANIMAL

**DIRECTIONS FOR USE**  
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


**FOR USE ON HORSES**  
SuperShield® RED, the coat conditioning fly repellent & insecticide has been developed for use full strength on horses. Its patented formula remains active following wet conditions and perspiration. It is also an excellent grooming aid that conditions and detangles, adding body, vigor and shine to the coat, mane and tail. May be applied with a trigger spray applicator or as a wipe. SuperShield RED kills and repels Stable Flies, Horn Flies, House Flies, Face Flies, Horse Flies, Deer Flies, Bot Flies, Mosquitoes and Gnats.

**SHAKE WELL BEFORE & DURING APPLICATION**

**WIPE ON USE:** First, brush horse's coat to remove excess dirt and dust. Shake container well and dampen a soft cloth with SuperShield RED. Rub over hair with special attention to the legs, shoulders, shanks, neck and facial areas. For maximum protection apply 4 to 6 oz. to animal. Repeat every 2-3 days, if necessary.

**SPRAY MIST:** First, remove excess dirt and dust by brushing. Shake container well and apply spray mist to horse's coat, paying particular attention to legs, shoulders, shanks, and neck. Do not spray mist around the head and eyes. Dampen a soft cloth and wipe head, avoiding eyes. For maximum protection apply 4 to 6 oz. to animal. Repeat every 2-3 days, if necessary.

Distributed by:  
W. F. Young, Inc.  
E. Longmeadow, MA 01028 U.S.A.  
©W.F.Y.  
800-628-9653 Monday - Friday  
8:00 A.M. - 4:30 P.M. E.S.T.  
[www.absorbine.com](http://www.absorbine.com)  
3M746115-Txnp  
Printed in U.S.A.  
Licensed under U.S. Pat. 3882824  
E.P.A. Est. No. 11715-TN-1  
E.P.A. Reg. No. 1543-11 **RF**



**STORAGE AND DISPOSAL STATEMENTS**

**PESTICIDE STORAGE:** Store in a cool area above 32°F and protect from freezing. Store in original container only in a locked storage area.

**PESTICIDE DISPOSAL:** Call your local solid waste agency or (1-800-CLEANUP or equivalent organization) for disposal instructions. Unless otherwise instructed place in trash. Never pour unused product down the drain or on the ground.

**CONTAINER DISPOSAL:** Do not re-use container. Place in trash or offer for recycling if available.

**PRECAUTIONARY STATEMENTS**

**CAUTION**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS:** Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid contact with eyes. Use on Show, Race, Work, or Pleasure horses only. Do not use on horses intended for slaughter.

**ENVIRONMENTAL HAZARD:** This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

**FIRST AID**

**If swallowed**

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**If in eyes**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith

5/6/2002

1/1